



Product Service

#OSRAM\_OLQ(V)

#744 #ZEWEN.YIN

# CERTIFICATE

No. U6 084117 0093 Rev. 01

**Holder of Certificate:** **Osram GmbH**  
Marcel-Breuer-Str. 6  
80807 München  
GERMANY

**Certification Mark:**



**Product:** **LED Module**

The product was voluntarily tested according to the listed standards. The product can be marked with the certification mark shown above. It is not permitted to alter the certification mark in any way. In addition, the certificate holder must not transfer the certificate to third parties. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 64142205011802

**Date,** 2021-05-10

( Taylor Yao )

#LLS #COIN50 ENEC CERT

valid copy

#Confirm 2021-05-13

#RL-Released

9C1 4249495-EN-01

# CERTIFICATE

No. U6 084117 0093 Rev. 01

**Model(s):**

- PL-CN50-COB-1400-927-24D-G2;
- PL-CN50-COB-1400-930-24D-G2;
- PL-CN50-COB-1400-935-24D-G2;
- PL-CN50-COB-1400-940-24D-G2;
- PL-CN50-COB-1400-827-24D-G2;
- PL-CN50-COB-1400-830-24D-G2;
- PL-CN50-COB-1400-840-24D-G2;
- PL-CN50-COB-1400-865-24D-G2;
- PL-CN50-COB-1400-927-40D-G2;
- PL-CN50-COB-1400-930-40D-G2;
- PL-CN50-COB-1400-935-40D-G2;
- PL-CN50-COB-1400-940-40D-G2;
- PL-CN50-COB-1400-827-40D-G2;
- PL-CN50-COB-1400-830-40D-G2;
- PL-CN50-COB-1400-840-40D-G2;
- PL-CN50-COB-1400-865-40D-G2;
- PL-CN50-COB-1400-930UW-24D-G2;
- PL-CN50-COB-1400-935UW-24D-G2;
- PL-CN50-COB-1400-930UW-40D-G2;
- PL-CN50-COB-1400-935UW-40D-G2;
- PL-CN50-COB-1400-827-15D-G2;
- PL-CN50-COB-1400-830-15D-G2;
- PL-CN50-COB-1400-840-15D-G2;
- PL-CN50-COB-1400-927-15D-G2;
- PL-CN50-COB-1400-930-15D-G2;
- PL-CN50-COB-1400-935-15D-G2;
- PL-CN50-COB-1400-940-15D-G2

**Brand Name:** OSRAM  


**Parameters:**  
 Rated Supply Current: 0.35A  
 Rated Power: See below table for details  
 Method of Installation: Built-in  
 Blue Light Risk Group: RG1  
 tc: 90°C

**Tested according to:** EN IEC 62031:2020  
 EN 62471:2008

**Production Facility(ies):** 101562



# CERTIFICATE

No. U6 084117 0093 Rev. 01

Model No	Rated power (W)
PL-CN50-COB-1400-927-24D-G2	12.8
PL-CN50-COB-1400-930-24D-G2	12.8
PL-CN50-COB-1400-935-24D-G2	12.8
PL-CN50-COB-1400-940-24D-G2	12.8
PL-CN50-COB-1400-827-24D-G2	12.8
PL-CN50-COB-1400-830-24D-G2	12.8
PL-CN50-COB-1400-840-24D-G2	12.8
PL-CN50-COB-1400-865-24D-G2	12.8
PL-CN50-COB-1400-927-40D-G2	12.8
PL-CN50-COB-1400-930-40D-G2	12.8
PL-CN50-COB-1400-935-40D-G2	12.8
PL-CN50-COB-1400-940-40D-G2	12.8
PL-CN50-COB-1400-827-40D-G2	12.8
PL-CN50-COB-1400-830-40D-G2	12.8
PL-CN50-COB-1400-840-40D-G2	12.8
PL-CN50-COB-1400-865-40D-G2	12.8
PL-CN50-COB-1400-930UW-24D-G2	12.1
PL-CN50-COB-1400-935UW-24D-G2	12.1
PL-CN50-COB-1400-930UW-40D-G2	12.1
PL-CN50-COB-1400-935UW-40D-G2	12.1
PL-CN50-COB-1400-827-15D-G2	12
PL-CN50-COB-1400-830-15D-G2	12
PL-CN50-COB-1400-840-15D-G2	12
PL-CN50-COB-1400-927-15D-G2	12
PL-CN50-COB-1400-930-15D-G2	12
PL-CN50-COB-1400-935-15D-G2	12
PL-CN50-COB-1400-940-15D-G2	12