



GB DECLARATION of CONFORMITY
LEDVANCE GmbH
Parkring 29-33,85748 Garching, Germany

Declares that under our sole responsibility the product

Product reference(s)
Can refer to an appendix to the DoC

is/are in conformity with the provisions of the following UK regulations, including all amendments:


UK SI 2016 No. 1101	The Electrical Equipment (Safety) Regulations 2016
UK SI 2016 No. 1091	Electro Magnetic Compatibility Regulations 2016
UK SI 2021 No. 1095	The Ecodesign for Energy-Related Products and Energy Information (Lighting Products) Regulations 2021
UK SI 2012 No. 3032	Restriction of the use of Certain Hazardous Substances in Electrical and Electronic Equipment Regulations 2012

The following designated standards have been applied

BS IEC EN 60598-1:2021	Luminaires. General requirements and tests
BS EN 60598-2-2:2012	Luminaires — Part 2-2: Particular requirements — Recessed luminaires
BS EN 62493:2015	Assessment of lighting equipment related to human exposure to electromagnetic field
BS EN IEC 55015:2019+A11:2020	Limits and methods of measurement of radio disturbance characteristics of electrical lighting and similar equipment
BS EN IEC 61000-3-2:2019+A1:2021	Electromagnetic compatibility (EMC). Limits. Limits for harmonic current emissions
BS EN 610003-3-3:2013+A1:2019	Electromagnetic compatibility (EMC). Limits. Limitation of voltage changes, voltage fluctuations and flicker in public low-voltage supply systems
BS EN 61547:2009	Equipment for general lighting purposes. EMC immunity requirements

EXAMPLE STANDARDS SHOWN - CORRECT PRODUCT STANDARDS TO BE ADDED

Authorised signatory:

.....

Name: Scheyer Yannick
Position: QM Manager
Date: 2022-08-25

Appendix to the Model list:

AC40877----SP SQUARE DK ADJ 8W/3000K FL WT
AC40932----SP SQUARE DK ADJ 8W/3000K FL BK
AC40889----SP MULTI 1X30W/3000K FL WT/BK
AC40890----SP MULTI 1X30W/4000K FL WT/BK
AC40891----SP MULTI 2X30W/3000K FL WT/BK
AC40892----SP MULTI 2X30W/4000K FL WT/BK
AC40893----SP MULTI 3X30W/3000K FL WT/BK
AC40894----SP MULTI 3X30W/4000K FL WT/BK