

www.ledvanceUS.com							Discontinued with inventory													
SYLVANIA							Limited inventory available		November 2025											
Natural™ Series with TruWave Technology™					Item Number Legend		Arriving soon													
Family		Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
		42599	LED11A19DIMOTL9SC3RP2		A19	-	11	1100	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42681	LED15A19DIMO9SC3RP		A19	-	15	1600	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	100W Incandescent	-
		42110	LED15A21DIMO9SC3RP		A21	-	15	1600	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	100W Incandescent	-
		41922	LED7.5BR30DIM9SC3TLRP		BR30	-	7.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	Title 20	65W Incandescent	-
		42397	LED7.5BR30DIM9SC3TLRP		BR30	-	7.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	3	Medium	Plastic	-	-	Title 20	65W Incandescent	-
		42108	LED13BR40DIM9SC3RP		BR40	-	13	1100	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	85W Incandescent	-
		42272	LED7.5ST19DIMCL9SC3TLRP		ST19	-	7.5	800	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	60W Incandescent	-
		42270	LED13ST19DIMCL9SC3TLRP		ST19	-	13	1400	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	-	Title 20	100W Incandescent	-
		42271	LED5G25DIMCL9SC3TLRP2		G25	-	5	500	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	-	Title 20	60W Incandescent	-
		42589	LED9R20DIM9SC3TLRP		R20	-	9	800	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	3	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42603	LED5.5PAR20DIM9SC3TLFL40RP		PAR20	-	5.5	550	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	50W Incandescent	-
		42604	LED5.5PAR20DIM9SC3TLNFL25RP		PAR20	-	5.5	550	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	50W Incandescent	-
		42594	LED8.5PAR30LNDIM9SC3TLFL40		PAR30LN	-	8.5	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42595	LED8.5PAR30DIM9SC3TLFL40		PAR30	-	8.5	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42624	LED10PAR30LNDIM9SC3TLNFL25RP		PAR30LN	-	10	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42625	LED10PAR30DIM9SC3TLNFL25RP		PAR30	-	10	850	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	75W Incandescent	-
		42286	LED8.5PAR38DIM9SC3TLADJRP		PAR38	-	8.5	650	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	4	Medium	Plastic	-	-	Title 20	75W Halogen	-
		41522	LED15.5PAR38DIM9SC3TLFL40RP		PAR38	-	15.5	1300	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	120W Halogen	-
		42605	LED15.5PAR38DIM9SC3TLNFL25RP		PAR38	-	15.5	1300	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	6	Medium	Plastic	-	-	Title 20	120W Halogen	-
		42287	LED15.5PAR38DIM9SC3TLADJRP		PAR38	-	15.5	1200	90	2700K, 3000K, 3500K, 4000K, 5000K	25,000	1	4	Medium	Plastic	-	-	Title 20	120W Halogen	-

www.ledvanceUS.com						Discontinued with inventory November 2025										LEDVANCE			
SYLVANIA																			
Natural™ Series with TruWave Technology™				Item Number Legend															
						Arriving soon													
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Natural™ Series Reflector Family																			
	40788	LED5R20DIM927TLRP2		R20	-	5.5	450	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40789	LED5R20DIM930TLRP2		R20	-	5.5	450	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41153	LED5R20DIM935TLRP2		R20	-	5	450	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	41188	LED5R20DIM940TLRP2		R20	-	5	450	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40790	LED5R20DIM950TLRP2		R20	-	5.5	450	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	45W R20	-
	40728	LED7.5BR30DIM927TLRP2		BR30	-	7.5	650	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40831	LED7.5BR30DIM930TLRP2		BR30	-	7.5	650	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	41154	LED7.5BR30DIM935TLRP2		BR30	-	7.5	650	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40832	LED7.5BR30DIM940TLRP2		BR30	-	7.5	650	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40730	LED7.5BR30DIM950TLRP2		BR30	-	7.5	650	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	65W BR30	-
	40785	LED12.5BR40DIM927TLRP2		BR40	-	12.5	1100	>90	2700K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40786	LED12.5BR40DIM930TLRP2		BR40	-	12.5	1100	>90	3000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41155	LED12.5BR40DIM935TLRP2		BR40	-	12.5	1100	>90	3500K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	41214	LED12.5BR40DIM940TLRP2		BR40	-	12.5	1100	>90	4000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
	40787	LED12BR40DIM950TLRP2		BR40	-	12.5	1100	>90	5000K	15,000	2	12	Medium	Plastic	-	-	Title 20	85W BR40	-
Natural™ Series PAR Family																			
	40930	LED6PAR16DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40932	LED6PAR16GU10DIM930TLFL40GLRP		PAR16	-	6	450	>90	3000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40931	LED6PAR16DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40933	LED6PAR16GU10DIM950TLFL40GLRP		PAR16	-	6	450	>90	5000K	25,000	1	6	GU10	Glass	-	-	Title 20	50W Halogen	-
	40920	LED6.5PAR20DIM930TLFL40GLRP		PAR20	-	6.5	550	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41156	LED6.5PAR20DIM935TLFL40GLRP		PAR20	-	6.5	550	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	41119	LED6.5PAR20DIM940TLFL40GLRP		PAR20	-	6.5	550	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40921	LED6.5PAR20DIM950TLFL40GLRP		PAR20	-	6.5	550	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	50W Halogen	-
	40914	LED10.5PAR30DIM930TLNFL25GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40916	LED10.5PAR30DIM930TLNFL40GLRP		PAR30	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41159	LED10PAR30DIM935TLFL40GLRP		PAR30	-	10	850	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	41118	LED10PAR30DIM940TLFL40GLRP		PAR30	-	10	850	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40915	LED10.5PAR30DIM950TLNFL25GLRP		PAR30	-	10.5	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40917	LED10.5PAR30DIM950TLFL40GLRP		PAR30	-	10	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40910	LED10.5PAR30LNDIM930TLNFL25GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40912	LED10.5PAR30LNDIM930TLNFL40GLR		PAR30LN	-	10.5	850	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40911	LED10PAR30LNDIM950TLNFL25GLRP		PAR30LN	-	10	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40913	LED10.5PAR30LNDIM950TLNFL40GLRP		PAR30LN	-	10.5	850	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	75W Halogen	-
	40901	LED11.5PAR38DIM930TLFL40GLRP		PAR38	-	11.5	1100	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40899	LED11.5PAR38DIM930TLNFL25GLRP		PAR38	-	11.5	1100	>90	3000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41157	LED11.5PAR38DIM935TLFL40GLRP		PAR38	-	11.5	1100	>90	3500K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41115	LED11.5PAR38DIM940TLFL40GLRP		PAR38	-	11.5	1100	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40902	LED11.5PAR38DIM950TLFL40GLRP		PAR38	-	11.5	1100	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	40900	LED13PAR38DIM950TLNFL25RP		PAR38	-	13	1100	>90	5000K	25,000	1	6	Medium	Glass	-	-	Title 20	100W Halogen	-
	41116	LED15.5PAR38DIM940TLFL40GLRP		PAR38	-	15.5	1250	>90	4000K	25,000	1	6	Medium	Glass	-	-	Title 20	120W Halogen	41867
Natural™ Series MR16 Family																			
	40922	LED4.5MR16DIM930TLNFL25GLRP		MR16	-	4.5	350	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40924	LED4.5MR16DIM930TLFL40GLRP		MR16	-	4.5	350	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40923	LED4.5MR16DIM950TLNFL25GLRP		MR16	-	4.5	350	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40925	LED4.5MR16DIM950TLFL40GLRP		MR16	-	4.5	350	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	20W Halogen	-
	40928	LED6MR16DIM930TLFL40GLRP		MR16	-	6	450	>90	3000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	30W Halogen	-
	40929	LED6MR16DIM950TLFL40GLRP		MR16	-	6	450	>90	5000K	25,000	1	6	GU5.3	Glass	-	-	Title 20	30W Halogen	-
LEDiescent™ TruWave™ LED T8																			
	40895	LED1T78L48FP930TLBF		T8	4'	17	2100	90	3000K	60,000	1	25	Medium bi-pin G13	Plastic	PLYTP5GP69CY	-	-	32W Fluorescent	-
	40896	LED1T78L48FP935TLBF		T8	4'	17	2100	90	3500K	60,000	1	25	Medium bi-pin G13	Plastic	PLKQFKMCMT5C	-	-	32W Fluorescent	-
	40898	LED1T78L48FP950TLBF		T8	4'	17	2200	90	5000K	60,000	1	25	Medium bi-pin G13	Plastic	PLZ6U47ASAF7	-	-	32W Fluorescent	-
SubstiTUBE® TruWave™ IPS LED T8																			
	40891	LED13T8L48FPDIM930TLSUB		T8	4'	13	2000	90	3000K	70,000	1	25	Medium bi-pin G13	Plastic	PL5ZF3NLGQHU	-	-	32W Fluorescent	-
	40892	LED13T8L48FPDIM935TLSUB		T8	4'	13	2000	90	3500K	70,000	1	25	Medium bi-pin G13	Plastic	PLHHV335JZE6	-	-	32W Fluorescent	-
	40894	LED13T8L48FPDIM950TLSUB		T8	4'	13	2100	90	5000K	70,000	1	25	Medium bi-pin G13	Plastic	PLR0ODKG8QFU	-	-	32W Fluorescent	-
TruWave® Slim Selectable Downlight																			
	62883	LEDSLMDNL4R550ST95C3TW		Downlight	4" Diameter	10	550	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire or Screw-base	-	-	-	Title 24	65W Incandescent	-
Hi-PerformanceLED™ Undercabinet Light with TruWave Technology™																			
	61848	UNDCAB002TL9SC66INWH		Undercabinet	6"	2	130	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61851	UNDCAB003TL9SC69INWH		Undercabinet	9"	3	195	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61854	UNDCAB0049TLSC612INWH		Undercabinet	12"	4	265	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61857	UNDCAB0069TLSC618INWH		Undercabinet	18"	6	400	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61860	UNDCAB008TL9SC624INWH		Undercabinet	24"	8	540	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61863	UNDCAB010TL9SC630INWH		Undercabinet	30"	10	680	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-	-	-
	61799	UCKIT003TL9SC69INPLUGWH		Undercabinet	9"	3	195	>93	2700K, 4000K, 5000K	50,00									