

Resources:		Catalogs	Flyers	Product Toolbox			Lighting Layout Tool				Warranty			YouTube Channel			
www.ledvanceUS.com																	
SYLVANIA & LEDVANCE																	
Residential Luminaires		Item Number Legend			November 2025												
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Performance Class LED Light Disk																	
	62445	LEDLD2A900ST930WH		Light Disk	3/4" flush 5/6" screw-base	15	900	>90	3000K	50,000	1	4	Hardwire or Screw-base	-	Title 24	100W CFL	-
	62446	LEDLD2A900ST9SC3WH		Light Disk	3/4" flush 5/6" screw-base	15	900	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire or Screw-base	-	Title 24	100W CFL	-
	62447	LEDLD2A1200ST9SC3WH		Light Disk	3/4" flush 5/6" screw-base	16	1200	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire or Screw-base	-	Title 24	100W CFL	-
Value Class LED Undercabinet																	
	62440	UNDCAB2A450ST8SC1010INWH		Undercabinet	10	6.5	450	>80	2700K, 3000K, 4000K	50,000	1	4	Hardwire or Plug-in	-	Title 20	8W Fluorescent	-
	62441	UNDCAB2A600ST8SC1012INWH		Undercabinet	12	9	600	>80	2700K, 3000K, 4000K	50,000	1	4	Hardwire or Plug-in	-	Title 20	15W Fluorescent	-
	62442	UNDCAB2A1000ST8SC1018INWH		Undercabinet	18	14	1000	>80	2700K, 3000K, 4000K	50,000	1	4	Hardwire or Plug-in	-	Title 20	20W Fluorescent	-
	62443	UNDCAB2A1200ST8SC1024INWH		Undercabinet	24	18	1200	>80	2700K, 3000K, 4000K	50,000	1	4	Hardwire or Plug-in	-	Title 20	30W Fluorescent	-
	62444	UNDCAB2A1900ST8SC1036INWH		Undercabinet	36	24	1900	>80	2700K, 3000K, 4000K	50,000	1	4	Hardwire or Plug-in	-	Title 20	40W Fluorescent	-
Hi-PerformanceLED™ Undercabinet Light with TruWave Technology™																	
	61848	UNDCAB002TL9SC66INWH		Undercabinet	6"	2	130	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61851	UNDCAB003TL9SC69INWH		Undercabinet	9"	3	195	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61854	UNDCAB0049TLSC612INWH		Undercabinet	12"	4	265	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61857	UNDCAB0069TLSC618INWH		Undercabinet	18"	6	400	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61860	UNDCAB008TL9SC624INWH		Undercabinet	24"	8	540	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61863	UNDCAB010TL9SC630INWH		Undercabinet	30"	10	680	>93	2700K, 4000K, 5000K	50,000	1	4	In-line Driver	-	-	-	-
	61799	UCKIT003TL9SC69INPLUGWH		Undercabinet	9"	3	195	>93	2700K, 4000K, 5000K	50,000	1	4	Plug-in	-	-	-	-
	61802	UCKIT004TL9SC612INPLUGWH		Undercabinet	12"	4	265	>93	2700K, 4000K, 5000K	50,000	1	4	Plug-in	-	-	-	-
SYLVANIA LED MOSAIC™ Flexible Light Kits																	
	65482	LEDMOSAICFLEX10FTSTARTERKITRP		Flex Lights	10'	6.5W at 10ft	550 at 10 ft	>80	RGB+W;6800K	30,000	1	6	-	-	-	-	-
	65483	LEDMOSAICFLEX4FTEXPKITRP		Flex Lights	4'	1.44W at 2ft	120 at 2ft	>80	RGB+W;6800K	30,000	1	6	-	-	-	-	-
	65487	LEDMOSAICFLEXCONNECTKITRP		Flex Lights	-	-	-	-	-	-	1	6	-	-	-	-	-
Hi-PerformanceLED™ Puff Ceiling																	
	62040	PUFF11R1100ST9SC3		Puff Ceiling	11" Diameter	15	1100	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	100W Incandescent	-
	62041	PUFF15R1500ST9SC3M		Puff Ceiling	15" Diameter	21	1500	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	150W Incandescent	-
	62042	PUFF15R1500UD9SC3M		Puff Ceiling	15" Diameter	21	1500	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	150W Incandescent	-
	62043	PUFF15R1500UD9SC3ME		Puff Ceiling	15" Diameter	21	1500	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	150W Incandescent	-
UltraLED™ Puff Ceiling																	
	62044	PUFF11R1050ST830		Puff Ceiling	11" Diameter	15	1050	>80	3000K	50,000	1	4	Hardwire	-	-	100W Incandescent	-
	62045	PUFF11R1050ST840		Puff Ceiling	11" Diameter	15	1050	>80	4000K	50,000	1	4	Hardwire	-	-	100W Incandescent	-
	62046	PUFF15R1500ST830		Puff Ceiling	15" Diameter	21	1500	>80	3000K	50,000	1	4	Hardwire	YES	-	150W Incandescent	-
	62047	PUFF15R1500ST840		Puff Ceiling	15" Diameter	21	1500	>80	4000K	50,000	1	4	Hardwire	YES	-	150W Incandescent	-
Hi-PerformanceLED™ Saturn Ring Selectable																	
	65575	FLUSHSTRN12R1050ST9SC3		Saturn Ring	12" Diameter	15	1050	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	100W Incandescent	-
	65576	FLUSHSTRN16R1700U9SC3M		Saturn Ring	16" Diameter	24	1700	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	150W Incandescent	-
	65577	FLUSHSTRN16R1700UD9SC3ME		Saturn Ring	16" Diameter	24	1700	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	150W Incandescent	-
Hi-PerformanceLED™ Slim Downlight Selectable																	
	62033	LEDSLMDNL5R650ST9SC3		Microdisk	5" Diameter	9	650	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	-	Title 24	65W Incandescent	-
	62035	LEDSLMDNL9R1200ST9SC3		Microdisk	9" Diameter	17	1200	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	-	Title 24	100W Incandescent	-
	62036	LEDSLMDNL12R1500ST9SC3		Microdisk	12" Diameter	21	1500	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	-	Title 24	150W Incandescent	-
UltraLED™ Downlight 7" Selectable																	
	65555	LEDSLMDNL7R960STSC3		Microdisk	7" Diameter	12	960	>80	2700K, 3000K, 3500K, 4000K, 5000K	35,000	1	4	Screw-base (Medium)	-	-	75W Incandescent	-

www.ledvanceUS.com																	
SYLVANIA & LEDVANCE																	
Residential Luminaires																	
Item Number Legend																	
Discontinued with inventory																	
Limited inventory available																	
November 2025																	
LEDVANCE																	
Arriving soon																	
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
TruWave® Slim Selectable Downlight																	
	62883	LEDSLMDNL4R550ST9SC3TW		Microdisk	4" Diameter	10	550	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire or Screw-base	-	Title 24	65W Incandescent	-
Wall Mount Lanterns Family																	
	63471	SCONCEDTD1A1000S8SC3BL		Wall Mount	-	29.5	1000	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	65W Incandescent	-
	63472	SCONCERDDTD1A450S8SC3BL		Wall Mount	-	12.5	450	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	65W Incandescent	-
	63473	SCONCETRIDTD1A450S8SC3BL		Wall Mount	-	12.5	450	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	65W Incandescent	-
	64007	SCONCEDUALDTD1A720S8SC3BLSYL		Wall Mount	-	11.5	750	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	65W Incandescent	-
Flush Mount with Night Light																	
	63469	FLUSHMT1C1400ST8SC313BLGO		Flush Mount	13" Diameter	42.5	Up to 1400	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	150W Incandescent	-
	63470	FLUSHMT1C1400ST8SC313BLWH		Flush Mount	13" Diameter	42.5	Up to 1400	80	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	2	Hardwire	-	-	150W Incandescent	-
Hi-PerformanceLED™ Vanity																	
	65573	VNTLGT2FT2100S9SC3		Vanity	2'	28	2100	90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	YES	Title 24	150W Incandescent	-
	65574	VNTLGT3FT2100S9SC3		Vanity	3'	28	2100	90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	YES	Title 24	150W Incandescent	-
Hi-PerformanceLED™ Selectable Wall Sconce																	
	65570	WALLSCE91150U9SC3		Wall Sconce	9"	14	1150	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	YES	-	100W Incandescent	-
	65571	WALLSCE91730U9SC3		Wall Sconce	9"	22	1730	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	YES	-	150W Incandescent	-
SYLVANIA Shop Light																	
	61452	LEDSHOP120308403FT		Shop Light	3'	30	3000	>80	4000K	50,000	1	6	Plug-in	-	-	-	-
	61451	LEDSHOP120428404FTG2		Shop Light	4'	42	4200	>80	4000K	50,000	1	6	Plug-in	-	-	-	-
ValueLED™ Linear Strip																	
	61453	LEDSTRIP1UNV20CCT34FT		Strip	4'	20	2200	>80	3000K, 4000K, 5000K	50,000	1	6	Outlet Box	-	-	25W Fluorescent	-
	61454	LEDSTRIP2UNV42CCT34FT		Strip	4'	42	4500	>80	3000K, 4000K, 5000K	50,000	1	6	Outlet Box	-	-	49W Fluorescent	-
ValueLED™ Wrap Luminaire with Motion Sensor																	
	61455	LEDWRAP120PIR48840		Wrap	47.72"	48	4500	>80	4000K	50,000	1	4	Plug-in	-	-	-	-
Performance Class Selectable Screw-base Downlight																	
	65735	LEDRT41AS700ST9SC3SM		RT - Smooth	4"	5 / 6 / 7	500/ 600/ 700	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	Up to 65W Incandescent	-
	65736	LEDRT561AS1300ST9SC3SM		RT - Smooth	5" / 6"	7.5 / 11 / 14	750/ 1050/ 1300	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	Up to 100W Incandescent	-
	65737	LEDRT41AS700ST9SC3BA		RT - Baffle	4"	5 / 6 / 7	500/ 600/ 700	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	Up to 65W Incandescent	-
	65738	LEDRT561AS1300ST9SC3BA		RT - Baffle	5" / 6"	7.5 / 11 / 14	750/ 1050/ 1300	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	Up to 100W Incandescent	-
	62866	RT41A/650ST9SC3/SMWH/E26		RT - Smooth	4"	7	650	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62867	RT41A/650ST9SC3/BAWH/E26		RT - Baffle	4"	7	650	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	-	Title 20 & 24	65W Incandescent	-
	62868	RT561A/725ST9SC3/SMWH/E26		RT - Smooth	5" / 6"	8	725	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62869	RT561A/725ST9SC3/BAWH/E26		RT - Baffle	5" / 6"	8	725	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62870	RT561A/900ST9SC3/SMWH/E26		RT - Smooth	5" / 6"	10	900	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	75W Incandescent	-
	62871	RT561A/900ST9SC3/BAWH/E26		RT - Baffle	5" / 6"	10	900	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	75W Incandescent	-
	62872	RT561A/1200ST9SC3/SMWH/E26		RT - Smooth	5" / 6"	13	1200	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	100W Incandescent	-
	62873	RT561A/1200ST9SC3/BAWH/E26		RT - Baffle	5" / 6"	13	1200	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	100W Incandescent	-
Value Class Screw-base Downlight																	
	62858	RT41A600ST927SMWHE26		RT - Smooth	4"	7	600	>90	2700K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	60W Incandescent	-
	62859	RT41A600ST930SMWHE26		RT - Smooth	4"	7	600	>90	3000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	60W Incandescent	-
	62860	RT561A700ST927SMWHE26		RT - Smooth	5" / 6"	8	700	>90	2700K	25,000	1	4	Screw-base (Medium)	-	Title 20 & 24	65W Incandescent	-
	62861	RT561A700ST930SMWHE26		RT - Smooth	5" / 6"	8	700	>90	3000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62862	RT561A700ST940SMWHE26		RT - Smooth	5" / 6"	8	700	>90	4000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62863	RT561A700ST950SMWHE26		RT - Smooth	5" / 6"	8	700	>90	5000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	62864	RT41A600ST930BAWHE26		RT - Baffle	4"	7	600	>90	3000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	60W Incandescent	-
	62865	RT561A700ST930BAWHE26		RT - Baffle	5" / 6"	8	700	>90	3000K	25,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-

www.ledvanceUS.com																	
SYLVANIA & LEDVANCE																	
Residential Luminaires																	
Item Number Legend				November 2025													
				LEDVANCE													
				Discontinued with inventory													
				Limited inventory available													
				Arriving soon													
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Length	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Hi-PerformanceLED™ RT Screw-base Smooth and Baffle Reflector																	
	74290	LEDRT56700927FL80		RT - Smooth	5" / 6"	10	700	90	2700K	50,000	1	2	Screw-base	-	Title 20 & 24	65W Incandescent	-
	79751	LED/RT5/6/1200/930		RT - Smooth	5" / 6"	16	1200	90	3000K	50,000	1	2	Screw-base	-	Title 20 & 24	100W Incandescent	-
	40626	LED/RT4/675/940/G2/CEC		RT - Baffle	4"	8	675	92	4000K	50,000	1	4	Screw-base	YES	Title 20 & 24	65W Incandescent	62867
	40633	LED/RT5/6/900/930/G2/CEC		RT - Baffle	5" / 6"	10.5	900	92	3000K	50,000	1	4	Screw-base	YES	Title 20 & 24	75W Incandescent	62871
UltraLED™ RT Screw-base																	
	40619	LED/RT4/600/850/G2		RT - Baffle	4"	7.5	600	>80	5000K	35,000	1	4	Screw-base	-	-	65W Incandescent	-
Hi-PerformanceLED™ Downlight Gimbal																	
	62392	LEDRT3G550SC3		RT - Smooth	3"	7	550	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	60W Incandescent	-
	62393	LEDRT4G650SC3		RT - Smooth	4"	9	650	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	65W Incandescent	-
	62394	LEDRT6G1000SC3		RT - Smooth	6"	13	1000	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Hardwire	-	Title 24	75W Incandescent	-
Hi-PerformanceLED™ RT Gimbal																	
	65118	LEDRT4G700SC3		RT - Smooth	4"	8	700	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	65120	LEDRT5G725SC3		RT - Smooth	5" / 6"	8	725	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	65W Incandescent	-
	65121	LEDRT5G900SC3		RT - Smooth	5" / 6"	10	900	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	4	Screw-base (Medium)	YES	Title 20 & 24	75W Incandescent	-
Hi-PerformanceLED™ Color Selectable Flush Drum																	
	61795	LEDFLUSHDRM020D9SC3MWH15IN		Flush Drum	15" Diameter	20	1500	>90	2700K, 3000K, 3500K, 4000K, 5000K	50,000	1	6	Hardwire	-	-	100W Incandescent	-
ULTRA LED™ CL Lamp																	
	75080	LED/700/827/RP		Ceiling Light	7" Diameter	9	700	82	2700K	50,000	1	2	Screw-base	YES	-	65W Incandescent	-
	75081	LED/700/840/RP		Ceiling Light	7" Diameter	9	700	82	4000K	50,000	1	2	Screw-base	YES	-	65W Incandescent	-
Accessories																	
	62498	RT4TRIMBLKSM1A		RT	4"	-	-	-	-	-	1	20	-	-	-	-	-
	62499	RT4TRIMORBZSM1A		RT	4"	-	-	-	-	-	1	20	-	-	-	-	-
	62500	RT4TRIMSNSM1A		RT	4"	-	-	-	-	-	1	20	-	-	-	-	-
	61717	RT56/TRIM/BLK/G2		RT	5" / 6"	-	-	-	-	-	1	4	-	-	-	-	-
	62501	RT56TRIMBLKSM1A		RT	5" / 6"	-	-	-	-	-	1	20	-	-	-	-	-
	62502	RT56TRIMORBZSM1A		RT	5" / 6"	-	-	-	-	-	1	20	-	-	-	-	-
	62503	RT56TRIMSNSM1A		RT	5" / 6"	-	-	-	-	-	1	20	-	-	-	-	-
	70663	RT6/RETROFIT/BAND		RT	6"	-	-	-	-	-	1	4	-	-	-	-	-
	75092	RT8/TRIM/ALZAK		RT	8"	-	-	-	-	-	1	4	-	-	-	-	-
	75093	RT8/TRIM/SN		RT	8"	-	-	-	-	-	1	4	-	-	-	-	-
	75083	RT8/10TRIMEXT		RT	8" / 10"	-	-	-	-	-	1	6	-	-	-	-	-
	74991	RT8/12/TRIMEXT		RT	8" / 12"	-	-	-	-	-	1	6	-	-	-	-	-
	71709	LED/RT8/FRAME		RT	8"	-	-	-	-	-	2	2	-	-	-	-	-
	75096	LEDADAPTERMEDBASE		RT	-	-	-	-	-	-	1	10	Medium	-	-	-	-
	75105	LEDADAPTOR/GU24		RT	-	-	-	-	-	-	10	100	GU24	-	-	-	-
	61808	UNDCAB06120PLGADAPT		Undercabinet	-	6	-	-	-	-	1	4	Plug-in	-	-	-	-
	61809	UNDCAB12120PLGADAPT		Undercabinet	-	12	-	-	-	-	1	4	Plug-in	-	-	-	-
	61811	UCLONGCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61814	UCSHORTCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61817	UCCORNERCONNSOLIDWH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61820	UCWIRECONN6INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61821	UCWIRECONN39INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61822	UCWIRECONN78INCH		Undercabinet	-	-	-	-	-	-	1	4	Connector	-	-	-	-
	61824	UCSPITTER8OUTPUT		Undercabinet	-	-	-	-	-	-	1	4	Splitter	-	-	-	-
	61825	UCSWEETMODDIMCCTWH		Undercabinet	-	-	-	-	-	-	1	4	Sensor	-	-	-	-