

Resources:	Catalogs	Flyers	Product Toolbox	Lighting Layout Tool	Warranty	YouTube Channel													
www.ledvanceUS.com		Item Number Legend	Discontinued with inventory										November 2025						
SYLVANIA & LEDVANCE			Limited inventory available																
TLED Lamps			Arriving soon																
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Nominal Length	Wattage	Lumens	Beam Angle	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Traditional Equivalent	Replacment Item Number	
LINEAR UL TYPE A																			
SYLVANIA SubstiTUBE® IPS LED T8 - GLASS (Generation 10)																			
	41403	LED10T8L48FGPDM841SUBG10		T8	4'	10	1800	220	>80	4100K	50,000	1	25	Medium bi-pin G13	PET Coated Glass	PLZK2C2KQK6C	32W Fluorescent	-	
	41404	LED10T8L48FGPDM850SUBG10		T8	4'	10	1800	220	>80	5000K	50,000	1	25	Medium bi-pin G13	PET Coated Glass	PL5YUBOQBYS5	32W Fluorescent	-	
SYLVANIA SubstiTUBE® IPS LED T8 - GLASS (Generation 9)																			
	40991	LED8T8L24FG830SUBG9		T8	2'	8	1200	220	82	3000K	50,000	1	25	Medium bi-pin G13	Glass	PLEJR7ZP9WHQ	17W Fluorescent	-	
	40992	LED8T8L24FG835SUBG9		T8	2'	8	1200	220	82	3500K	50,000	1	25	Medium bi-pin G13	Glass	PLTUQP8B0Q3L	17W Fluorescent	-	
	40993	LED8T8L24FG841SUBG9		T8	2'	8	1250	220	82	4100K	50,000	1	25	Medium bi-pin G13	Glass	PLY8HG6JPPFW	17W Fluorescent	-	
	40994	LED8T8L24FG850SUBG9		T8	2'	8	1250	220	82	5000K	50,000	1	25	Medium bi-pin G13	Glass	PLLVD09UA887	17W Fluorescent	-	
	40995	LED10T8L36FG830SUBG9		T8	3'	10	1450	220	82	3000K	50,000	1	25	Medium bi-pin G13	Glass	PLX43C48T46I	25W Fluorescent	-	
	40996	LED10T8L36FG835SUBG9		T8	3'	10	1450	220	82	3500K	50,000	1	25	Medium bi-pin G13	Glass	PL0YCF1LUD7	25W Fluorescent	-	
	40997	LED10T8L36FG841SUBG9		T8	3'	10	1450	220	82	4100K	50,000	1	25	Medium bi-pin G13	Glass	PL40GNPFP8N0	25W Fluorescent	-	
	40998	LED10T8L36FG850SUBG9		T8	3'	10	1450	220	82	5000K	50,000	1	25	Medium bi-pin G13	Glass	PL83TZYDSSS6	25W Fluorescent	-	
	41270	LED9T8L48FGDIM830SUBG9		T8	4'	9	1600	220	82	3000K	50,000	1	25	Medium bi-pin G13	Glass	P3NY9VSU	32W Fluorescent	-	
	41271	LED9T8L48FGDIM835SUBG9		T8	4'	9	1600	220	82	3500K	50,000	1	25	Medium bi-pin G13	Glass	PWVPM3LN	32W Fluorescent	-	
	41272	LED9T8L48FGDIM841SUBG9		T8	4'	9	1600	220	82	4100K	50,000	1	25	Medium bi-pin G13	Glass	PW2N8DK7	32W Fluorescent	-	
	41273	LED9T8L48FGDIM850SUBG9		T8	4'	9	1600	220	82	5000K	50,000	1	25	Medium bi-pin G13	Glass	PJMOO1SS	32W Fluorescent	-	
	41274	LED12T8L48FGDIM830SUBG9		T8	4'	12	2000	220	82	3000K	50,000	1	25	Medium bi-pin G13	Glass	PEOR6XN7	32W Fluorescent	-	
	41275	LED12T8L48FGDIM835SUBG9		T8	4'	12	2000	220	82	3500K	50,000	1	25	Medium bi-pin G13	Glass	PTFDRW0I	32W Fluorescent	-	
	41276	LED12T8L48FGDIM841SUBG9		T8	4'	12	2100	220	82	4100K	50,000	1	25	Medium bi-pin G13	Glass	PNTFL5S0	32W Fluorescent	-	
	41277	LED12T8L48FGDIM850SUBG9		T8	4'	12	2100	220	82	5000K	50,000	1	25	Medium bi-pin G13	Glass	PRFSCGVA	32W Fluorescent	-	
SYLVANIA SubstiTUBE® IPS LED T8 - PLASTIC																			
	40491	LED8T8L24FP830SUBG8		T8	2'	8.5	1250	160	83	3000K	50,000	1	25	Medium bi-pin G13	Plastic	PLXQYAG3HJXK	17W Fluorescent	-	
	40492	LED8T8L24FP835SUBG8		T8	2'	8.5	1250	160	83	3500K	50,000	1	25	Medium bi-pin G13	Plastic	PL8NEPP2KL7M	17W Fluorescent	-	
	40493	LED8T8L24FP841SUBG8		T8	2'	8.5	1250	160	83	4100K	50,000	1	25	Medium bi-pin G13	Plastic	PLHPDVICKU1R	17W Fluorescent	-	
	40494	LED8T8L24FP850SUBG8		T8	2'	8.5	1250	160	83	5000K	50,000	1	25	Medium bi-pin G13	Plastic	PLV4A0UAVACL	17W Fluorescent	-	
	40495	LED11T8L36FP830SUBG8		T8	3'	11	1625	160	83	3000K	50,000	1	25	Medium bi-pin G13	Plastic	PL5B4F8JDT6Q	25W Fluorescent	-	
	40496	LED11T8L36FP835SUBG8		T8	3'	11	1625	160	83	3500K	50,000	1	25	Medium bi-pin G13	Plastic	PLZL5C5U955V	25W Fluorescent	-	
	40497	LED11T8L36FP841SUBG8		T8	3'	11	1625	160	83	4100K	50,000	1	25	Medium bi-pin G13	Plastic	PL4E9USZDGH	25W Fluorescent	-	
	40498	LED11T8L36FP850SUBG8		T8	3'	11	1625	160	83	5000K	50,000	1	25	Medium bi-pin G13	Plastic	PL87SJ5W3TQ	25W Fluorescent	-	
	40999	LED10T8L48FP830SUBG8		T8	4'	10	1600	160	82	3000K	50,000	1	25	Medium bi-pin G13	Plastic	PLJSLNKDRLOD	32W Fluorescent	-	
	41001	LED10T8L48FP841SUBG8		T8	4'	10	1600	160	82	4100K	50,000	1	25	Medium bi-pin G13	Plastic	PL2HPNDR1L4	32W Fluorescent	-	
	41002	LED10T8L48FP850SUBG8		T8	4'	10	1600	160	82	5000K	50,000	1	25	Medium bi-pin G13	Plastic	PLRFNXNQNXG	32W Fluorescent	-	
	40591	LED13T8L48FPDIM830SUBG8		T8	4'	13	2100	160	83	3000K	50,000	1	25	Medium bi-pin G13	Plastic	PLQJOVPRNAOI	32W Fluorescent	-	
	40592	LED13T8L48FPDIM835SUBG8		T8	4'	13	2100	160	83	3500K	50,000	1	25	Medium bi-pin G13	Plastic	PL3TUH1F33KP	32W Fluorescent	-	
	40593	LED13T8L48FPDIM841SUBG8		T8	4'	13	2100	160	83	4100K	50,000	1	25	Medium bi-pin G13	Plastic	PLT5RNHEIYYU	32W Fluorescent	-	
	40594	LED13T8L48FPDIM850SUBG8		T8	4'	13	2100	160	83	5000K	50,000	1	25	Medium bi-pin G13	Plastic	PL8P2MX33JER	32W Fluorescent	-	
SYLVANIA SubstiTUBE® TriuWave™ IPS LED T8																			
	40891	LED13T8L48FPDIM930TLSUB		T8	4'	13	2000	220	90	3000K	70,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-	
	40892	LED13T8L48FPDIM935TLSUB		T8	4'	13	2000	220	90	3500K	70,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-	
	40894	LED13T8L48FPDIM950TLSUB		T8	4'	13	2100	220	90	5000K	70,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-	
SYLVANIA SubstiTUBE® CURVALUME® IPS LED T8																			
	40580	LED13T8UFPDIM830SUBG8		T8	U-bend	13	2100	160	83	3000K	50,000	1	10	Medium bi-pin G13	Plastic	PL7TBVIKGCQC	32W Fluorescent	-	
	40581	LED13T8UFPDIM835SUBG8		T8	U-bend	13	2100	160	83	3500K	50,000	1	10	Medium bi-pin G13	Plastic	PLDXO24G6M5E	32W Fluorescent	-	
	40582	LED13T8UFPDIM841SUBG8		T8	U-bend	13	2100	160	83	4100K	50,000	1	10	Medium bi-pin G13	Plastic	PL7WKWHAQXASG	32W Fluorescent	-	
	40583	LED13T8UFPDIM850SUBG8		T8	U-bend	13	2100	160	83	5000K	50,000	1	10	Medium bi-pin G13	Plastic	PLT07AO6SH4S	32W Fluorescent	-	
SYLVANIA SubstiTUBE® Value LED T8																			
	41826	LED15T8L48FGDIM830SUBG9		T8	4'	15	2100	220	>80	3000K	50,000	1	25	Medium bi-pin G13	Glass	PD3F61JH	32W Fluorescent	-	
	41827	LED15T8L48FGDIM835SUBG9		T8	4'	15	2100	220	>80	3500K	50,000	1	25	Medium bi-pin G13	Glass	PTPD6YYA	32W Fluorescent	-	
	41828	LED15T8L48FGDIM841SUBG9		T8	4'	15	2200	220	>80	4100K	50,000	1	25	Medium bi-pin G13	Glass	P912RMX3	32W Fluorescent	-	
	41829	LED15T8L48FGDIM850SUBG9		T8	4'	15	2200	220	>80	5000K	50,000	1	25	Medium bi-pin G13	Glass	PU4V3EJZ	32W Fluorescent	-	
SYLVANIA ECO LED T8 Type A																			
	41994	ECOLED15T8L48FG835TYPEA		T8	4'	15	1800	220	>80	3500K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
	41995	ECOLED15T8L48FG841TYPEA		T8	4'	15	1800	220	>80	4100K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
	41996	ECOLED15T8L48FG850TYPEA		T8	4'	15	1800	220	>80	5000K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
	40966	ECOLED16T8L48FG835TYPEA		T8	4'	16	2160	220	>80	3500K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
	40967	ECOLED16T8L48FG841TYPEA		T8	4'	16	2160	220	>80	4100K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
	40968	ECOLED16T8L48FG850TYPEA		T8	4'	16	2160	220	>80	5000K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-	
SYLVANIA EntryLED™ T8 UL Type A																			
	42150	LED18T8L48FG835FL-A		T8	4'	18	1800	240	>80	3500K	15,000	1	25	Medium bi-pin G13	Frosted Glass	-	32W Fluorescent	-	
	42151	LED18T8L48FG841FL-A		T8</															

SYLVANIA & LEDVANCE TLED Lamps																			November 2025																													
Item Number Legend				Discontinued with inventory															Limited inventory available															Arriving soon														
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Nominal Length	Wattage	Lumens	Beam Angle	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Traditional Equivalent	Replacement Item Number																														
	41978	LED1778L48FPDIM835BFG2		T8	4'	17	2500	200	82	3500K	50,000	1	25	Medium bi-pin G13	Frosted Nano Plastic	S-RCXDW1	32W Fluorescent	-																														
	41979	LED1778L48FPDIM841BFG2		T8	4'	17	2500	200	82	4100K	50,000	1	25	Medium bi-pin G13	Frosted Nano Plastic	S-MAPCVG	32W Fluorescent	-																														
	41980	LED1778L48FPDIM850BFG2		T8	4'	17	2500	200	82	5000K	50,000	1	25	Medium bi-pin G13	Frosted Nano Plastic	S-W2M8LZ	32W Fluorescent	-																														
	40963	LED1778L48FP835BF		T8	4'	17	2500	200	82	3500K	50,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	41978																														
	41981	LED1578UFPDIM830BFG2		T8	Ubend	15	2200	200	82	3000K	50,000	1	10	Medium bi-pin G13	Frosted Nano Plastic	S-SDCJQW	32W Fluorescent	-																														
	41982	LED1578UFPDIM835BFG2		T8	Ubend	15	2200	200	82	3500K	50,000	1	10	Medium bi-pin G13	Frosted Nano Plastic	S-BVDNUG	32W Fluorescent	-																														
	41983	LED1578UFPDIM841BFG2		T8	Ubend	15	2200	200	82	4100K	50,000	1	10	Medium bi-pin G13	Frosted Nano Plastic	S-HFGJ4B	32W Fluorescent	-																														
	41984	LED1578UFPDIM850BFG2		T8	Ubend	15	2200	200	82	5000K	50,000	1	10	Medium bi-pin G13	Frosted Nano Plastic	S-W7Q0ZK	32W Fluorescent	-																														
LEDVANCE LEDescent™ LED T8 8ft Ballast-Free Lamps																																																
	42056	LED32T8L96FGDIM830BFG2		T8	8'	32	4000	200	82	3000K	50,000	1	25	Single pin FA8	Frosted Glass	S-8IBMVZ	109W Fluorescent	-																														
	42057	LED32T8L96FGDIM835BFG2		T8	8'	32	4000	200	82	3500K	50,000	1	25	Single pin FA8	Frosted Glass	S-R1CGMV	109W Fluorescent	-																														
	42058	LED32T8L96FGDIM841BFG2		T8	8'	32	4400	200	82	4100K	50,000	1	25	Single pin FA8	Frosted Glass	S-0Z7WXY	109W Fluorescent	-																														
	42059	LED32T8L96FGDIM850BFG2		T8	8'	32	4400	200	82	5000K	50,000	1	25	Single pin FA8	Frosted Glass	S-6KZD7R	109W Fluorescent	-																														
SYLVANIA LEDescent™ T8 2-Piece Ballast-Free Lamps																																																
	41577	LED36T8FA8L96-2FGPDIM830BF		T8	8'	36	4400	-	82	3000K	50,000	1	10	Single pin FA8	Frosted Glass w/ PET	S-A2DG4B	109W Fluorescent	-																														
	41578	LED36T8FA8L96-2FGPDIM835BF		T8	8'	36	4400	-	82	3500K	50,000	1	10	Single pin FA8	Frosted Glass w/ PET	S-ZWYJ16	109W Fluorescent	-																														
	41579	LED36T8FA8L96-2FGPDIM841BF		T8	8'	36	4400	-	82	4100K	50,000	1	10	Single pin FA8	Frosted Glass w/ PET	S-89Q1RJ	109W Fluorescent	-																														
	41580	LED36T8FA8L96-2FGPDIM850BF		T8	8'	36	4400	-	82	5000K	50,000	1	10	Single pin FA8	Frosted Glass w/ PET	S-QBN3MA	109W Fluorescent	-																														
	41872	LED42T8HOL96-2FGPDIM830BF		T8	8'	42	5040	-	82	3000K	50,000	1	10	FA8 or R17D	Frosted Glass w/ PET	S-N40S92	109W Fluorescent	-																														
	41873	LED42T8HOL96-2FGPDIM835BF		T8	8'	42	5040	-	82	3500K	50,000	1	10	FA8 or R17D	Frosted Glass w/ PET	S-KE47B8	109W Fluorescent	-																														
	41874	LED42T8HOL96-2FGPDIM841BF		T8	8'	42	5040	-	82	4100K	50,000	1	10	FA8 or R17D	Frosted Glass w/ PET	S-2AIO8J	109W Fluorescent	-																														
	41875	LED42T8HOL96-2FGPDIM850BF		T8	8'	42	5040	-	82	5000K	50,000	1	10	FA8 or R17D	Frosted Glass w/ PET	S-TEQZUO	109W Fluorescent	-																														
	42351	LED42T8HOL96FGP841A8RP2		T8	8'	42	5000	170	82	4100K	50,000	2	12	FA8 or R17D	Frosted Glass w/ PET	-	109W Fluorescent	-																														
	42352	LED42T8HOL96FGP850A8RP2		T8	8'	42	5000	170	82	5000K	50,000	2	12	FA8 or R17D	Frosted Glass w/ PET	-	109W Fluorescent	-																														
	42353	LED42T8FA8L96FGP85C14A8RP2		T8	8'	42	5000	200	82	3500K	50,000	2	12	Single pin FA8	Frosted Glass w/ PET	-	109W Fluorescent	-																														
SYLVANIA LEDescent™ TruWave™ LED T8																																																
	40895	LED1778L48FP930TLBF		T8	4'	17	2100	200	90	3000K	60,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-																														
	40896	LED1778L48FP935TLBF		T8	4'	17	2100	200	90	3500K	60,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-																														
	40898	LED1778L48FP950TLBF		T8	4'	17	2200	200	90	5000K	60,000	1	25	Medium bi-pin G13	Plastic	-	32W Fluorescent	-																														
SYLVANIA ECO LED T8 Type B Ballast-Free																																																
	41997	ECOLED17T8L48FG835TYPEB		T8	4'	17	1800	220	80	3500K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
	41998	ECOLED17T8L48FG841TYPEB		T8	4'	17	1800	220	80	4100K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
	41999	ECOLED17T8L48FG850TYPEB		T8	4'	17	1800	220	80	5000K	35,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
	40969	ECOLED18T8L48FG835TYPEB		T8	4'	18	2160	220	80	3500K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
	40970	ECOLED18T8L48FG841TYPEB		T8	4'	18	2160	220	80	4100K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
	40971	ECOLED18T8L48FG850TYPEB		T8	4'	18	2160	220	80	5000K	50,000	1	25	Medium bi-pin G13	Glass	-	32W Fluorescent	-																														
SYLVANIA LEDescent™ 8FT T8HO Ballast-Free Lamps																																																
	41185	LED42T8HOL96FGP85C28FRP2		T8	8'	42	5000	220	82	3000K/4000K/ 5000K Selectable	50,000	2	12	Double contact R17D	Glass	-	75W Fluorescent	-																														
LEDVANCE LEDescent™ LED T8 AND T5HO CCT SELECTABLE BALLAST-FREE UL TYPE B LAMPS - UNH 120-347V (CANADA ONLY)																																																
	42165	LED7T8L24FGUNH85C7BF		T8	2'	7	1050	220	81	3500/4100/5000K	50,000	1	25	Medium bi-pin G13	Glass	S-Z80PJ3	29W Fluorescent	-																														
	42166	LED12T8L36FGUNH85C7BF		T8	3'	12	1550	220	82	3500/4100/5000K	50,000	1	25	Medium bi-pin G13	Glass	-	43W Fluorescent	-																														
	42168	LED15T8L48FGUNH85C7BF		T8	4'	15	2200	220	82	3500/4100/5000K	50,000	1	25	Medium bi-pin G13	Glass	S-NRRPXD	55W Fluorescent	-																														
	42212	LED24T5HOL48FGPUNH85C7BF		T5	4'	24	3500	180	82	3500/4100/5000K	50,000	1	25	Miniature bi-pin G5	Glass	S-R86W2C	120W Fluorescent	-																														
LEDVANCE LEDescent™ LED T5HE UL Type B Lamps - Gen 2																																																
	42024	LED8T5HEL24FG830BFG2		T5	2'	8	950	180	82	3000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	14W Fluorescent	-																														
	42025	LED8T5HEL24FG835BFG2		T5	2'	8	950	180	82	3500K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	14W Fluorescent	-																														
	42026	LED8T5HEL24FG841BFG2		T5	2'	8	1000	180	82	4100K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	14W Fluorescent	-																														
	42027	LED8T5HEL24FG850BFG2		T5	2'	8	1000	180	82	5000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	14W Fluorescent	-																														
	42028	LED11T5HEL36FG830BFG2		T5	3'	11	1400	180	82	3000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	21W Fluorescent	-																														
	42029	LED11T5HEL36FG835BFG2		T5	3'	11	1400	180	82	3500K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	21W Fluorescent	-																														
	42030	LED11T5HEL36FG841BFG2		T5	3'	11	1500	180	82	4100K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	21W Fluorescent	-																														
	42031	LED11T5HEL36FG850BFG2		T5	3'	11	1500	180	82	5000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	-	21W Fluorescent	-																														
	41581	LED14T5HEL48FGDIM830BFG2		T5	4'	14	2000	180	82	3000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	S-X2LMAH	28W Fluorescent	-																														
	41582	LED14T5HEL48FGDIM835BFG2		T5	4'	14	2000	180	82	3500K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	S-ST8MDO	28W Fluorescent	-																														
	41583	LED14T5HEL48FGDIM841BFG2		T5	4'	14	2100	180	82	4100K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	S-U8AQW6	28W Fluorescent	-																														
	41584	LED14T5HEL48FGDIM850BFG2		T5	4'	14	2100	180	82	5000K	50,000	1	25	Miniature bi-pin G5	Frosted Glass	S-UAMDCB	28W Fluorescent	-																														
	SYLVANIA LEDescent™ LED T5HE Lamps																																															
	41071	LED8T5HEL24FG830BF		T5	2'	8	950	210	82	3000K	50,000	1	25	Miniature bi-pin G5	Glass	-	28W Fluorescent	42024																														
	41073	LED8T5HEL24FG841BF		T5	2'	8	1000	210	82	4100K	50,000	1	25	Miniature bi-pin G5	Glass	-	28W Fluorescent	42026																														
	41075	LED11T5HEL36FG830BF		T5	3'	11	1400	210	82	3000K	50,000	1	25	Miniature bi-pin G5	Glass	-	28W Fluorescent																															

www.ledvanceUS.com					SYLVANIA & LEDVANCE		Item Number Legend		Discontinued with inventory		November 2025																
TLED Lamps									Limited inventory available																		
									Arriving soon																		
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Nominal Length	Wattage	Lumens	Beam Angle	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	DLC ID#	Traditional Equivalent	Replacement Item Number									
	42496	LED13T5L48FGDIM850DC275		T5	4'	13	1890	220	82	5000 K	70,000	1	25	Miniature Bipin	Frosted Glass	S-T11G0C	63W Fluorescent	-									
	42497	LED21T5HOL48FGDIM830DC450		T5HO	4'	21	2880	220	82	3000 K	70,000	1	25	Miniature Bipin	Frosted Glass	S-RYB4X8	120W Fluorescent	-									
	42498	LED21T5HOL48FGDIM835DC450		T5HO	4'	21	2880	220	82	3500 K	70,000	1	25	Miniature Bipin	Frosted Glass	S-6KG5YJ	120W Fluorescent	-									
	42499	LED21T5HOL48FGDIM841DC450		T5HO	4'	21	3025	220	82	4100 K	70,000	1	25	Miniature Bipin	Frosted Glass	S-1WT09Z	120W Fluorescent	-									
	42500	LED21T5HOL48FGDIM850DC450		T5HO	4'	21	3025	220	82	5000 K	70,000	1	25	Miniature Bipin	Frosted Glass	S-PJ87XV	120W Fluorescent	-									
DULUX® LED PIN BASE (for CFLni)																											
SYLVANIA LEDescent™ DULUX® L TT5 Ballast Free Lamps																											
	40331	LED17TT5DLFG830BF		TT5	22.48"	17	2100	-	83	3000K	50,000	1	10	Four pin 2G11	Glass	PLPGJ8GDMX6A	40W CFL	-									
DUALescent™ Dulux® L LED TT5 ULTYPE (A+B) LAMPS																											
	42213	LED8TT5DLFGP830A8		T5	9"	8	900	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	18W Fluorescent	-									
	42214	LED8TT5DLFGP835A8		T5	9"	8	900	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	18W Fluorescent	-									
	42215	LED8TT5DLFGP841A8		T5	9"	8	1000	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	18W Fluorescent	-									
	42216	LED8TT5DLFGP850A8		T5	9"	8	1000	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	18W Fluorescent	-									
	42217	LED10TT5DLFGP830A8		T5	12.9"	10	1200	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	24W Fluorescent	-									
	42218	LED10TT5DLFGP835A8		T5	12.9"	10	1200	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	24W Fluorescent	-									
	42219	LED10TT5DLFGP841A8		T5	12.9"	10	1300	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	24W Fluorescent	-									
	42220	LED10TT5DLFGP850A8		T5	12.9"	10	1300	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	24W Fluorescent	-									
	42221	LED16TT5DLFGP830A8		T5	16.6"	16	2000	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	36W Fluorescent	-									
	42222	LED16TT5DLFGP835A8		T5	16.6"	16	2000	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	36W Fluorescent	-									
	42223	LED16TT5DLFGP841A8		T5	16.6"	16	2100	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	36W Fluorescent	-									
	42224	LED16TT5DLFGP850A8		T5	16.6"	16	2100	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	-	36W Fluorescent	-									
	42225	LED17TT5DLFGPDM830A8		T5	22.4"	17	2150	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-3MFHR7	40W Fluorescent	-									
	42226	LED17TT5DLFGPDM835A8		T5	22.4"	17	2150	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-ZPCCZ9	40W Fluorescent	-									
	42227	LED17TT5DLFGPDM841A8		T5	22.4"	17	2300	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-45688W	40W Fluorescent	-									
	42228	LED17TT5DLFGPDM850A8		T5	22.4"	17	2300	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-4HFRHN	40W Fluorescent	-									
	42229	LED22TT5DLFGPDM830A8		T5	22.5"	22	2900	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-3FK3LT	55W Fluorescent	-									
	42230	LED22TT5DLFGPDM835A8		T5	22.5"	22	2900	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-NX8TWK	55W Fluorescent	-									
	42231	LED22TT5DLFGPDM841A8		T5	22.5"	22	3100	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-8X209W	55W Fluorescent	-									
	42232	LED22TT5DLFGPDM850A8		T5	22.5"	22	3100	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-JC8YKF	55W Fluorescent	-									
	42233	LED24TT5DLFGPDM830A8		T5	21.1"	24	3200	160	82	3000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-SPVDSR	55W Fluorescent	-									
	42234	LED24TT5DLFGPDM835A8		T5	21.1"	24	3200	160	82	3500 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-7Y1DL4	55W Fluorescent	-									
	42235	LED24TT5DLFGPDM841A8		T5	21.1"	24	3400	160	82	4100 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-RZN02G	55W Fluorescent	-									
	42236	LED24TT5DLFGPDM850A8		T5	21.1"	24	3400	160	82	5000 K	50,000	1	10	2G11	Frosted Glass w/ PET	S-KKBS0R	55W Fluorescent	-									
SYLVANIA DULUX® LED Pin Base Lamps																											
	41705	LED15PBG24QHDIM830SU8		T4X3	Horizontal	15	1900	110 or 120	80+	3000K	50,000	1	24	G24Q/GX24Q	Plastic	PHGXT1QL	CF42DT/E CFL	-									
	41707	LED15PBG24QHDIM835SU8		T4X3	Horizontal	15	1900	110 or 120	80+	3500K	50,000	1	24	G24Q/GX24Q	Plastic	PCCCHTHR	CF42DT/E CFL	-									
	41709	LED15PBG24QHDIM841SU8		T4X3	Horizontal	15	1900	110 or 120	80+	4100K	50,000	1	24	G24Q/GX24Q	Plastic	PLAZQCU	CF42DT/E CFL	-									
	41706	LED15PBG24QVDIM830SU8		T4X3	Vertical	15	2000	110 or 120	80+	3000K	50,000	1	24	G24Q/GX24Q	Plastic	PL1N3N4EBBWZ	CF32DT/E CFL	-									
	41708	LED15PBG24QVDIM835SU8		T4X3	Vertical	15	2000	110 or 120	80+	3500K	50,000	1	24	G24Q/GX24Q	Plastic	PL1064XYC02T	CF32DT/E CFL	-									
	41710	LED15PBG24QVDIM841SU8		T4X3	Vertical	15	2000	110 or 120	80+	4100K	50,000	1	24	G24Q/GX24Q	Plastic	PLTS68NQ7X0I	CF32DT/E CFL	-									
	41701	LED9.5PBG24QHDIM85C1SU8		T4X2	Horizontal	9.5	960/1020/1050	110 or 120	80+	3000K, 3500K, 4100K	50,000	1	24	G24Q/GX24Q	Plastic	P6E4J5HX	CF26DD/E CFL	-									
	41702	LED9.5PBG24QVDIM85C1SU8		T4X2	Vertical	9.5	1100/1120/1150	110 or 120	80+	3000K, 3500K, 4100K	50,000	1	24	G24Q/GX24Q	Plastic	PLZOM3UY4E56	CF26DD/E CFL	-									
	41711	LED7PBG24QODIM827SU8		T4X3	Omnidirectional	7	820	360	80+	2700K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF18DD/E CFL	-									
	41712	LED7PBG24QODIM830SU8		T4X3	Omnidirectional	7	820	360	80+	3000K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF18DD/E CFL	-									
	41713	LED7PBG24QODIM835SU8		T4X3	Omnidirectional	7	820	360	80+	3500K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF18DD/E CFL	-									
	41714	LED7PBG24QODIM841SU8		T4X3	Omnidirectional	7	820	360	80+	4100K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF18DD/E CFL	-									
	41715	LED9.5PBG24QODIM827SU8		T4X3	Omnidirectional	9.5	1200	360	80+	2700K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF26DD/E CFL	-									
	41716	LED9.5PBG24QODIM830SU8		T4X3	Omnidirectional	9.5	1200	360	80+	3000K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF26DD/E CFL	-									
	41717	LED9.5PBG24QODIM835SU8		T4X3	Omnidirectional	9.5	1200	360	80+	3500K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF26DD/E CFL	-									
	41718	LED9.5PBG24QODIM841SU8		T4X3	Omnidirectional	9.5	1200	360	80+	4100K	50,000	1	24	G24Q/GX24Q	Plastic	-	CF26DD/E CFL	-									
	41695	LED15PBG24DH830BF		T4X3	Horizontal	15	1900	110 or 120	80+	3000K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF42DT/E CFL	-									
	41697	LED15PBG24DH835BF		T4X3	Horizontal	15	1900	110 or 120	80+	3500K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF42DT/E CFL	-									
	41699	LED15PBG24DH841BF		T4X3	Horizontal	15	1900	110 or 120	80+	4100K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF42DT/E CFL	-									
	41696	LED16PBG24DV830BF		T4X3	Vertical	16	2000	110 or 120	80+	3000K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF32DT/E CFL	-									
	41698	LED16PBG24DV835BF		T4X3	Vertical	16	2000	110 or 120	80+	3500K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF32DT/E CFL	-									
	41700	LED16PBG24DV841BF		T4X3	Vertical	16	2000	110 or 120	80+	4100K	50,000	1	24	G24D/G24Q/GX24Q	Plastic	-	CF32DT/E CFL	-									
	42068	LED3.5PB2GX7H827BF		T4	Horizontal	3.5	330	160	80+	2700K	50,000	1	24	2G7	Plastic	-	CF7DS/8XX or CF9DS/8XX	-									
	42069	LED3.5PB2GX7H830BF		T4	Horizontal	3.5	340	160	80+	3000K	50,000	1	24	2G7	Plastic	-	CF7DS/8XX or CF9DS/8XX	-									
	42070	LED3.5PB2GX7H835BF		T4	Horizontal	3.5	350	160	80+	3500K	50,000	1	24	2G7	Plastic	-	CF7DS/8XX or CF9DS/8XX	-									
	42071	LED3.5PB2GX7H841BF		T4	Horizontal	3.5	360	160	80+	4100K	50,000	1	24	2G7	Plastic	-	CF7DS/8XX or CF9DS/8XX	-									
	42072	LED5.5PB2GX7H827BF		T4	Horizontal	5.5	550	160	80+	2700K	50,000	1	24	2GX7	Plastic	-	CF13DS/8XX	-									
	42073	LED5.5PB2GX7H830BF		T4	Horizontal	5.5	550	160	80+	3000K	50,000	1	24	2GX7	Plastic	-	CF13DS/8XX	-									
	42074	LED5.5PB2GX7H835BF		T4	Horizontal	5.5	570	160	80+	3500K	50,000	1	24	2GX7	Plastic	-	CF13DS/8XX	-									
	42075	LED5.5PB2GX7H841BF		T4	Horizontal	5.5	590	160	80+	4100K	50,000	1	24	2GX7	Plastic	-	CF13DS/8XX	-									
	41691	LED8.5PBG24DH85C1A8		T4X2	Horizontal	8.5	960/1020/1050	110 or 120	80+	3000K, 3500K, 4100K</																	