

Resources:		Catalogs	Flyers	Product Toolbox				Lighting Layout Tool				Warranty			YouTube Channel		
www.ledvanceUS.com			Item Number Legend			Discontinued with inventory											
SYLVANIA						Limited inventory available											
General Purpose Lamps						November 2025											
					LEDVANCE												
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
ULTRA LED A-line Lamps																	
	74688	LED5.5A19DIMO827URP		A19	5.5	450	80	2700K	15,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	74398	LED5.5A19DIMO830URP		A19	5.5	450	80	3000K	15,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	41189	LED5.5A19DIMO840URP		A19	5.5	450	80	4000K	15,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	78068	LED5.5A19DIMO850URP		A19	5.5	450	80	5000K	15,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	74687	LED9A19DIMO827URP		A19	9	800	80	2700K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78036	LED9A19DIMO827URP4		A19	9	800	80	2700K	15,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	40043	LED9A19DIMO830URP		A19	9	800	80	3000K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	71185	LED9A19DIMO835URP		A19	9	800	80	3500K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78038	LED9A19DIMO835URP4		A19	9	800	80	3500K	15,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	41190	LED9A19DIMO840URP		A19	9	800	80	4000K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78066	LED9A19DIMO850URP		A19	9	800	80	5000K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78040	LED9A19DIMO850URP4		A19	9	800	80	5000K	15,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	74685	LED12A19DIMO827URP		A19	12	1100	80	2700K	15,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	74425	LED12A19DIMO827URP4		A19	12	1100	80	2700K	15,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	40044	LED12A19DIMO830URP		A19	12	1100	80	3000K	15,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	71190	LED12A19DIMO835URP		A19	12	1100	80	3500K	15,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	74427	LED12A19DIMO835URP4		A19	12	1100	80	3500K	15,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	41191	LED12A19DIMO840URP		A19	12	1100	80	4000K	15,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	74690	LED12A19DIMO850URP		A19	12	1100	80	5000K	15,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	74429	LED12A19DIMO850URP4		A19	12	1100	80	5000K	15,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	40734	LED16A19DIMO827URP		A19	16	1600	80	2700K	15,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	40737	LED16A19DIMO827URP4		A19	16	1600	80	2700K	15,000	4	24	Medium	Plastic	-	-	100W Incandescent	-
	41183	LED16A19DIMO830URP		A19	16	1600	80	3000K	15,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	40735	LED16A19DIMO835URP		A19	16	1600	80	3500K	15,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	40738	LED16A19DIMO835URP4		A19	16	1600	80	3500K	15,000	4	24	Medium	Plastic	-	-	100W Incandescent	-
	41192	LED16A19DIMO840URP		A19	16	1600	80	4000K	15,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	40736	LED16A19DIMO850URP		A19	16	1600	80	5000K	15,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	40739	LED16A19DIMO850URP4		A19	16	1600	80	5000K	15,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	79714	LED23A21DIMO827URP		A21	23	2600	80	2700K	15,000	1	6	Medium	Plastic	-	-	150W Incandescent	-
	79734	LED23A21DIMO830URP		A21	23	2600	80	3000K	15,000	1	6	Medium	Plastic	-	-	150W Incandescent	-
79735	LED23A21DIMO850URP		A21	23	2600	80	5000K	15,000	1	6	Medium	Plastic	-	-	150W Incandescent	-	
ULTRA LED Clear Glass Lamps																	
	79766	LED5B10CBENTDIM827FILG2BL2		B10	5	500	80	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	60W Incandescent	-
ULTRA LED Glass G25 Lamps																	
	40479	LED3.5G25FDIM830GLRP		G25	3.5	350	80	3000K	15,000	1	6	Medium	Soda Lime Glass	-	-	40W Incandescent	-
ULTRA LED Rough Service Lamps																	
	40221	LED8.5A19F83010YVRSRP		A19	8.5	800	80	3000K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	40212	LED8.5A19F84110YVRSRP2		A19	8.5	800	80	4100K	11,000	2	12	Medium	Plastic	-	-	60W Incandescent	-
	40222	LED14A19F83010YVRSRP		A19	14	1500	80	3000K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
ULTRA LED Grow Lamps																	
	40023	LED15A19GRORP		A19	15	260	-	-	25,000	1	6	Medium	Plastic	-	-	-	-
Crystal Glass B10 Lamps																	
	40578	LED4B10CDIM827CRYSTALBL2		B10	4	300	80	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	40W Incandescent	-
LED Vintage Lamps																	
	75345	LED3.5A15CDIM822VING2RP		A15	3.5	300	80	2175K	15,000	1	5	Candelabra	Soft Glass	-	-	40W Incandescent	-
	75343	LED4.5A15DIM822VING2RP		A15	4.5	380	80	2175K	15,000	1	5	Medium	Soft Glass	-	-	40W Incandescent	-
	75347	LED4.5A19DIM822VING3RP		A19	4.5	380	80	2175K	15,000	1	6	Medium	Soft Glass	-	-	40W Incandescent	-
	75349	LED6.5A19DIM822VING3RP		A19	6.5	650	80	2175K	15,000	1	6	Medium	Soft Glass	-	-	60W Incandescent	-
	79582	LED4B10CBENTDIM822VING2BL		B10	3.5	360	80	2175K	15,000	1	6	Candelabra	Soft Glass	-	-	40W Incandescent	-
	40059	LED4B10BENTDIM822VING2B4		B10	4	360	80	2175K	15,000	4	16	Medium	Soft Glass	-	-	40W Incandescent	-
	40060	LED4B10CBENTDIM822VING2B4		B10	4	360	80	2175K	15,000	4	16	Candelabra	Soft Glass	-	-	40W Incandescent	-
	79580	LED4B10BENTDIM822VING2BL		B10	4.5	360	80	2175K	15,000	1	6	Medium	Soft Glass	-	-	40W Incandescent	-
	75351	LED4.5ST19DIM822VING2RP		ST19	4.5	380	80	2175K	15,000	1	6	Medium	Soft Glass	-	-	40W Incandescent	-
	75353	LED7ST19DIM822VING2RP		ST19	6.5	650	80	2175K	15,000	1	6	Medium	Soft Glass	-	-	60W Incandescent	-
ULTRA LED Colored Glass Lamps																	
	40300	LED4.5A19DIMREDGLRP		A19	4.5	-	-	RED	15,000	1	6	Medium	Soft Glass	-	-	-	-
	40301	LED4.5A19DIMORANGEGLRP		A19	4.5	-	-	ORANGE	15,000	1	6	Medium	Soft Glass	-	-	-	-
	40302	LED4.5A19DIMYELLOWGLRP		A19	4.5	-	-	YELLOW	15,000	1	6	Medium	Soft Glass	-	-	-	-
	40303	LED4.5A19DIMGREENGLRP		A19	4.5	-	-	GREEN	15,000	1	6	Medium	Soft Glass	-	-	-	-
	40304	LED4.5A19DIMBLUEGLRP		A19	4.5	-	-	BLUE	15,000	1	6	Medium	Soft Glass	-	-	-	-
	40305	LED4.5A19DIMPURPLEGLRP		A19	4.5	-	-	PURPLE	15,000	1	6	Medium	Soft Glass	-	-	-	-
Dusk to Dawn lamps - A19 & A21																	
	41288	LED9A19DTD827RP		A19	9	800	80	2700K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	41289	LED9A19DTD85ORP		A19	9	800	80	5000K	15,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	41290	LED13A21DTD827RP		A21	13	1500	80	2700K	15,000	1	6	Medium	Plastic	-	-	-	-
	41291	LED13A21DTD85ORP		A21	13	1500	80	5000K	15,000	1	6	Medium	Plastic	-	-	-	-
LED TruWave™ Selectable Lamps																	
	42109	LED9A19DIMO9SC3RP		A19	9	800	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	Title 20	60W Incandescent	-
	42110	LED15A21DIMO9SC3RP		A21	15	1600	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	Title 20	100W Incandescent	-
	42272	LED7.5ST19DIMCL9SC3TLRP		ST19	7.5	800	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	Title 20	60W Incandescent	-
	42270	LED13ST19DIMCL9SC3TLRP		ST19	13	1400	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	4	Medium	Plastic	-	Title 20	100W Incandescent	-
	42271	LED5G25DIMCL9SC3TLRP2		G25	5	500	90	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	Medium	Plastic	-	Title 20	60W Incandescent	-

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	Energy Star	CEC	Traditional Equivalent	Replacement Item Number
Natural™ Series - Clear (General Purpose)																	
	40761	LED5.5A15DIM927CL13YTLBL2		A15	5.5	450	>90	2700K	15,000	2	8	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40774	LED5.5A15CDIM927CL13YTLBL2		A15	5.5	450	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-
	40699	LED5.5A19DIMCL92713YTLRP		A19	5.5	450	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40686	LED5.5A19DIMCL92713YTLRP4		A19	5.5	450	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	49826	LED5.5A19DIMCL95013YTLRP4		A19	5.5	450	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40700	LED8A19DIMCL92713YTLRP		A19	8	800	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	60W Incandescent	-
	40687	LED8A19DIMCL92713YTLRP4		A19	8	800	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-
	49827	LED8A19DIMCL95013YTLRP4		A19	8	800	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-
	40701	LED11A19DIMCL92713YTLRP		A19	11	1100	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	75W Incandescent	-
	40688	LED11A19DIMCL92713YTLRP4		A19	11	1100	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-
	40803	LED11A19DIMCL95013YTLRP4		A19	11	1100	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-
	42304	LED15A19DIMO92713YTLRP		A19	15	1600	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42303	LED15A19DIMCLO92713YTLRP		A19	15	1600	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42306	LED15A19DIMO92713YTLRP2		A19	15	1600	>90	2700K	15,000	2	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42305	LED15A19DIMCLO92713YTLRP2		A19	15	1600	>90	2700K	15,000	2	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42278	LED11A19DIMCL92713YTLRP4		A19	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42276	LED11A19DIMCL92713YTLRP4		A19	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42290	LED11A19DIMCL92713YTLRP4		A19	15	1600	>90	5000K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42275	LED11A19DIMCL92713YTLRP4		A19	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42292	LED15A19DIMO95013YTLRP2		A19	15	1600	>90	5000K	15,000	2	8	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42273	LED15A19DIMCLO95013YTLRP4		A19	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42296	LED15A19DIMO94013YTLRP		A19	15	1600	>90	4000K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42295	LED15A19DIMO93013YTLRP		A19	15	1600	>90	3000K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42294	LED15A19DIMO93513YTLRP		A19	15	1600	>90	3500K	15,000	1	6	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42277	LED15A19DIMO93513YTLRP4		A19	15	1600	>90	3500K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42291	LED15A19DIMCLO95013YTLRP2		A19	15	1600	>90	5000K	15,000	2	8	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	42274	LED15A19DIMCLO93513YTLRP4		A19	15	1600	>90	3500K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	40754	LED15A21DIMCL92713YTLRP2		A21	15	1600	>90	2700K	15,000	2	8	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	40689	LED15A21DIMCL92713YTLRP4		A21	15	1600	>90	2700K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	40875	LED15A21DIMCL95013YTLRP4		A21	15	1600	>90	5000K	15,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-
	40769	LED13.5A213WAYO927CL13YTLRP		A21 3-way	13.5	450/800/1450	>90	2700K	15,000	1	6	Medium	Soft Glass	-	Title 20	40/60/100W Incandescent	-
	40770	LED13.5A213WAYO950CL13YTLRP		A21 3-way	13.5	450/800/1450	>90	5000K	15,000	1	6	Medium	Soft Glass	-	Title 20	40/60/100W Incandescent	-
	40854	LED3B10CBENTDIM927CL13YTLBL2		B10	3	200	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	25W Incandescent	-
	40855	LED3B10CBENTDIM950CL13YTLBL2		B10	3	200	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	25W Incandescent	-
	40756	LED4B10BENTDIM927CL13YTLBL2		B10	4	350	>90	2700K	15,000	2	12	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40793	LED4B10BLUNTDIM927CL13YTLRP2		B10	4	350	>90	2700K	15,000	2	12	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40755	LED4B10CBENTDIM927CL13YTLBL2		B10	4	350	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-
	40794	LED4B10CBLUNTDIM927CL13YTLBL2		B10	4	350	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-
	40792	LED4B10BENTDIM950CL13YTLBL2		B10	4	350	>90	5000K	15,000	2	12	Medium	Soft Glass	-	Title 20	40W Incandescent	-
	40791	LED4B10CBENTDIM950CL13YTLBL2		B10	4	350	>90	5000K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-
	40758	LED5.5B10BENTDIM927CL13YTLBL2		B10	5.5	500	>90	2700K	15,000	2	12	Medium	Soft Glass	-	Title 20	60W Incandescent	-
	40795	LED5.5B10BLUNTDIM927CL13YTLBL2		B10	5.5	500	>90	2700K	15,000	2	12	Medium	Soft Glass	-	Title 20	60W Incandescent	-
	40757	LED5.5B10CBENTDIM927CL13YTLBL2		B10	5.5	500	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	60W Incandescent	-
	40796	LED5.5B10CBLUNTDIM927CL13YTLBL2		B10	5.5	500	>90	2700K	15,000	2	12	Candelabra	Soft Glass	-	Title 20	60W Incandescent	-

Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	Energy Star	CEC	Traditional Equivalent	Replacement Item Number	
	40797	LED4.5G16.5CDIM927F13YTLBL2		G16.5	4.5	350	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-	
	40798	LED4.5G16.5CDIM950F13YTLBL2		G16.5	4.5	350	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	Title 20	40W Incandescent	-	
	40800	LED5.5G16.5CDIM927F13YTLBL2		G16.5	5.5	500	>90	2700K	15,000	2	8	Candelabra	Soft Glass	-	Title 20	60W Incandescent	-	
	40801	LED5.5G16.5CDIM950F13YTLBL2		G16.5	5.5	500	>90	5000K	15,000	2	8	Candelabra	Soft Glass	-	Title 20	60W Incandescent	-	
	40765	LED4.5G25DIM927F13YTLRP2		G25	4.5	350	>90	2700K	15,000	2	6	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	40766	LED4.5G25DIM950F13YTLRP2		G25	4.5	350	>90	5000K	15,000	2	6	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	40767	LED6G25DIM927F13YTLRP2		G25	6	500	>90	2700K	15,000	2	6	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	40768	LED6G25DIM950F13YTLRP2		G25	6	500	>90	5000K	15,000	2	6	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	41335	LED8G25DIM927F13YTLRP2		G25	8	800	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	75W Incandescent	-	
	41337	LED8G25DIM950F13YTLRP2		G25	8	800	>90	5000K	15,000	2	6	Medium	Soft Glass	-	-	75W Incandescent	-	
	41339	LED11G25DIM927F13YTLRP2		G25	11	1200	>90	2700K	15,000	2	6	Medium	Soft Glass	-	-	100W Incandescent	-	
	41341	LED11G25DIM950F13YTLRP2		G25	11	1200	>90	5000K	15,000	2	6	Medium	Soft Glass	-	-	100W Incandescent	-	
Double Life Wet Rated A19 Family																		
	42356	LED5A19DIMO92722YWRP4		A19	5	450	>90	2,700 K	25,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	42357	LED5A19DIMO93522YWRP4		A19	5	450	>90	3,500 K	25,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	42358	LED5A19DIMO95022YWRP4		A19	5	450	>90	5,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	42359	LED8A19DIMO92722YWRP4		A19	8	800	>90	2,700 K	25,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	42360	LED8A19DIMO93522YWRP4		A19	8	800	>90	3,500 K	25,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	42361	LED8A19DIMO95022YWRP4		A19	8	800	>90	5,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	42362	LED13A19DIMO92722YWRP4		A19	13	1600	>90	2,700 K	25,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-	
	42363	LED13A19DIMO93522YWRP4		A19	13	1600	>90	3,500 K	25,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-	
	42364	LED13A19DIMO95022YWRP4		A19	13	1600	>90	5,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-	
	42365	LED11A19DIMO92722YWRP4		A19	11	1100	>90	2,700 K	25,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-	
	42366	LED11A19DIMO93522YWRP4		A19	11	1100	>90	3,500 K	25,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-	
	42367	LED11A19DIMO95022YWRP4		A19	11	1100	>90	5,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-	
	42368	LED5A19DIMO93022YWRP4		A19	5	450	>90	3,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	40W Incandescent	-	
	42369	LED8A19DIMO93022YWRP4		A19	8	800	>90	3,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	60W Incandescent	-	
	42370	LED11A19DIMO93022YWRP4		A19	11	1100	>90	3,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	75W Incandescent	-	
	42371	LED13A19DIMO93022YWRP4		A19	13	1600	>90	3,000 K	25,000	4	16	Medium	Soft Glass	-	Title 20	100W Incandescent	-	
	White Filament																	
	                	42243	LED3.5G16.5CDIM827FILWHRP2		G16.5	3.5	350	80	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	40 W	-
42244		LED3.5G16.5CDIM850FILWHRP2		G16.5	3.5	350	80	5000K	15,000	2	12	Candelabra	Soft Glass	-	-	-	40 W	-
42577		LED4G16.5CDIM835FILWHRP2		G16.5	4	350	80	3500K	15,000	2	12	Candelabra	Soft Glass	-	-	-	40 W	-
42245		LED5.5G16.5CDIM827FILWHRP2		G16.5	5.5	500	80	2700K	15,000	2	12	Candelabra	Soft Glass	-	-	-	60 W	-
42246		LED5.5G16.5CDIM850FILWHRP2		G16.5	5.5	500	80	5000K	15,000	2	12	Candelabra	Hard Glass	-	-	-	60 W	-
42247		LED7.5A15DIM827FILWHRP2		A15	7.5	750	80	2700K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	60 W	-
42248		LED7.5A15DIM850FILWHRP2		A15	7.5	750	80	5000K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	60 W	-
42249		LED5.5A15DIM850FILWHRP2		A15	5.5	450	80	5000K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	40 W	-
42250		LED5.5A15DIM827FILWHRP2		A15	5.5	450	80	2700K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	40 W	-
42578		LED6.5A19DIM835FILWHRP2		A19	6.5	800	80	3500K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	60 W	-
42579		LED11.5A19DIM835FILWHRP2		A19	11.5	1500	80	3500K	15,000	2	12	E26 Medium	Hard Glass	-	-	-	100 W	-
42251		LED13ST19DIM850FILWHRP2		ST19	13	1500	80	5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	100 W	-
42252		LED13ST19DIM827FILWHRP2		ST19	13	1500	80	2700K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	100 W	-
42253		LED3.5G25DIM850FILWHRP2		G25	3.5	300	80	5000K	15,000	2	6	E26 Medium	Hard Glass	-	-	-	40 W	-
42254		LED3.5G25DIM827FILWHRP2		G25	3.5	300	80	2700K	15,000	2	6	E26 Medium	Hard Glass	-	-	-	40 W	-
42581		LED5G25DIM835FILWHRP2		G25	5	500	80	3500K	15,000	2	6	E26 Medium	Hard Glass	-	-	-	60 W	-
42255		LED5.5B10DIM850FILWHRP4		B10	5.5	500	80	5000K	15,000	4	16	E26 Medium	Soft Glass	-	-	-	60 W	-
42256		LED5.5B10DIM827FILWHRP4		B10	5.5	500	80	2700K	15,000	4	16	E26 Medium	Soft Glass	-	-	-	60 W	-
42580		LED5.5B10CDIM835FILWHRP4		B10	5.5	500	80	3500K	15,000	4	16	E26 Medium	Soft Glass	-	-	-	60 W	-
42257		LED3.5B10DIM850FILWHRP4		B10	3.5	350	80	5000K	15,000	4	16	E26 Medium	Soft Glass	-	-	-	40 W	-
42258		LED3.5B10DIM827FILWHRP4		B10	3.5	350	80	2700K	15,000	4	16	E26 Medium	Soft Glass	-	-	-	40 W	-
42259		LED6B10CDIM850FILWHRP2		B10	6	650	80	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	-	75 W	-
42260		LED6B10CDIM827FILWHRP2		B10	6	650	80	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	-	75 W	-
42261		LED7B10CDIM850FILWHRP2		B10	7	750	80	5000K	15,000	2	8	Candelabra	Soft Glass	-	-	-	100 W	-
42262		LED7B10CDIM827FILWHRP2		B10	7	750	80	2700K	15,000	2	8	Candelabra	Soft Glass	-	-	-	75 W	-
42263		LED2B10CDIM827FILWHRP4		B10	2	200	80	2700K	15,000	4	16	Candelabra	Soft Glass	-	-	-	25 W	-
42264		LED2B10CDIM850FILWHRP4		B10	2	200	80	5000K	15,000	4	16	Candelabra	Soft Glass	-	-	-	25 W	-
42265		LED7.5T10DIM850FILWHRP		T10	7.5	800	80	5000K	15,000	1	4	E26 Medium	Hard Glass	-	-	-	60 W	-
42266		LED3.5T14DIM827FILWHRP		T14	3.5	300	80	2700K	15,000	1	4	E26 Medium	Hard Glass	-	-	-	40 W	-
42267		LED5.5ST15DIM850FILWHRP2		ST15	5.5	500	80	5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	40 W	-
42268		LED5.5ST15DIM827FILWHRP2		ST15	5.5	500	80	2700K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	40 W	-
42269		LED2S14DIM827FILWHRP4		S14	2	150	80	2700K	15,000	4	16	E26 Medium	Hard Glass	-	-	-	5 W	-
White Filament Selectable lamps																		
    		42582	LED7.5A19DIM85C3FILWHRP2		A19	7.5	800	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	60 W	-
	42583	LED11.5A19DIM85C3FILWHRP2		A19	11.5	1500	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	100 W	-
	42584	LED4B10DIM85C3FILWHRP2		B10	4	350	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	40 W	-
	42585	LED7.5ST19DIM85C3FILWHRP2		ST19	7.5	800	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	60 W	-
	42586	LED11.5ST19DIM85C3FILWHRP2		ST19	11.5	1500	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	2	8	E26 Medium	Hard Glass	-	-	-	100 W	-
CONTRACTOR SERIES 5CCT SELECTABLE																		
      	42477	LED6A19F8SC310YVRP4		A19	6	450	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	4	16	E26 Medium	Plastic	-	-	40 W	-	
	42478	LED6A19F8SC310YVRP2		A19	6	450	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	8	E26 Medium	Plastic	-	-	-	40 W	-
	42479	LED9A19F8SC310YVRP4		A19	9	800	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	4	16	E26 Medium	Plastic	-	-	-	60 W	-
	42480	LED9A19F8SC310YVRP2		A19	9	800	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	8	E26 Medium	Plastic	-	-	-	60 W	-
	42481	LED10A19F8SC310YVRP2		A19	10	1100	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	8	E26 Medium	Plastic	-	-	-	75 W	-
	42482	LED10A19F8SC310YVRP4		A19	10	1100	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	4	16	E26 Medium	Plastic	-	-	-	75 W	-
	42483	LED14A19F8SC310YVRP2		A19	14	1500	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	8	E26 Medium	Plastic					

www.ledvanceUS.com																	
SYLVANIA						Discontinued with inventory											
General Purpose Lamps				Item Number Legend		November 2025											
						LEDVANCE											
						Arriving soon											
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	Energy Star	CEC	Traditional Equivalent	Replacement Item Number
	42568	LED8PAR30DIM8SC310YVNFL25WRP		PAR30	8	650	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	75 W	-
	42569	LED8PAR30LNDIM8SC310YVFL40WRP		PAR30LN	8	650	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	75 W	-
	42570	LED8PAR30LNDIM8SC310YVNFL25WRP		PAR30LN	8	650	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	75 W	-
	42571	LED15PAR38DIM8SC310YVFL40WRP		PAR38	15	1200	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	100 W	-
	42572	LED15PAR38DIM8SC310YVNFL25WRP		PAR38	15	1200	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	100 W	-
	42573	LED15PAR38DIM8SC310YVFL40WRP		PAR38	15	1600	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	150 W	-
	42574	LED15PAR38DIM8SC310YVNFL25WRP		PAR38	15	1600	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	150 W	-
	42575	LED8BR30DIM8SC310YVRP		BR30	8	650	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	65 W	-
	42576	LED13BR40DIM8SC310YVRP		BR40	13	1100	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	85 W	-
	42590	LED15PAR38DIM8SC310YVADJRP		PAR38	15	1250	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	120 W	-
	42591	LED5G25DIMF8SC310YVRP2		G25	5	500	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	6	E26 Medium	Plastic	-	-	60 W	-
	42592	LED5G25DIMCL8SC310YVRP2		G25	5	500	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	6	E26 Medium	Plastic	-	-	60 W	-
	42593	LED18A218SC310YVRP		A21	18	2800	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	200 W	-
	42596	LED16A2108SC310YVRP		A21	16	2200	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	1	4	E26 Medium	Plastic	-	-	150 W	-
	42597	LED5B10CDIMCL8SC3RP2		B10	5	500	80	2700K, 3000K, 3500K, 4000K, 5000K	11,000	2	8	E26 Medium	Plastic	-	-	60 W	-

www.ledvanceUS.com																	
SYLVANIA						Discontinued with inventory											
General Purpose Lamps				Item Number Legend		November 2025											
						Limited inventory available											
						Arriving soon											
Family	Item Number	Description (click description for spec sheet)	Pricing	Bulb Shape	Wattage	Lumens	CRI	CCT	Lifetime	Pack Size	Case Size	Base Type	Material	Energy Star	CEC	Traditional Equivalent	Replacment Item Number
Contractor Series LED A19 Lamps																	
	74076	LED6A19F82710YVRP		A19	6	450	80	2700K	11,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	74077	LED6A19F82710YVRP2		A19	6	450	80	2700K	11,000	2	12	Medium	Plastic	-	-	40W Incandescent	-
	74079	LED6A19F82710YVRP4		A19	6	450	80	2700K	11,000	4	24	Medium	Plastic	-	-	40W Incandescent	-
	41169	LED6A19F83010YVRP		A19	6	450	80	3000K	11,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	79701	LED6A19F83510YVRP		A19	6	450	80	3500K	11,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	79703	LED6A19F83510YVRP4		A19	6	450	80	3500K	11,000	4	24	Medium	Plastic	-	-	40W Incandescent	-
	41166	LED6A19F84110YVRP		A19	6	450	80	4100K	11,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	74080	LED6A19F85010YVRP		A19	6	450	80	5000K	11,000	1	6	Medium	Plastic	-	-	40W Incandescent	-
	74081	LED6A19F85010YVRP2		A19	6	450	80	5000K	11,000	2	12	Medium	Plastic	-	-	40W Incandescent	-
	74084	LED6A19F85010YVRP4		A19	6	450	80	5000K	11,000	4	24	Medium	Plastic	-	-	40W Incandescent	-
	73885	LED8.5A19F82710YVRP		A19	8.5	800	80	2700K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78106	LED8.5A19F827GU2410YVRP		A19	8.5	800	80	2700K	11,000	1	6	GU24	Plastic	-	-	60W Incandescent	-
	73886	LED8.5A19F82710YVRP2		A19	8.5	800	80	2700K	11,000	2	12	Medium	Plastic	-	-	60W Incandescent	-
	73888	LED8.5A19F82710YVRP4		A19	8.5	800	80	2700K	11,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	40202	LED8.5A19F82710YVCVP12		A19	8.5	800	80	2700K	11,000	12	12	Medium	Plastic	-	-	60W Incandescent	-
	74765	LED8.5A19F82710YVRP24		A19	8.5	800	80	2700K	11,000	24	24	Medium	Plastic	-	-	60W Incandescent	-
	74733	LED8.5A19F83010YVRP		A19	8.5	800	80	3000K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	79702	LED8.5A19F83510YVRP		A19	8.5	800	80	3500K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	79704	LED8.5A19F83510YVRP4		A19	8.5	800	80	3500K	11,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	74321	LED8.5A19F84110YV		A19	8.5	800	80	4100K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	79281	LED8.5A19F85010YVRP		A19	8.5	800	80	5000K	11,000	1	6	Medium	Plastic	-	-	60W Incandescent	-
	78107	LED8.5A19F850GU2410YVRP		A19	8.5	800	80	5000K	11,000	1	6	GU24	Plastic	-	-	60W Incandescent	-
	79282	LED8.5A19F85010YVRP2		A19	8.5	800	80	5000K	11,000	2	12	Medium	Plastic	-	-	60W Incandescent	-
	79284	LED8.5A19F85010YVRP4		A19	8.5	800	80	5000K	11,000	4	24	Medium	Plastic	-	-	60W Incandescent	-
	40203	LED8.5A19F85010YVCVP12		A19	8.5	800	80	5000K	11,000	12	12	Medium	Plastic	-	-	60W Incandescent	-
	79291	LED12A19F82710YVRP		A19	12	1100	80	2700K	11,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	78097	LED12A19F82710YVRP4		A19	12	1100	80	2700K	11,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	74736	LED12A19F83010YVRP		A19	12	1100	80	3000K	11,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	78096	LED12A19F83510YVRP		A19	12	1100	80	3500K	11,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	78099	LED12A19F83510YVRP4		A19	12	1100	80	3500K	11,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	41167	LED12A19F84110YVRP		A19	12	1100	80	4100K	11,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	79293	LED12A19F85010YVRP		A19	12	1100	80	5000K	11,000	1	6	Medium	Plastic	-	-	75W Incandescent	-
	78100	LED12A19F85010YVRP4		A19	12	1100	80	5000K	11,000	4	24	Medium	Plastic	-	-	75W Incandescent	-
	79292	LED14A19F82710YVRP		A19	14	1500	80	2700K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	78101	LED14A19F82710YVRP4		A19	14	1500	80	2700K	11,000	4	24	Medium	Plastic	-	-	100W Incandescent	-
	40204	LED14A19F82710YVCVP12		A19	14	1500	80	2700K	11,000	12	12	Medium	Plastic	-	-	100W Incandescent	-
	74738	LED14A19F83010YVRP		A19	14	1500	80	3000K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	78098	LED14A19F83510YVRP		A19	14	1500	80	3500K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	78102	LED14A19F83510YVRP4		A19	14	1500	80	3500K	11,000	4	24	Medium	Plastic	-	-	100W Incandescent	-
	41168	LED14A19F84110YVRP		A19	14	1500	80	4100K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	79294	LED14A19F85010YVRP		A19	14	1500	80	5000K	11,000	1	6	Medium	Plastic	-	-	100W Incandescent	-
	78103	LED14A19F85010YVRP4		A19	14	1500	80	5000K	11,000	4	24	Medium	Plastic	-	-	100W Incandescent	-
	40205	LED14A19F85010YVCVP12		A19	14	1500	80	5000K	11,000	12	12	Medium	Plastic	-	-	100W Incandescent	-
Selectable LED A19 Lamps motion sensor																	
	42561	LED8A19MOT8SC3RP 6/CS 1/SKU		A19	8	800	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	60 W	-
	42562	LED13A19MOT8SC3RP 6/CS 1/SKU		A19	13	1600	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	100 W	-
Selectable LED A19 Lamps Dusk to Dawn																	
	42563	LED8A19DTD8SC3RP 6/CS 1/SKU		A19	8	800	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	60 W	-
	42564	LED12A19DTD8SC3RP 6/CS 1/SKU		A19	12	1600	80	2700K, 3000K, 3500K, 4000K, 5000K	15,000	1	6	Medium	Plastic	-	-	100 W	-
ECOLED General Purpose																	
	40821	ECOLED9A19F8277YVRP8		A19	9	750	80	2700K	7,700	8	24	Medium	Plastic	-	-	60W Incandescent	-
	41099	ECOLED9A19F8307YVRP8		A19	9	750	80	3000K	7,700	8	24	Medium	Plastic	-	-	60W Incandescent	-
	41100	ECOLED9A19F8417YVRP8		A19	9	750	80	4100K	7,700	8	24	Medium	Plastic	-	-	60W Incandescent	-
	40883	ECOLED9A19F8507YVRP8		A19	9	750	80	5000K	7,700	8	24	Medium	Plastic	-	-	60W Incandescent	-
	40885	ECOLED14.5A19F8277YVRP6		A19	14.5	1450	80	2700K	7,700	6	18	Medium	Plastic	-	-	100W Incandescent	-
	41210	ECOLED14.5A19F8307YVRP6		A19	14.5	1450	80	3000K	7,700	6	18	Medium	Plastic	-	-	100W Incandescent	-
	41209	ECOLED14.5A19F8417YVRP6		A19	14.5	1450	80	4100K	7,700	6	18	Medium	Plastic	-	-	100W Incandescent	-
	40884	ECOLED14.5A19F8507YVRP6		A19	14.5	1450	80	5000K	7,700	6	18	Medium	Plastic	-	-	100W Incandescent	-
	40878	ECOLED2.5B10CBLUNTCL8277YVRP6		B10	2.5	300	80	2700K	7,700	6	18	Candelabra	Plastic	-	-	40W Incandescent	-
	40879	ECOLED3.5B10CBLUNTCL8277YVRP6		B10	3.5	450	80	2700K	7,700	6	18	Candelabra	Plastic	-	-	60W Incandescent	-
40880	ECOLED3.5G25F8277YVGLRP3			G25	3.5	325	80	2700K	7,700	3	12	Medium	Plastic	-	-	40W Incandescent	-