

LEDVANCEUS.COM



LEDVANCE

SAFE, SECURE, SUSTAINABLE
OUTDOOR LIGHTING SOLUTIONS

CONTENTS

LEDVANCE PORTFOLIO PRODUCT TIERS	4
A FULL PORTFOLIO OF OUTDOOR PRODUCTS	6

WALL PACKS

SUPERIOR CLASS DUAL SELECTABLE NON-CUTOFF WALL PACK	8
PERFORMANCE CLASS OPTI-SELECT NON-CUTOFF WALL PACK	12
PERFORMANCE CLASS DUAL SELECTABLE NON-CUTOFF WALL PACK	16
PERFORMANCE CLASS DUAL SELECTABLE NON-CUTOFF WALL PACK - POLYCARBONATE	20
VALUE CLASS DUAL SELECTABLE NON-CUTOFF WALL PACK	24
VALUE CLASS DUAL SELECTABLE MINI WALL PACK	28
SUPERIOR CLASS DUAL SELECTABLE CUTOFF WALL PACK	32
PERFORMANCE CLASS OPTI-SELECT CUTOFF WALL PACK	36
PERFORMANCE CLASS DUAL SELECTABLE CUTOFF WALL PACK	40
PERFORMANCE CLASS DUAL SELECTABLE SLIM WALL PACK	44

AREA LIGHTS

SUPERIOR CLASS WATTAGE SELECTABLE AREA LIGHT	48
PERFORMANCE CLASS OPTI-SELECT AREA LIGHT	52
PERFORMANCE CLASS DUAL SELECTABLE AREA LIGHT	56
VALUE CLASS WATTAGE SELECTABLE AREA LIGHT	60
PERFORMANCE CLASS DUAL SELECTABLE POST TOP LUMINAIRE	64

FLOODLIGHTS

PERFORMANCE CLASS OPTI-SELECT FLOODLIGHT	68
PERFORMANCE CLASS DUAL SELECTABLE FLOODLIGHT	72
PERFORMANCE CLASS DUAL SELECTABLE BULLET FLOOD	74

SPORTS LIGHTS

PERFORMANCE CLASS WATTAGE SELECTABLE SPORTS LIGHT	78
PERFORMANCE CLASS WATTAGE SELECTABLE SPORTS LIGHT WITH REMOTE DRIVER	82
PERFORMANCE CLASS OPTI-SELECT CYLINDER	84
PERFORMANCE CLASS DUAL SELECTABLE SQUARE CANOPY/GARAGE	88
PERFORMANCE CLASS DUAL SELECTABLE ROUND CANOPY/GARAGE	92
VALUE CLASS DUAL SELECTABLE JELLY JAR	96
PERFORMANCE CLASS DUAL SELECTABLE BOLLARD	100
VALUE CLASS DUSK TO DAWN	104
POLES	106
BRACKETS	108
RESOURCES	110



LIGHTING IS WHAT WE DO BEST

LEDVANCE is a world leader in innovative lighting products, as well as intelligent and connected lighting solutions.

Active in more than 140 countries, we are proud of our long-standing reputation for providing total lighting system solutions. Our singular focus on lighting enables us to provide the best solutions to meet the needs of all of our customers.

LEDVANCE PORTFOLIO

PRODUCT CLASS
SEGMENTATIONS

SUPERIOR CLASS™

Sometimes only the best will do. In the LEDVANCE Superior Class, you'll find premium products that set standards in technology, quality and design coming in the near future. These impressive, top-of-the-line products are the right choice for your most demanding, prestigious projects, or those with unique lighting requirements.

PERFORMANCE CLASS™

The LEDVANCE Performance Class offers proven, reliable solutions for most of your lighting tasks. Our core portfolio includes a wide range of high-quality, demand-oriented luminaires with excellent performance in terms of lifetime, efficiency, material and quality of light. Features such as easy installation and comprehensive guarantees add extra value.

VALUE CLASS™

For excellent performance at an attractive price, choose the LEDVANCE Value Class. The luminaires in this range are characterized by a standard lifetime, efficiency and quality of light – making them the right choice for everyday installation needs and projects where reliability and cost-effectiveness are top priorities.


A FULL PORTFOLIO OF OUTDOOR PRODUCTS

Whatever your outdoor lighting needs – from the largest industrial installation to retail facilities to sports fields – **LEDVANCE** has the dependable, high performance products you need to get the job done on time and on budget. Choose from eight product families, including:

- Wall Packs
- Area Floods
- Post Tops
- Floodlights
- Sports Lights
- Canopies
- Garage Lights
- Decorative Outdoor Lighting

You'll find them all in this guide, along with links to detailed selection, ordering and installation information.






QUICKER, EASIER SELECTION

Every job has its choices, and no matter what the lighting task, the right product selection is an important part of customer satisfaction – and profitability.

To help you quickly find the best lighting product for a specific job, within several of our outdoor lighting families you'll find three tiers of products.



DUAL SELECTABLE NON-CUTOFF WALL PACK

SUPERIOR CLASS™

Want to create a higher end, sleeker look within a traditional footprint? The SUPERIOR CLASS NON-CUTOFF WALL PACK is the answer, bringing form and function together to create the ideal luminaire for your specification grade projects. The traditional footprint saves time and lowers installation costs; integrated photocell and optional Bluetooth® low energy mesh technology enabled sensor options allow for additional energy savings on this already-efficient LED wall pack.



Scan or click
for detailed
specifications,
ordering and
installation
information.






10Y
WARRANTY


CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Standard form factor to easily replace traditional luminaires
- Fast, easy installation on junction boxes or as side conduit mount

DUAL SELECTABLE NON-CUTOFF WALL PACK



80W fixture mounted at 20' with Type II distribution



80W fixture mounted at 20' with Type IV distribution

CCT and Power select switch

Allows on-site customization, helps minimize SKUs and simplifies inventory management

LEDVANCE branding



Concealed hinges

Contemporary design creates a clean, sleek look for specification grade projects



Excellent optical solution

Delivers solid performance, uniform Type II or IV distribution and ensures no yellowing over time


OPTI-SELECT NON-CUTOFF WALL PACK

PERFORMANCE CLASS™

The LEDVANCE PERFORMANCE CLASS OPTI-SELECT WALL PACK is built for maximum versatility with the revolutionary OPTI-SELECT technology, allowing beam adjustment (narrow, medium and wide) at the flip of a switch—effortless and perfect throw without swapping lenses. Built for maximum adaptability, it's also CCT and wattage selectable, controls ready and features an integrated photocell. From walkways and building facades to parking lots and perimeters, the OPTI-SELECT WALL PACK simplifies installation, enhances efficiency, and provides unmatched flexibility.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY


CONTRACTOR BENEFITS

- OPTI-SELECT: Narrow, medium and wide throw in the same product, easily adjustable in the field via switch
- CCT and wattage selectable: choose the color temperature and brightness level to meet your needs
- Integrated photocell and ready for field installable standalone sensors, no wiring required

OPTISELECT

CONTROLS
READY

OPTI-SELECT NON-CUTOFF WALL PACK



80W fixture mounted at 20' with narrow distribution



80W fixture mounted at 20' with medium distribution



80W fixture mounted at 20' with wide distribution

Wattage and CCT selectable

For inventory reduction and greater job site flexibility



Integrated photocell

With on/off switch



CONTROLS

READY

Sensor receptacle for screw-in standalone sensors



OPTISELECT

Selectable beam angle with integrated switch

NO LENS SWAP NEEDED

Select from narrow, medium, and wide beam angles



MADE TO ORDER

Optional EMBB

DUAL SELECTABLE NON-CUTOFF WALL PACK

PERFORMANCE CLASS™

The WALL PACK features both wattage and CCT selectability in a brand new exclusive LEDVANCE design! With an integrated photocell and field installable plug-and-play motion sensors, only five SKUs give you 15 different lumen packages in three sizes that cover the older existing fixture footprint perfectly. Emergency battery backup, visors and wire guards are also available to meet just about any application requirement.



Scan or click
for detailed
specifications,
ordering and
installation
information.






5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Standard HID footprint simplifies retrofits and reduces installation costs
- Sensor receptacle ready for field installable plug and play sensors

CONTROLS
READY

DUAL SELECTABLE NON-CUTOFF WALL PACK



80W fixture mounted at 20'



DUAL SELECTABLE NON-CUTOFF WALL PACK – POLYCARBONATE

PERFORMANCE CLASS™

The PERFORMANCE CLASS NON-CUTOFF WALL PACK offers both wattage and color selectability to reduce inventory, while maintaining a traditional footprint to reduce installation costs. A versatile and reliable performer, the luminaire's robust construction allows the wall pack to be used in a variety of settings. An integral photocell is included and has the option of adding a motion/daylight sensor for additional energy savings. It is DLC listed to take advantage of rebate opportunities.



Scan or click for detailed specifications, ordering and installation information.






5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory
- Fast, easy installation on junction boxes or as side conduit mount
- TAA compliant to meet government job requirements

DUAL SELECTABLE NON-CUTOFF WALL PACK – POLYCARBONATE



80W fixture mounted at 20'

Superior construction

Sleek and aesthetically pleasing, the robust, IP66-rated die-cast aluminum housing enables good thermal management and enhances product reliability

Power and CCT select switch

Allows customization based on applications and helps minimize SKU's/Inventory



Good optical solution

Delivers solid performance, uniform distribution with UV stabilized IK08 lens that ensures high impact resistance and no yellowing over time

Driver

High performance 0-10V dimmable driver offers flexibility and energy savings

DUAL SELECTABLE NON-CUTOFF WALL PACK

VALUE CLASS™

Combining dual selectability, high quality and affordability, the VALUE CLASS DUAL SELECTABLE WALL PACK family sets a new standard for an economical wall pack. An integrated photocell saves energy and simplifies installation, and the slim design saves on freight and storage costs, while still matching the footprint of traditional wall packs.



Scan or click
for detailed
specifications,
ordering and
installation
information.






5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Slim design saves shipping costs, and optimizes storage and shelf space
- Fast, easy installation with bubble level and integrated photocell


DUAL SELECTABLE NON-CUTOFF WALL PACK



80W fixture mounted at 20'


Space-saving

Slim design for freight and storage optimization



Simplified installation

Easy and fast installation with bubble level and integrated photocell



Wattage and CCT select switch

Dual selectable for application flexibility and easier inventory management: 3 SKUs do the job of 27 products

DUAL SELECTABLE MINI WALL PACK

VALUE CLASS™

The MINI WALL PACK luminaire is an environmentally preferable LED alternative to traditional HID lights, offering up to 85% in energy savings. With three lumen outputs and three light colors in the same product, they are a versatile choice for both commercial or residential applications. DLC 5.1 Premium Listing assures high energy efficiency and qualifies the product for utility rebates.



Scan or click
for detailed
specifications,
ordering and
installation
information.




5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows for flexibility on the and simplifies inventory management
- Integrated photocell for increased energy savings
- Slim profile in bronze, black or white—ideal for both residential and commercial applications

DUAL SELECTABLE MINI WALL PACK



30W fixture mounted at 10'

CCT and lumen selectable

Dual selectable for application flexibility



Emergency Battery Backup option



Integrated photocell

Available in three colors

Bronze, black, and white

Small, slim design

Allows for both commercial and residential applications



DUAL SELECTABLE CUTOFF WALL PACK

SUPERIOR CLASS™

The SUPERIOR CLASS CUTOFF WALL PACK has it all—from the look to the lumens. It lets you create a high end, sleek look in a traditional footprint, and with its full cutoff and specific distribution patterns, this fixture will put light exactly where you want it, and nowhere else. Integrated photocell and optional Bluetooth® low energy mesh technology enabled sensor options allow for additional energy savings on this already-efficient LED luminaire.



Scan or click
for detailed
specifications,
ordering and
installation
information.






10Y
WARRANTY


CONTRACTOR BENEFITS

- Standard form factor to easily replace traditional luminaires
- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory
- Fast, easy installation on junction boxes or as side conduit mount


DUAL SELECTABLE CUTOFF WALL PACK



80W fixture mounted at 20' with a Type II distribution



80W fixture mounted at 20' with a Type IV distribution




OPTI-SELECT CUTOFF WALL PACK

PERFORMANCE CLASS™

The LEDVANCE PERFORMANCE CLASS OPTI-SELECT CUTOFF WALL PACK delivers unmatched precision with its full cut-off design, eliminating uplight to reduce glare and light pollution, while the revolutionary OPTI-SELECT technology lets you instantly switch between Type II, Type III, and Type IV distributions via switch—no lens swap required. With CCT and wattage selectability, an integrated photocell, and plug-and-play controls compatibility, it's the ultimate solution for efficient, adaptive outdoor lighting.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY


CONTRACTOR BENEFITS

- OPTI-SELECT: Types II, III and IV light distribution in the same product, easily adjustable in the field via switch
- CCT and wattage selectable: customize the color temperature and brightness in the field
- Full cutoff design with no uplight, reducing glare and light pollution
- Integrated photocell and ready for field installable standalone sensors, no wiring required


OPTISELECT

CONTROLS
READY


OPTI-SELECT CUTOFF WALL PACK



60W fixture mounted at 20' with
Type II distribution



60W fixture mounted at 20' with
Type III distribution



60W fixture mounted at 20' with
Type IV distribution

OPTISELECT

Selectable beam angle
with integrated switch

NO LENS SWAP NEEDED

Type II, III, and IV distributions



Integrated photocell

Can be disabled via
on/off switch



CONTROLS


READY

Sensor receptacle for screw-in
standalone sensors



Wattage and CCT selectable

Inventory reduction and
greater job site flexibility



Polycarbonate lens

UV stabilized

Available in 3 colors

Bronze, black or white housing

MADE TO
ORDER

Optional EMBB



DUAL SELECTABLE CUTOFF WALL PACK

PERFORMANCE CLASS™

The PERFORMANCE CLASS DUAL SELECTABLE CUTOFF WALL PACK offers both wattage and CCT selectability. The distinctive, award-winning LEDVANCE SCALE design not only looks great; it matches the older existing fixture footprint perfectly, for a quick easy LED upgrade. With an integrated photocell, it is also controls ready for field installable plug-and-play motion sensors and optional battery backup. Four SKUs give you 12 different lumen packages that can meet just about any application requirement.



Scan or click
for detailed
specifications,
ordering and
installation
information.



5Y
WARRANTY


CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Standard HID footprint simplifies retrofits and reduces installation costs
- Integrated photocell and field installable screw-in motion sensors
- Full cutoff Type III distribution that directs the light only where it's needed



CONTROLS
READY

DUAL SELECTABLE CUTOFF WALL PACK



100W fixture mounted at 20'



DUAL SELECTABLE SLIM WALL PACK

PERFORMANCE CLASS™

The versatile SLIM WALL PACK can be used as a full cutoff wall pack, or adjustable up to 90 degrees. The dual selectable luminaire is available in 30W and 60W maximum in 3000K, 4000K, or 5000K, and includes a standard photocell for additional energy savings.



Scan or click
for detailed
specifications,
ordering and
installation
information.




5Y
WARRANTY


CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Fast, easy installation on junction boxes or as side conduit mount
- Luminaire can function as a cutoff wall pack or as a floodlight when pivoted 90°

DUAL SELECTABLE SLIM WALL PACK



60W fixture mounted at 20'



60W fixture mounted at 25' with a 30° tilt



WATTAGE SELECTABLE AREA LIGHT

SUPERIOR CLASS™

The sleek, modern housing of the SUPERIOR CLASS AREA LIGHT adds curb appeal to any installation, and wattage selectability makes this area flood a versatile solution for a variety of applications. It is equipped with an integrated 7-pin photocell receptacle for additional energy savings and flexibility, and also offers an optional Zhaga sensor. The combination of superior photometrics, selectability and energy saving features make this area flood the ideal luminaire for your specification grade projects.



Scan or click
for detailed
specifications,
ordering and
installation
information.






10Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage selectability allows flexibility on the job site and simplifies inventory management
- Universal mounting bracket included for ease of installation to round and square poles, walls, and tenons
- Easy field-installable glare shields minimize spill light off-site

WATTAGE SELECTABLE AREA FLOOD



190W fixture mounted at 25'
with Type IV and V Distribution



190W fixture mounted at 25'
with Type II and Type III Distribution



100W fixture mounted at 20'
with Front Row Distribution



OPTI-SELECT AREA LIGHT

PERFORMANCE CLASS™

Experience a true revolution in area lighting! The industry-first “everything-selectable” AREA LIGHT gives you three CCTs, three lumen outputs, plus three switch-selectable optical distributions in a single product—ensuring an easier inventory management and a perfect match for just about any outdoor lighting need. Innovative OPTI-SELECT technology lets you quickly choose Type III, IV and V distributions via switch, no lens swap required.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY


CONTRACTOR BENEFITS

- Wattage, CCT and distribution selectability allows flexibility on the job site and simplifies inventory management
- Switch-selectable Type III, IV and V distributions to adapt to your lighting needs
- Quick, simple installation with a universal mounting bracket included inside the box
- CONTROLS READY: a 7-pin NEMA receptacle and field installable screw-in sensors

OPTISELECT

CONTROLS
READY

OPTI-SELECT AREA LIGHT





CONTROLS
 **READY**
 Field installable screw-in sensors

FINISHES
 Available in bronze, black, white, and gray

FLEXMOUNT
Mounting flexibility
 Universal mounting bracket

OPTISELECT
Innovative field selectable distribution
NO LENS SWAP NEEDED
 Type III, IV and V in one product

Exclusive LEDVANCE design

Wattage and CCT selectable
 For inventory reduction and greater job site flexibility

SCALE DESIGN

DUAL SELECTABLE AREA LIGHT

PERFORMANCE CLASS™

Flexibility doesn't need to be complicated! The new LEDVANCE DUAL SELECTABLE AREA LIGHT brings the versatility of dual selectability into the area light family. Available in Types II, III, IV, V or Front Row distribution, the new luminaires also offer a 7-pin NEMA receptacle, screw-in plug-and-play sensors and a universal mounting bracket.



Scan or click
for detailed
specifications,
ordering and
installation
information.




5Y
WARRANTY

CONTRACTOR BENEFITS


- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Universal mounting arm for round and square poles as well as slip fitter
- CONTROLS READY: a 7-pin NEMA receptacle and field installable screw-in sensors

CONTROLS
READY


DUAL SELECTABLE AREA LIGHT




80W fixture mounted at 20' with Type II distribution



80W fixture mounted at 20' with Type III distribution



80W fixture mounted at 20' with Type IV distribution



80W fixture mounted at 20' with Type V distribution



WATTAGE SELECTABLE AREA LIGHT

VALUE CLASS™

An easy, cost-effective choice for a wide range of outdoor applications, the VALUE CLASS WATTAGE SELECTABLE AREA LIGHT combines affordability with contractor-friendly installation. These luminaires offer type III, IV, and V distributions, excellent thermal performance, and include a universal mounting bracket for multiple installation options. They also allow for field-installable screw-in sensors and controls.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS


- Wattage selectability allows flexibility on the job site and simplifies inventory management
- Easy out-of-the box installation, with universal mounting bracket included for multiple installation options
- **CONTROLS READY:** Field-installable screw-in sensors

CONTROLS
READY

WATTAGE SELECTABLE AREA LIGHT



80W fixture mounted at 20'
with Type III distribution



80W fixture mounted at 20'
with Type IV distribution



80W fixture mounted at 20'
with Type V distribution



DUAL SELECTABLE POST TOP LUMINAIRE

PERFORMANCE CLASS™

The PERFORMANCE CLASS DUAL SELECTABLE POST TOP LUMINAIRE is an exciting addition to our outdoor portfolio. This vibrant post top luminaire covers all bases, with both wattage and color selectability, photocell capability and easy installation. From high end shopping plazas to small town parks and recreation areas, the clean and sleek design is a clear winner in any application.



Scan or click for detailed specifications, ordering and installation information.






5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Fast, easy installation on standard pole tops


DUAL SELECTABLE POST TOP LUMINAIRE



90W fixture mounted at 20' with Type II Distribution



90W fixture mounted at 20' with Type III Distribution




90W fixture mounted at 20' with Type IV Distribution



90W fixture mounted at 20' with Type V Distribution

Excellent optical solution

Delivers superior performance in a variety of distributions (II, III, IV, V), with a UV-stabilized IK08 lens that ensures no yellowing over time; full cutoff distribution reduces light pollution without compromising security



Superior construction

Sleek and aesthetically pleasing, the polycarbonate lens and robust, IP66-rated die-cast aluminum housing enables good thermal management and enhances product reliability



CCT and Power select switch

Allows on-site customization, helps minimize SKUs and simplifies inventory management



Mounting flexibility

Compatible with round poles with a standard 2-3/8"–2-7/8" tenon top

OPTI-SELECT FLOODLIGHT

PERFORMANCE CLASS™

The OPTI-SELECT FLOODLIGHT is a perfect blend of our renowned LEDVANCE FLOODLIGHT and the cutting-edge OPTI-SELECT feature. This versatile product offers three wattages, three CCTs, and three beam angles, all in one package. With narrow, medium, and wide optical distributions, the OPTI-SELECT FLOODLIGHT family also includes the FLEX MOUNT system, providing two mounting options right out of the box. Additionally, it features an integrated photocell for lower wattages or a 3-pin NEMA receptacle for higher wattages. Experience the ultimate flexibility and performance with the OPTI-SELECT FLOODLIGHT!



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS

- OPTI-SELECT: Narrow, medium and wide beam angles in the same product, easily adjustable in the field via switch
- FLEX MOUNT: Two mounting options included (knuckle and trunnion mount or slipfitter and trunnion mount)
- Wattage and CCT selectable for maximum versatility

OPTISELECT

OPTI-SELECT FLOODLIGHT



OPTISELECT


NO LENS SWAP NEEDED

Beam angle adjustable
via switch



Wattage and CCT Selectable

Aids in inventory reduction and
greater job site flexibility



Integrated photocell (30/60/140W)

Can be disabled via
On/Off switch


3-Pin NEMA receptacle (300W/470W)

with shorting cap (optional Photocell)



FLEXMOUNT

Two mounting options inside the box for
easy installation (1/2" NPS knuckle +
trunnion or slip fitter + trunnion). Yoke
mount available as accessory



DUAL SELECTABLE FLOODLIGHT

PERFORMANCE CLASS™

Looking for a versatile solution for buildings, facades, signs, gardens and other outdoor areas? The LEDVANCE FLOODLIGHT offers dual selectability, flexible mounting options and an integrated photocell or photocell receptacle—plus a new, exclusive LEDVANCE design.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Two mounting options included: trunnion and knuckle or slip fitter
- Integrated photocell (30W, 60W, 140W), 3 pin photocell receptacle and shorting cap (300W, 470W)

DUAL SELECTABLE BULLET FLOOD

PERFORMANCE CLASS™

The PERFORMANCE CLASS DUAL SELECTABLE BULLET FLOOD 2A is an all-in-one box solution. With its multiple wattages, CCTs, and beam angles, it makes for the perfect solution to light up any of your landscape and sign lighting needs.



Scan or click for detailed specifications, ordering and installation information.





5Y
WARRANTY


CONTRACTOR BENEFITS

- 27 possibilities in one box: 3 wattages, 3 CCTs and 3 beam angles for application flexibility and easier inventory management
- 15°, 25°, and 40° lenses are easily interchangeable with the tool provided
- Multiple mounting options include ½" IPS thread, ground stake, and tenon adapter


DUAL SELECTABLE BULLET FLOOD



30W, 6' setback, 60° tilt,
15° beam spread



30W, 6' setback, 60° tilt,
25° beam spread



30W, 6' setback, 60° tilt,
40° beam spread

CCT and Power select switch

Allows customization based on applications and helps minimize SKUs/inventory



Large Visor

Optional accessory to reduce glare



Flexible Mounting

Standard mount is 1/2" IPS thread. Also available as accessories are a tenon adapter and ground stake



FLEXOPTICS

15°, 25°, and 40° beam angle lenses included in the box allow for customization based on the application



WATTAGE SELECTABLE SPORTS LIGHT

PERFORMANCE CLASS™

The PERFORMANCE CLASS SPORTS LIGHT is a robust, high lumen outdoor luminaire that can meet just about any high mast and sports lighting requirement. Wattages range from 400W-1200W with a variety of distribution patterns from narrow to wide flood, and 10Kv surge protection provides an additional layer of reliability.



Scan or click for detailed specifications, ordering and installation information.







5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage selectability allows flexibility on the job site and simplifies inventory management
- Clear labeling makes it quick and easy to adjust angle
- Yoke mount bracket and handle for fast, simple installation and aiming


WATTAGE SELECTABLE SPORTS LIGHT



1200W fixture mounted at 60' with a 50' setback and 150' spacing between poles, maintaining a 33 footcandle average; the 6 poles have 4 fixtures mounted on each with a 4x4 distribution

Easy aiming and mounting

Laser pointer, handle, and clearly marked angles allows for easy mounting and aiming



Visor

Fully rotatable and included with luminaire



Excellent optical solution

Delivers superior performance in a variety of distributions (NEMA 3x3, 4x4, and 5x5 Flood); UV-stabilized, IK08-rated polycarbonate lens ensures impact resistance and no yellowing over time

Wattage selectable

Wattage selectability allows on-site customization, helps minimize SKUs and simplifies inventory management; ships set to highest level



Superior construction

Sleek and aesthetically pleasing, the IP65-rated die-cast aluminum housing enables good thermal management and enhances product reliability

WATTAGE SELECTABLE SPORTS LIGHT WITH REMOTE DRIVER

PERFORMANCE CLASS™

Ideal for illuminating baseball, football and soccer fields, tennis courts and other sports arenas, these versatile, energy-saving luminaires can also be used for municipal parks and industrial areas, including high-mast applications. The remote driver allows for easier maintenance and greater flexibility of applications. Selectable wattage—400W, 500W, 600W, 750W, 1000W, 1200W, and 1500W—lets you tailor the lighting to the specific need. ANSI 3G vibration rating, IP65 ratings, and a polycarbonate lens ensure a robust and durable housing.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage selectability (400W, 500W, 600W, 750W, 1000W, 1200W, and 1500W) allows flexibility on the job site and simplifies inventory management
- Ships with remote driver that can be installed up to 160 feet away from the luminaire
- Includes a visor to minimize light spill and laser pointer to ensure precise aiming
- Available in NEMA 3x3, 4x4, and 5x5 distributions

OPTI-SELECT CYLINDER

PERFORMANCE CLASS™

The OPTI-SELECT CYLINDER wall luminaires are a stylish and versatile choice for facades, entryways and wall wash applications. In addition to CCT and wattage selectability, they offer switch-selectable beam angles (narrow, medium and wide), and Up, Down, or Up+Down light modes. Available in bronze, black and white finishes and 3", 4", and 6" sizes, they include an integrated photocell that can be disabled via an On/Off switch.



Scan or click for detailed specifications, ordering and installation information.





CONTRACTOR BENEFITS

- OPTI-SELECT: Narrow, medium and wide beam angles in the same product, adjustable via switch. No reflector swap needed!
- CCT and wattage selectable: 3 lumen outputs, three colors temperatures and on/off photocell
- Choose between three sizes (3", 4" and 6") and three finishes: black, bronze and white

OPTISELECT

OPTI-SELECT CYLINDER



OPTISELECT

Beam angle adjustable
(25, 40, 60°) via switch,
no reflector swap needed



Up, Down or Up + Down light modes

100% downlight,
100% up light or
50/50% up/down



81 SKUs-in-one

Integrated photocell

Can be disabled via On/Off switch

Wattage and CCT Selectable

Aids in inventory reduction and
greater job site flexibility

Housing

3", 4" and 6" versions
Bronze, black and white for
application flexibility



DUAL SELECTABLE SQUARE CANOPY/GARAGE

PERFORMANCE CLASS™

Redefining versatility and innovation with groundbreaking optical technology that meets both Garage and Canopy requirements—no switch or lens swap needed. Paired with CCT and wattage selectability, embedded upright to reduce the 'cave effect,' and Controls Ready integration, it's the ultimate solution for efficient, adaptable, and visually balanced lighting.



Scan or click
for detailed
specifications,
ordering and
installation
information.




5Y
WARRANTY

CONTRACTOR BENEFITS

- **DUAL BEAM:** Garage and Canopy Optics in the same product, no switch or lens swap needed
- **CCT and Wattage Selectable:** customizable color temperature and wattage to meet your needs
- **CONTROLS READY:** Integrated photocell and ready for field installable standalone sensors, no wiring required

CONTROLS
READY

DUAL SELECTABLE SQUARE CANOPY/GARAGE





DUAL SELECTABLE ROUND CANOPY/GARAGE

PERFORMANCE CLASS™

Redefining versatility and innovation with groundbreaking optical technology that meets both Garage and Canopy requirements—no switch or lens swap needed. Paired with CCT and wattage selectability, embedded uplift to reduce the 'cave effect,' and Controls Ready integration, it's the ultimate solution for efficient, adaptable, and visually balanced lighting.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS


- DUAL BEAM: Garage and Canopy Optics in the same product, no switch or lens swap needed
- CCT and Wattage Selectable: customizable color temperature and wattage to meet your needs
- CONTROLS READY: Integrated photocell and ready for field installable standalone sensors, no wiring required

CONTROLS
READY

DUAL SELECTABLE ROUND CANOPY/GARAGE



50W fixture mounted at 10'



50W fixture mounted at 14'



DUAL SELECTABLE JELLY JAR

VALUE CLASS™

The LEDVANCE VALUE CLASS JELLY JAR is both wattage and color selectable, and includes the new FLEX MOUNT capability that allows for wall, ceiling, and pendant mount—all in one fixture. A rugged glass lens and cage make it a suitable choice for extreme environments, and 120-347V rating increases application versatility.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- FLEX MOUNT capability allows for wall, ceiling, or pendant mounting
- Optional red, blue, green, yellow, and frosted lenses for low visibility areas

FLEXMOUNT

DUAL SELECTABLE JELLY JAR



FLEXMOUNT

Adjustable mounting

Wall, ceiling, or pendant mount in one fixture



Accessories: Red, blue, green, yellow or frosted lenses

Allows for visibility in low light areas



Dual selectable

Allows customization based on the application and helps minimize inventory



DUAL SELECTABLE BOLLARD

PERFORMANCE CLASS™

The LEDVANCE BOLLARD lets you choose between 90°, 180°, 270° and 360° light distribution right in the field, making it an ideal solution for pathway and outdoor applications. Incorporating a new LEDVANCE design, they are offered in two versions: full 360° illumination pattern, or with our innovative OPTI-SELECT illumination zones.



Scan or click
for detailed
specifications,
ordering and
installation
information.





5Y
WARRANTY

CONTRACTOR BENEFITS

- Full Zone and OPTI-SELECT (90/180/270/360°) distribution patterns
- Integrated photocell and optional emergency battery backup
- Bronze, black, gray, and white finishes to meet your design needs

OPTISELECT

DUAL SELECTABLE BOLLARD



Exclusive
LEDVANCE design



Four finishes
Black, bronze, gray or white

MADE TO
ORDER
Optional EMBB



OPTISELECT

Innovative field
selectable distribution

Field adjustable illumination pattern



Integrated photocell

CCT and wattage selectable



DUSK TO DAWN

VALUE CLASS™

Ideal for retrofit applications as well as new construction, the VALUE CLASS DUSK TO DAWN luminaire is an easy-to-install, cost-effective choice for general area lighting, yards, docks, barns, service roads, and security lighting. With a compact, lightweight design, the luminaire presents a traditional appearance, while also offering all of the energy saving benefits of the latest LED technology.



Scan or click for detailed specifications, ordering and installation information.






5Y
WARRANTY

CONTRACTOR BENEFITS

- Wattage and CCT selectability allows flexibility on the job site and simplifies inventory management
- Polycarbonate lens, IK08 rating and IP65 rating ensure a durable and long-lasting fixture
- Includes NEMA photocell for additional energy savings

POLES

LEDVANCE offers a wide array of outdoor luminaire installation options for new or existing projects. With three types of poles in multiple mounting heights and a variety of bracket options, we have a solution for virtually any installation need.



1 LEDVANCE SQUARE STEEL POLES

LEDVANCE SQUARE STEEL POLES are offered in 8', 12', 15', 17', 20', 25' and 30' heights. Mounting configurations include tenon top, drilled for one, two, three, or four fixtures. The poles will cover all your mounting needs from floodlights to area lights. Ideal for parking lots, outdoor storage areas, and any open space needing illumination.

Benefits and Features

- Available in seven heights: 8', 12', 15', 17', 20', 25' and 30'
- 8'-25' are 4" square; 25'-30' are 5" square
- 8'-25' are offered in 11 gauge
25'-30' are offered in 7 gauge
- Fabricated from the highest grade structural steel

Specifications

- Square Steel Pole with powder coat paint; standard color is bronze
- Polycarbonate spring loaded top cover
- Reinforced 2.5" x 4.5" cast iron hand-hole with ground screw included
- Easily secured base cover included
- Bolt circle template included



2 LEDVANCE STRAIGHT ROUND ALUMINUM POLES

LEDVANCE STRAIGHT ROUND ALUMINUM POLES are offered in 12', 20' and 25' heights. Mounting configurations include tenon top, drilled for one, two, three or four fixtures. The poles will cover all of your mounting needs from post tops to floodlights to area lights. Ideal for parking lots, parks and pedestrian walkways, outdoor storage areas, small sports lighting and any open space needing illumination.

Benefits and Features

- Poles available in three heights: 12', 20' and 25'
- 12'-20' are 4" diameter; 20' and 25' are 5" diameter
- Uniform wall thickness of 0.196" (5mm)
- Fabricated from 6063 Aluminum Alloy with T6 Temper
- Die cast anchor base from 356 Aluminum Alloy

Specifications

- Round Smooth Aluminum Poles with powder coat paint; standard color is black
- Anchor bolts included
- Reinforced 3" x 5" die cast aluminum hand hole with cover and ground screw
- Drilled poles include UV-stabilized polycarbonate spring loaded top cover
- Easily secured 2-piece base cover included
- Bolt circle template included



3 LEDVANCE ROUND TAPERED STEEL POLES

LEDVANCE ROUND TAPERED STEEL POLES are offered in 15', 20' and 25' heights. Mounting configurations include tenon top, drilled for two or three fixtures. The poles will cover all of your mounting needs from post tops to floodlights to area lights. Ideal for parking lots, parks and pedestrian walkways, outdoor storage areas, small sports lighting and any open space needing illumination.

Benefits and Features

- Available in three heights: 15', 20' and 25'
- Fabricated from the highest grade structural steel
- Conforms to ASTM-A-500 Grade B
- Minimum yield strength of 46,000 PSI

Specifications

- Round Tapered Steel Poles with powder coat paint; Black finish is standard for 15' and 20' poles; Bronze finish is standard for 20' and 25' poles
- Anchor bolts included
- Cast Iron 3" x 5" reinforced hand hole with cover and ground screw
- Drilled poles include black plastic pole cap
- Easily secured 2-piece base cover included
- Bolt circle template included



BRACKETS

Engineered to withstand harsh weather conditions and provide secure installation, LEDVANCE Steel Mounting Brackets come in a variety of sizes, shapes, and mounting configurations for flexible positioning, providing for multiple installation applications. They include single, double, triple, and quad configurations for mounting to LEDVANCE poles, walls, and retrofitting to existing poles.

LEDVANCE Steel Mounting Brackets

Stock products



Non-stock products



Benefits and Features


- Available as single, double, triple, and quad tenons, as well as double and triple bullhorns for pole mounting
- Available as straight and 90° wall mount brackets
- Tenon adapters are available in 3" and 4" to 2-3/8" in three finishes to match our post top products - black, bronze, gray

Specifications



- Bronze powder coat paint finish is standard. Contact LEDVANCE for custom finishes

Ordering Information

Item Number	Description
Stock	
66205	POLESQS2C/DBLTENON/4IN/BZ
66206	POLESQS2C/TPLTENON/4IN/BZ
66207	POLESQS2C/DBLBULHORN/BZ
66208	POLESQS2C/TPLBULHORN/BZ
66209	POLESQS2C/QUAD90TENON/4IN/BZ
66210	POLESQS2C/DBLH180TENON/4IN/BZ
66211	POLESQS2C/DBLH180TENON/5IN/BZ
63896	POLESQS2C/SQTOP/4IND4/BZ
63901	POLESQS2C/SQTOP/4IND4/GR
66626	POLESQS2C/SQTOP/4IND4/WH
66212	POLESRS2A/TENONADAPT/4IN/BZ
66213	POLESR2A/TENONADAPT/4IN/BL
66214	POLESR2A/TENONADAPT/4IN/GR
60688	TENONADAPTER1ABZ
61169	TENONADAPTER1ABL
61170	TENONADAPTER1AGR
61171	BRACKET1APOSTTENADAPTERBZ
61172	BRACKET1APOSTTENADAPTERBL
61173	BRACKET1APOSTTENADAPTERGR
61174	BRACKET1AWALLHORIZTENONBZ
61175	BRACKET1AWALL90DEGTENONBZ
63891	POLESQS2CDBLTENONH1804INBZ
Non-stock	
63323	POLESQS2B/ANJBOLTKIT304
63324	POLESQS2B/ANJBOLTKIT364
63315	POLESQS2B/TENON/4IN/BZ
63316	POLESQS2B/TENON/5IN/BZ
63317	POLESQS2B/DBLTENON/4IN/BZ
63318	POLESQS2B/DBLTENON/5IN/BZ
63319	POLESQS2B/DBLBULHORN/BZ
63320	POLESQS2B/TPLBULHORN/BZ
63321	POLESQS2B/QUADTENON/4IN/BZ
63322	POLESQS2B/QUADTENON/5IN/BZ



EXPLORE ALL OF OUR LEDVANCE PRODUCTS



ONE SOURCE FOR ALL
YOUR LIGHTING NEEDS



LED LUMINAIRES
SPECIFICATION GUIDE




LEADING THE WAY
IN INNOVATION



OPTI-SELECT
LIGHTING SOLUTIONS



LEDVANCE
FLAT PANELS



OUTDOOR LIGHTING
SOLUTIONS



LEDVANCE
DOWNLIGHTS



LEDVANCE LINK



PHASE EV
COMMERCIAL
CHARGING STATIONS



PHASE EV COMMERCIAL
AND RESIDENTIAL
CHARGING STATIONS



HAZARDOUS
LOCATION LIGHTING
SOLUTIONS

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. In North America, LEDVANCE LLC offers a wide range of SYLVANIA LED luminaires for various applications, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry, and traditional light sources. Further information can be found at www.ledvanceUS.com.



LEDVANCE

HELPFUL RESOURCES

VISIT OUR TOOLS AND RESOURCES LANDING PAGE



**ONLINE CATALOGS, BROCHURES,
SPEC SHEETS, AND MORE**

LEDVANCE LLC
181 Ballardvale Street, Suite 203
Wilmington, MA 01887 USA
Phone 1-800-LIGHTBULB (1-800-544-4828)
www.ledvanceUS.com

LEDVANCE is a registered trademark. The Bluetooth® word mark and logos are registered trademarks owned by the Bluetooth SIG, Inc. and any use of such marks by LEDVANCE LLC is under license. All other trademarks are those of their respective owners. Specifications subject to change without notice.



SCAN TO FOLLOW US
ON SOCIAL MEDIA

© 2025 LEDVANCE LLC

IC-Outdoor 8-25