

LEDVANCE.COM



LEDVANCE

ENTERTAINMENT LUMINAIRES 2024

LEDVANCE POWER THROUGH LIGHT

A close-up photograph of a woman with dark, curly hair and a large hoop earring. She is holding a glowing light bulb in her hand, which is positioned in the foreground, slightly out of focus. The light from the bulb illuminates her face and hair, creating a warm, golden glow. The background is dark and blurred.

A STRONG PARTNER IN THE LIGHTING INDUSTRY

LEDVANCE is a prominent player in the lighting industry, known for its innovative lighting products and smart, interconnected lighting solutions. Drawing from our comprehensive understanding of the general illumination market, current technologies, and evolving customer demands, we are committed to meeting the specific needs of both direct and indirect customers.

As a reliable local partner, we take an active role in supporting your efforts to impress customers with high-quality, long-lasting lighting concepts. Our aim is to help boost your lighting sales by offering attractive, user-friendly, and intelligent products.

Together, we can collaboratively shape the future of light – with agility, courage, speed, and flexibility. Join us on this journey as we pave the way towards a brighter tomorrow.

OUR STRENGTHS ARE YOUR ADVANTAGE



COOPERATIVE

As a dedicated and collaborative partner, LEDVANCE boasts a vast, worldwide sales team and over a century of experience, ensuring we stand by your side at all times.



UNIQUE

Fresh, dynamic, high-quality and bold – we know at an early stage what interests customers and where lighting trends are heading. LEDVANCE is unmistakably LEDVANCE.



VERSATILE

Modern, smart, decorative, functional, robust and practical – our extensive portfolio meets customer requirements in all categories and virtually every area of application.



INNOVATION MEETS TRADITION

We embody progress and the passion to shape the future of lighting actively. By blending our courage to explore new paths with our experience from more than 100 years of lighting expertise, we lead the way forward.



SALES-BOOSTING

Attract attention, encourage purchases. We offer targeted support for your sales with creative, pre-tested marketing concepts.



ALL IN ONE

At LEDVANCE, we've got everything you need from a single source – LED luminaires, lamps, and Smart Home products. We offer you a wide range of innovative and market-driven solutions, setting new trends along the way.



CARING


We are committed to contributing to a greener planet by reducing CO₂ emissions and waste through sustainable products, solutions and processes. We empower our customers to use light more efficiently to save energy and reduce their environmental footprint.



FIRST-CHOICE PARTNER

As the perfect strategic ally, we offer an extensive portfolio, a robust sales network, and unparalleled global market access to fulfill all your requirements.

GLOBAL PRESENCE



- Sales & Legal Entities
- Sales
- Not present

ACTIVE IN MORE THAN
140 COUNTRIES

OFFICES IN MORE THAN
50 COUNTRIES



CONTENT

LEDVANCE POWER THROUGH LIGHT	2
------------------------------	---

PRODUCTS

– SMART ⁺ MAGIC PANEL LUMINAIRES	8
– SMART ⁺ CEILING LUMINAIRES	10
– SMART ⁺ MOOD LIGHTS	12
– SMART ⁺ TABLE LUMINAIRE	14
– SMART ⁺ FLOOR LUMINAIRES	16
– SMART ⁺ HDMI SYNCH KIT	18
– LED STRIPS WITH COB TECHNOLOGY	20
– LED STRIPS WITH AUDIO CONTROL	22
– LED STRIPS WITH REMOTE CONTROL	24
– LED STRIPS AS TV-BACKLIGHTING	26

POS CONCEPTS	28
--------------	----

GLOSSARY	30
----------	----

ENTERTAINMENT LUMINAIRES

Entertainment at its best with lights in colors and sounds. We inspire creativity with our entertainment products. Whether in the living room, in the yoga area or in the private gaming cabin: Joy, emotion and fun through color and light.

Whether white, colorful, steady or synchronized to your music, with LEDVANCE entertainment products you can create lighting scenarios for your needs and enjoyment. Lighting accents create the desired atmosphere in strips, on the ceiling or in a shelf.

Flexible, variable and full of surprises, our products are long-lasting and energy-efficient. Controlled by remote, app or voice, some move to the beat of your music or connect directly via HDMI to stay in sync with your entertainment devices.






SKR 1-0 TRN 05:44

THE LEDVANCE LEAGUE LIVE

RESTART REPLAY FULL SPEED



SMART⁺ MAGIC PANEL LUMINAIRES

Understatement in design – yet a magical experience. Our panel luminaires with dynamic RGB colored light effects.

- Our panel lights are dimmable and have a dynamic white light function to create the right atmosphere. It also offers magic RGB color light function.
- Long lifetime: The panel luminaire has a long lifetime of up to 30,000 hours. From 14 watts and 1100 lumens, it has a solid light output and is energy efficient.
- App and voice control: Easy to control via WiFi remote, app or voice control in combination with a compatible smart home system.
- Instant and flexible use: The ceiling light can be installed quickly and easily.
- IP20 protection class: Suitable for living rooms, hobby rooms or teen rooms. This protection class provides finger protection for components with voltage.

1
SMART⁺ WIFI PLANON MAGIC



2
SMART⁺ WIFI PLANON MAGIC



Product color



Product sizes (in mm)



295



445



1 195



Product name

GTIN (EAN)



SMART ⁺ Wifi Planon Magic 300 x 300 mm	4099854090370	1	White	Steel	30 000	14	1 100	1 600	2 700...6 500	>80	120
SMART ⁺ Wifi Planon Magic 450 x 450 mm	4099854090394	1	White	Steel	30 000	24	1 900	2 650	2 700...6 500	>80	120
SMART ⁺ Wifi Planon Magic 1200 x 300 mm	4099854090417	2	White	Steel	30 000	36	3 000	4 400	2 700...6 500	>80	120

Product name



Smart ⁺ Wifi Planon Magic 300 x 300 mm	IP20	100 000	–	Not replaceable	Terminal, 3-Pole (L, N, PE)	295	295	60	3
Smart ⁺ Wifi Planon Magic 450 x 450 mm	IP20	100 000	–	Not replaceable	Terminal, 3-Pole (L, N, PE)	445	445	60	3
Smart ⁺ Wifi Planon Magic 1200 x 300 mm	IP20	100 000	–	Not replaceable	Terminal, 3-Pole (L, N, PE)	1 195	295	60	3

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



SMART+ CEILING LUMINAIRES


Explore new galaxies in the right light. Our Orbis Zest Magic RGB luminaires feature dynamic RGB color effects.

- Rich in variation: Our ceiling light is dimmable and offers a dynamic white light as well as a magic RGB colored light function. So one can always create the right lighting mood.
- Long lifetime: With a lifespan of up to 50,000 hours, the ceiling fixtures offer a long lifespan. With 38 watts and 3800 lm, they have a very good light output and are energy efficient.
- App and voice control: Easy to control via WiFi remote, app or voice control in combination with a compatible smart home system.
- Instant and flexible use: The ceiling light can be installed quickly and easily.
- IP20 protection class: Suitable for living rooms, hobby rooms or teen rooms. This protection class provides finger protection for components with voltage.

1
SMART⁺ WIFI ORBIS ZEST RGB BLACK




2
SMART⁺ WIFI ORBIS ZEST RGB WHITE



Product color



Product sizes (in mm)



ø490



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
--------------	------------	-----	-------	----------	-------------------	---	------------------------	------------------------------	---	-----	---

SMART ⁺ Wifi Orbis ZEST RGB 500 mm Black	4099854090288	1	Black	Steel	50 000	38	1050	3800	2700...6500	>80	120
SMART ⁺ Wifi Orbis ZEST RGB 500 mm White	4099854090301	2	White	Steel	50 000	38	1050	3800	2700...6500	>80	120

Product name	IP	h	h	LED MODULE	CON-NECTOR TYPE	h [mm]	d [mm]	h
--------------	----	---	---	------------	-----------------	--------	--------	---

SMART ⁺ Wifi Orbis ZEST RGB 500 mm Black	IP20	25000	–	Not replaceable	Terminal, 3-Pole (L, N, PE)	100	490	4
SMART ⁺ Wifi Orbis ZEST RGB 500 mm White	IP20	25000	–	Not replaceable	Terminal, 3-Pole (L, N, PE)	100	490	4

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



SMART⁺ MOOD LIGHTS

Set the mood. It's your home. With our mood lights, there's a tone for every occasion.

- In great shape: Ball-shaped mood light with dimming function.
- Elegant glass finish for a premium look and vibrant lighting effects.
- RGB color with two light sources for magical, dynamic lighting effects and white light.
- Smart and easy: controllable with app and voice assistant.
- Ready to use: easy and quick installation.
- Extremely flexible: USB connector for convenient placement.
- IP20 protection class: Suitable for living, hobby, play and entertainment areas. This protection class provides finger protection for live components.

1
SMART⁺ WIFI BALL MINI MGC





2
SMART⁺ WIFI BALL MGC



Product color



Product sizes (in mm)



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
SMART ⁺ WIFI BALL MINI MGC RGBW USB	4058075831711	1	White	Glass	25 000	2.5	130	160	2200...6500	>80	200
SMART ⁺ WIFI BALL MGC RGBW USB	4058075831735	2	White	Glass	25 000	3.5	200	230	2200...6500	>80	250

Product name	IP	50 000	X INCL.	LED MODULE REPLACEABLE	CON-NECTOR TYPE	h [mm]	d [mm]	8
SMART ⁺ WIFI BALL MINI MGC RGBW USB	IP20	50 000	—	Not replaceable	Plug A	138	130	8
SMART ⁺ WIFI BALL MGC RGBW USB	IP20	50 000	—	Not replaceable	Plug A	206	200	4

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



SMART⁺ TABLE LUMINAIRE

Bring playful effects into your home. Get creative with our SMART⁺ audio-controlled table entertainment luminaire.

- Have fun in many ways: This smart and compact table luminaire is dimmable and features adjustable white as well as RGB color selection. Always the right color for your mood, and most importantly, it comes with Music Rhythm Function: music and light dance in sync.
- This product has a long lifetime of up to 30,000 hours. With 8W and 480lm, this energy-efficient luminaire produces amazing lighting effects.
- Controllable via WiFi remote, app or voice assistant such as Google Nest or Alexa, requires compatible smart home system.
- The SMART⁺ table entertainment luminaire can be installed super fast and really easy, fits into any corner and creates surprising lighting accents in your room.
- IP20 protection class: Suitable for living rooms, meeting rooms and conference rooms. This protection class provides finger protection for components with voltage.

1

SMART⁺ WIFI Mood Light Bar RGB+TW



Product color



Product sizes (in mm)



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
SMART ⁺ Wifi Mood Light Bar RGB+TW	4099854014079	1	Black	Plastic	30 000	8	240	480	2700...6500	>80	120

Product name									
SMART ⁺ Wifi Mood Light Bar RGB+TW	IP20	15 000	—	Not replaceable	Plug type C (EU)	90	60	280	8

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser

SMART⁺ FLOOR LUMINAIRES

Slim corner and floor luminaires for atmospheric highlights in any situation. All products are audio controlled.


- Music rhythm function: Music and light dance in sync.
- Adjustable color light for your personal style.
- Energy efficient: up to 50,000 hours lifetime and energy saving.
- Smart control: controllable with app, voice assistant or via WiFi remote.
- Ready to use: flexible, easy and quick installation.
- IP20 protection class: suitable for living, hobbying, gaming and entertainment areas. This protection class provides finger protection for components with voltage.



Product name	GTIN (EAN)		COLOR	MATERIAL	t _h ²	W	lm ³	lm ⁴	K	CRI
SMART ⁺ Wifi Convert Magic RGBW	4099854096495	1	Black	Metal	50 000	24	1 000	2 320	2 700	>80
SMART ⁺ Wifi Floor UpDown RGB TW	4099854096518	2	Black	Metal	50 000	24	850	1 750	2 700...5 000	>80
SMART ⁺ Wifi Floor Corner RGB + TW	4058075665880	3	Black	Aluminum	30 000	12	200	825	3 000...6 500	>80
SMART ⁺ Wifi Floor Corner Black 1400 mm RGB + TW	4058075765078	3	Black	Aluminum I Plastic	30 000	14	350	1 170	2 700...6 500	>80
SMART ⁺ Wifi Floor Corner White 1400 mm RGB + TW	4058075765092	3	White	Aluminum I Plastic	30 000	14	550	1 170	2 700...6 500	>80
SMART ⁺ Wifi Floor Corner Black 2000 mm RGB + TW	4058075765115	3	Black	Aluminum I Plastic	30 000	20	550	1 710	2 700...6 500	>80
SMART ⁺ Wifi Floor Corner White 2000 mm RGB + TW	4058075765139	3	White	Aluminum I Plastic	30 000	20	700	1 710	2 700...6 500	>80
SMART ⁺ Wifi Floor Corner Black SLIM RGB + TW + RC	4058075765177	4	Black	Aluminum I Plastic	30 000	8	180	540	2 700...6 500	>80
SMART ⁺ Wifi Floor Corner White SLIM RGB + TW + RC	4058075765153	4	White	Aluminum I Plastic	30 000	8	280	540	2 700...6 500	>80
SMART ⁺ Wifi Floor Round Black RGB + TW + RC	4058075765191	5	Black	Aluminum I Plastic	30 000	14	350	1 170	2 700...6 500	>80
SMART ⁺ Wifi Floor Round White RGB + TW + RC	4058075765214	5	White	Aluminum I Plastic	30 000	14	550	1 170	2 700...6 500	>80

* 4099854096518 | ** 4099854096495; 4058075765078; 4058075765092; 4058075765115; 4058075765139; 4058075765177; 4058075765153; 4058075765191; 4058075765214 |
 *** 4099854096518; 4058075665880; 4058075765078; 4058075765092; 4058075765115; 4058075765139; 4058075765177; 4058075765153; 4058075765191; 4058075765214 |
 **** 4058075765078; 4058075765092; 4058075765115; 4058075765139; 4058075765177; 4058075765153; 4058075765191; 4058075765214


1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
 4 Total luminous flux of the contained light sources without the diffuser



Product color



Product sizes (in mm)



110	IP20	25 000	–	Not replaceable	Plug, EU	240	240	1 745		3
110	IP20	25 000	–	Not replaceable	Plug, EU			1 780	251	2
110	IP20	15 000	–	Not replaceable	Plug type C (EU)	1 420	110	72		6
120	IP20	15 000	–	Not replaceable	Plug type C (EU)	365	365	1 400		4
120	IP20	15 000	–	Not replaceable	Plug type C (EU)	365	365	1 400		4
120	IP20	15 000	–	Not replaceable	Plug type C (EU)	465	465	2 000		6
120	IP20	15 000	–	Not replaceable	Plug type C (EU)	465	465	2 000		6
120	IP20	15 000	–	Not replaceable	Plug type C (EU)			800	80	6
120	IP20	15 000	–	Not replaceable	Plug type C (EU)			800	80	6
120	IP20	15 000	–	Not replaceable	Plug type C (EU)			1 400	200	4
120	IP20	15 000	–	Not replaceable	Plug type C (EU)			1 400	200	4

A person is seen from behind, watching a soccer game on a large television. The TV screen shows a match between SKR and TRN, with a score of 1-0 and a time of 05:44. The game is part of 'THE LEDVANCE LEAGUE'. Below the TV, a light strip is visible, which is part of the Smart+ HDMI Sync Kit. The light strip is illuminated with a green light, matching the color of the players' shorts on the screen. The person is holding a bowl of popcorn.

SMART⁺ HDMI SYNC KIT

Put your TV in the right light.

Featuring HDMI Sync LED Strip with WiFi technology and Magic RGB for light color and frequency synchronized to the TV picture.

- Simply synchronize the Smart Flex Strip with the content on your TV screen. Hocus pocus – magic.
- Dimmable, RGB color control with approximately 16 million color options.
- DIY function: Light color can be adjusted on a per-segment basis to create custom lighting scenes or use pre-existing lighting scenes.
- Perfect for home entertainment and your gaming area.
- Easy to install with everything you need: Includes sync and control box.
- IP20 protection class: suitable for indoor spaces.

1

SMART⁺ HDMI Sync Kit



Product color



Product sizes (in mm)

4 340
10



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
SMART ⁺ HDMI Sync Kit	4099854126000	1	Black	Silicon	30 000	22	–	–	–	–	120

Product name	IP	Icon	Icon	LED MODULE	CON-NECTOR TYPE	l [mm]	w [mm]	h [mm]	Icon
SMART ⁺ HDMI Sync Kit	IP20	25 000	–	Not replaceable	Plug type C (EU)	4 340	10	3	4

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



LED STRIPS WITH COB TECHNOLOGY

LEDVANCE COB LED Strips: energy-efficient remote-controlled illumination with particularly homogeneous lighting effect

- Homogenous lighting: The innovative COB technology creates a seamless and uniformly bright light line, eliminating visible light points typically found in traditional LED strips.
- Versatile: The cold to warm-white light and the option for dimming make the Tunable White strip suitable for all types of interiors.
- Long lifetime: Energy efficiency and a long lifetime make this product sustainable while offering a good luminous intensity
- Easy installation: particularly easy and fast installation on all smooth surfaces.
- IP20 protection class: suitable for indoor spaces. This protection class provides finger protection for components with voltage.



1 FLEX COB



Product color



Product sizes (in mm)




Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	△
Flex COB 1.5M 3000K	4099854095245	1	Yellow	Silicone	30 000	7.5	630	630	3 000	≥80	170
Flex COB 5M 3000K	4099854095269	1	Yellow	Silicone	30 000	24.0	2 100	2 100	3 000	≥80	170
Flex COB 1.5M TW + RC	4099854095207	1	Yellow	Silicone	30 000	13.0	510	510	2 700...6 500	≥80	170
Flex COB 5M TW + RC	4099854095221	1	Yellow	Silicone	30 000	35.0	1 700	1 700	2 700...6 500	≥80	170

Product name	IP	h	h	LED MODULE	CON-NECTOR TYPE	l [mm]	w [mm]	h [mm]	h
Flex COB 1.5M 3000K	IP20	15 000	–	Not replaceable	Plug type C (EU)	1 500	8	1.6	16
Flex COB 5M 3000K	IP20	15 000	–	Not replaceable	Plug type C (EU)	5 000	8	1.6	16
Flex COB 1.5M TW + RC	IP20	15 000	–	Not replaceable	Plug type C (EU)	1 500	10	1.8	3
Flex COB 5M TW + RC	IP20	15 000	–	Not replaceable	Plug type C (EU)	5 000	10	1.8	8

* 4099854095245; 4099854095269 | ** 4099854095207; 4099854095221

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



LED STRIPS WITH AUDIO CONTROL

From meditation to dance club, our audio-controlled LED strips will join you. With the help of integrated voice receivers, the light reacts to sound and music.

- The color of the LED strip matches the color of the TV screen detected by its camera sensor. The built-in voice receiver makes the light respond to sounds and music.
- Versatile use: gaming & entertainment areas, TV environment, children's or teenager's room.
- The LED strip has a long lifetime. This, together with its energy efficiency, makes this product sustainable while providing good light intensity.
- Easy installation: extremely easy and quick installation for immediate use.
- IP20 protection class: suitable for indoor spaces. This protection class provides finger protection for components with voltage.


1 FLEX AUDIO VOICE RECEIVER



Product color




Product sizes (in mm)



2 000



3 000



5 000



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
--------------	------------	-----	-------	----------	-------------------	---	------------------------	------------------------------	---	-----	---

Flex Audio Voice Receiver 3M RGB + RC	4099854095382	1	White	Polyurethane (PU)	25 000	12.5	–	–	–	–	120
Flex Audio Voice Receiver 5M RGB + RC	4099854095405	1	White	Polyurethane (PU)	25 000	20.0	–	–	–	–	120
Flex Audio TV Voice Receiver 2M RGB	4099854095368	1	White	Polyurethane (PU)	25 000	3.6	–	–	–	–	120
Flex Audio TV Voice Receiver 2M RGB Color Sensor USB	4099854095283	1	White	Polyurethane (PU)	25 000	1.8	–	–	–	–	120

Product name	IP	h	h	h	h	h	h	h	h	h	h
--------------	----	---	---	---	---	---	---	---	---	---	---

Flex Audio Voice Receiver 3M RGB + RC	IP20	10 000	–	Not replaceable	Plug type C (EU)	3 000	10	3.0	8
Flex Audio Voice Receiver 5M RGB + RC	IP20	10 000	–	Not replaceable	Plug type C (EU)	5 000	10	3.0	8
Flex Audio TV Voice Receiver 2M RGB	IP20	10 000	–	Not replaceable	USB	2 000	10	3.0	24
Flex Audio TV Voice Receiver 2M RGB Color Sensor USB	IP20	10 000	–	Not replaceable	USB	2 000	10	2.6	8

* 4099854095368; 4099854095283 | ** 4099854095382; 4099854095405

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



LED STRIPS WITH REMOTE CONTROL

Get creative: Colorful indoor LED strips with remote control and RGB color control

- Playful variations: Warm white light, integrated sound receiver and RGB color control via remote control make these LED strips highly flexible in gaming & entertainment areas, TV environments, children's and teenagers' rooms.
- The LED strips have a long lifetime.
- The strips have a high light intensity and are energy efficient.
- Convincingly simple: extremely easy and quick installation on all smooth surfaces.
- IP20 protection class: suitable for indoor spaces. This protection class provides finger protection for components with voltage.

1

FLEX 3M/5M RGB + RC



Product color



Product sizes (in mm)



3 000



5 000



Product name	GTIN (EAN)	 No.	 COLOR	 MATERIAL	 t[h] ²	 W	 lm ³ OUTPUT	 lm ⁴ LIGHT SOURCE	 K	 CRI	
Flex 3M RGB + RC	4099854 095429	1	White	Polyurethane (PU) Plaster	25 000	10	780	780	3 000	≥80	120
Flex 5M RGB + RC	4099854 095443	1	White	Polyurethane (PU) Plaster	25 000	14	1 300	1 300	3 000	≥80	120

Product name	 IP			 LED MODULE REPLACEMENT	 CON-NECTOR TYPE	 l [mm]	 w [mm]	 h [mm]	
Flex 3M RGB + RC	IP20	10 000	–	Not replaceable	Plug type C (EU)	3 000	10	2	20
Flex 5M RGB + RC	IP20	10 000	–	Not replaceable	Plug type C (EU)	5 000	10	2	8

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser



LED STRIPS AS TV-BACKLIGHTING

Get creative: Colorful indoor LED strips with remote control and RGB color control

- Ready for immediate use: quick and easy installation.
- Complete mounting and connection accessories included in the scope of delivery.
- Connection type: USB plug
- IP20 protection class: suitable for indoor spaces. This protection class provides finger protection for components with voltage.

1
FLEX TV MOOD LIGHT 3500K USB



2
FLEX TV MOOD LIGHT RGB USB + RC



Product color



Product sizes (in mm)



Product name	GTIN (EAN)	No.	COLOR	MATERIAL	t[h] ²	W	lm ³ OUTPUT	lm ⁴ LIGHT SOURCE	K	CRI	°
Flex TV Mood Light 3500K USB	4058075666894	1	White	Polyurethane (PU)	15 000	2.7	110	200	3 500	>80	120
Flex TV Mood Light RGB USB + RC	4058075666917	2	White	Polyurethane (PU)	15 000	4.2	–	–	RGB	>80	120

Product name									
Flex TV Mood Light 3500K USB	IP20	7 500	–	Not replaceable	USB	1 500	8	2.9	16
Flex TV Mood Light RGB USB + RC	IP54	7 500	–	Not replaceable	USB	1 500	10	2.8	100

* 4058075666917

1 The exact terms and conditions can be found at www.ledvance.com/consumer/services/guarantee | 2 Average lifetime in hours | 3 Total luminous flux of the luminaire taking into account the diffuser
4 Total luminous flux of the contained light sources without the diffuser

YOUR LIGHT, YOUR PARTY

LIGHT THAT SELLS ITSELF

With ready-made packages, you can offer your customers a large variety of well-designed and individual entertainment light solutions. These intelligent product combinations will increase the attractiveness of your products significantly. This is an affordable, high quality offer for unique and exciting entertainment solutions for your customers.



ATTRACTIVE SHELF DESIGN

A shelf full of ready-made incentives. See a variety of well-engineered and customized entertainment packages.

Our shelves are eye-catching and perfectly designed to meet the needs of target audiences. Product-specific details and features are presented in a clear and intuitive style to make the broad variety of our entertainment portfolio intuitively understandable for your customers.



COMPACT DISPLAYS

Attractive, informative and space-saving. The majority of our displays are made of wood for a top-quality product presentation that is completely designed to meet your needs.

SYMBOLS IN THE TABLES

	Fig. no.		Protection class
	Housing color		Number of switching cycles
	Housing material		Number of lamps included
	Average lifetime in hours		Length l in mm
	Wattage in W		Width w in mm
	Total luminous flux of the luminaire taking into account the diffuser		Height h in mm
	Total luminous flux of the contained light sources without the diffuser		Diameter d in mm
	Color temperature in Kelvin		Standard pack in pcs.
	Color rendering index		LED module included
	Ambient temperature range in degrees Celsius		Type of connection
	Beam angle in degrees °		

PRODUCT-SPECIFIC SYMBOLS

   	Consumer guarantee for luminaires
      	Light colors
  	Suitable for light sources with defined base

PRODUCT-SPECIFIC SYMBOLS

 Integrated LED module	 Inline switch	 Mounting height
 LED Replaceable LED lamp	 Motion sensor	 Extremely low-profile luminaires
 Dimmable	 On/off and stepless dimming via infrared sensor	 Linkable
 Works with remote control	 On/off and stepless dimming via touch	 Ceiling mounting
 Works with LEDVANCE WIFI Remote Control	 Lamps not included	 Powerbank
 With remote control for dimming function	 Including high-quality OSRAM branded LED lamp	 Tracklight system
 With remote control for color changing function	 Backlight	 Diffuse light
 Dimmable at wall switch	 Rotatable luminaire heads	 Flexible mounting
 Color change function at wall switch	 Break-proof	 Fast connector
 Control by light switch possible. Automatic pairing time 3 minutes	 With solar panel	 Adjustable head
 Works with voice assistants	 CRI > 90	 Pixel synchronization via HDMI
 Adjustable light temperature	 Rechargeable lithium-ion battery included	 Direct plug-in into TV
 Adjustable light temperature	 Battery included	 Do not throw away with household waste
 Sensor range	 USB included	
 Sensor angle	 COB LED	
 On/off automatic	 Easy mounting	
 Day/night sensor	 USB charging cable included	
 Extension low voltage	 2 m cable and EU plug	
 Protection class 44	 Open cable, 1 m in length	

ABOUT LEDVANCE

With offices in more than 50 countries and business activities in more than 140 countries, LEDVANCE is one of the world's leading general lighting providers for professional users and end consumers. Having emerged from the general lighting business of OSRAM GmbH, LEDVANCE offers a wide-ranging assortment of LED luminaires for a broad spectrum of application areas, intelligent lighting products for Smart Homes and Buildings, one of the largest LED lamps portfolios in the industry as well as traditional light sources.

LEDVANCE GmbH
Parkring 1-5
85748 Garching
Germany

Customer Service Centre:
kundenservice.retail@ledvance.com

Germany:
Phone: +49 89 780673-670



LEDVANCE