




## Spectrum Test Report

Sample : Date : 2024-10-23 14:17:02  
Specification : CYLINDPS010UNHD8SC2R3BZP Max 400Sam. Statusn + u:  
Sample No. : Standard : LM-79-19  
Manufacturer : LEDVANCE LLC Instrument : HaasSuite(EVERFINE)  
Remark : Test by : Alan Wang

### Test Condition

Temperature : 25.3Deg RH : 65.0%  
WL Range : 380nm-780nm IP : 50546 (77%)  
Test Mode : Accuracy Test T : 1952 ms

**Spectrum** : Low



### Colorimetric Parameters

Chromaticity Coordinate:  $x = 0.3840$   $y = 0.3740$  /  $u' = 0.2286$   $v' = 0.5009$  ( $duv = -2.32e-03$ )

CCT= 3884K Prcp WL: Ld=580.8nm Purity=27.4%

Peak WL: Lp=449nm FWHM: =19.9nm Ratio:R=19.2% G=77.3% B=3.5%

Render Index: Ra = 84.9 AvgR = 79.2 TM30:Rf=85 Rg=98

EEL: 0.09228 A++ Highest

R1 =84 R2 =90 R3 =95 R4 =85 R5 =84 R6 =87 R7 =87

R8 =68 R9 =18 R10=77 R11=85 R12=68 R13=86 R14=97 R15=79

### Photometric & Radiometric Parameters

Flux = 1379.4 lm Eff. : 140.61 lm/W Fe = 4.4723 W

### Electrical parameters

V = 120.00 V I = 0.08230 A P = 9.810 W PF = 0.9933 F=60.00 Hz

### Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China