



Spectrum Test Report

Sample :
Specification : CYLINDPS020UNHD8SC2R4BZP Max 3000K
Sample No. :
Manufacturer : LEDVANCE LLC
Remark :


Date : 2024-10-18 09:42:19
Standard : LM-79-19
Instrument : HaasSuite(EVERFINE)
Test by : Alan Wang

Test Condition

Temperature : 25.3Deg
WL Range : 380nm-780nm
Test Mode : Accuracy Test

RH : 65.0%
IP : 50296 (77%)
T : 91 ms

Spectrum : High



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.4322$ $y = 0.4035$ / $u' = 0.2478$ $v' = 0.5205$ ($duv=4.42e-04$)
CCT= 3077K Prcp WL: Ld=582.3nm Purity=50.9%
Peak WL: Lp=604nm FWHM: =132.1nm Ratio:R=22.4% G=74.9% B=2.7%
Render Index: Ra = 82.6 AvgR = 76.9 TM30:Rf=84 Rg=95
EEI: 0.11701 A+
R1 =81 R2 =91 R3 =96 R4 =80 R5 =81 R6 =89 R7 =83
R8 =59 R9 =7 R10=80 R11=79 R12=70 R13=83 R14=99 R15=74

Photometric & Radiometric Parameters

Flux = 2186.2 lm Eff. : 109.42 lm/W Fe = 7.0495 W

Electrical parameters

V = 120.00 V I = 0.1692 A P = 19.98 W PF = 0.9840 F=60.00 Hz

Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China