




Spectrum Test Report

Sample : Date : 2024-10-22 09:23:16
Specification : CYLINDPS020UNHD8SC2R4BZP Min 300(Sam. Status) :
Sample No. : Standard : LM-79-19
Manufacturer : LEDVANCE LLC Instrument : HaasSuite(EVERFINE)
Remark : Test by : Alan Wang

Test Condition

Temperature : 25.3Deg RH : 65.0%
WL Range : 380nm-780nm IP : 52001 (79%)
Test Mode : Accuracy Test T : 1956 ms

Spectrum : Low



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.4344$ $y = 0.4044$ / $u' = 0.2488$ $v' = 0.5211$ ($duv=4.69e-04$)

CCT= 3046K Prcp WL: $L_d=582.5nm$ Purity=51.8%

Peak WL: $L_p=607nm$ FWHM: $=132.5nm$ Ratio:R=22.7% G=74.6% B=2.7%

Render Index: $R_a = 83.3$ AvgR = 77.7 TM30:Rf=85 Rg=95

EEL: 0.10174 A++ Highest

R1 =82 R2 =92 R3 =96 R4 =81 R5 =82 R6 =90 R7 =83

R8 =60 R9 =10 R10=81 R11=81 R12=71 R13=84 R14=99 R15=74

Photometric & Radiometric Parameters

Flux = 1296.8 lm Eff. : 126.88 lm/W Fe = 4.1510 W

Electrical parameters

V = 120.00 V I = 0.08670 A P = 10.22 W PF = 0.9823 F=60.00 Hz

Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China