




Spectrum Test Report

Sample : Date : 2024-10-23 10:01:18
Specification : CYLINDPS030UNHD8SC2R6BZP Middle 5 Sam. Statusown :
Sample No. : Standard : LM-79-19
Manufacturer : LEDVANCE LLC Instrument : HaasSuite(EVERFINE)
Remark : Test by : Alan Wang

Test Condition

Temperature : 25.3Deg RH : 65.0%
WL Range : 380nm-780nm IP : 51288 (78%)
Test Mode : Accuracy Test T : 1011 ms

Spectrum : Low



Colorimetric Parameters

Chromaticity Coordinate: $x = 0.3387$ $y = 0.3487$ / $u' = 0.2082$ $v' = 0.4823$ ($duv=1.20e-03$)

CCT= 5243K Prcp WL: $L_d=566.4nm$ Purity=6.3%

Peak WL: $L_p=449nm$ FWHM: $=21.9nm$ Ratio:R=15.4% G=80.1% B=4.5%

Render Index: $R_a = 83.1$ AvgR = 76.5 TM30:Rf=83 Rg=97

EEL: 0.10466 A++ Highest

R1 =82 R2 =87 R3 =90 R4 =84 R5 =83 R6 =83 R7 =87

R8 =69 R9 =10 R10=69 R11=84 R12=65 R13=83 R14=95 R15=77

Photometric & Radiometric Parameters

Flux = 3101.1 lm Eff. : 123.16 lm/W Fe = 10.336 W

Electrical parameters

V = 120.00 V I = 0.2101 A P = 25.18 W PF = 0.9987 F=60.00 Hz

Dongguan New Testing Centre Co., Ltd

3F, No. 1 the 1st North Industry Road, Songshan Lake Science & Technology Park, Dongguan, Guangdong, China