







SPOT COMBO FIRE PROOF ADJUST












SP CBO FPADJ V 7W MS827 DIM IP65 WT	EAN	W	K	lm		lm/W		°C	V~	mA
				5W	7W	5W	7W			
				2700	570	770	115	110		
				3000	570	800	115	115		
				4000	600	840	120	120		
				6000	600	840	120	120		

	EAN	Hz	DF	IK	PF	∇(°)	CRI		CCT Lightcolour
SP CBO FPADJ V 7W MS827 DIM IP65 WT	4099854459948	50/60	0.9	03	>0.9	60	80	25000	2700/3000/4000/6000





SPOT COMBO FIRE PROOF ADJUST




	EAN		Color		Diameter	Height
SPOT COMBO FIRE PROOF ADJUST VALUE 	4099854460142	SP CBO FP RING ADJ ROUND BK	BLACK		100	4
	4099854460173	SP CBO FP RING ADJ ROUND BN	BRUSHED NICKEL		100	4


SP CBO FPADJ V 7W

MS827 DIM IP65 WT

1



2







FR

Cet appareil se recycle

À DÉPOSER EN MAGASIN

À DÉPOSER EN DÉCHÈTERIE

Points de collecte sur www.quefairedemesdechets.fr



C10449057
G11215065
18.12.24

LEDVANCE SASU
CQM, 5 rue d'Altorf
67120 Molsheim France
www.ledvance.com

® LEDVANCE Ltd, Sterling House,
810 Mandarin Court, Warrington,
Cheshire, WA1 1GG, United Kingdom