

PRODUCT DATASHEET

DL IP44 FRAME DN 190 WT

DOWNLIGHT IP44 FRAME | Surface mounting frame for Downlight IP44



Areas of application

- Direct replacement for luminaires with compact fluorescent lamps
- General illumination
- Public areas
- Stairways
- Corridors
- Shops
- Bathrooms

Product benefits

- Easily installed

Product features

- Robust polycarbonate casing
- Mounting accessories included



TECHNICAL DATA

Dimensions & Weight

| | |
|----------------|----------|
| Diameter | 190 mm |
| Height | 47 mm |
| Product weight | 165.00 g |



DL IP44 FRAME DN 190



Materials & Colors







| | |
|---------------|--------------------|
| Product color | White |
| Housing color | White |
| Body material | Polycarbonate (PC) |

Application & Mounting

| | |
|-------------------|---------|
| Mounting type | Surface |
| Mounting location | Ceiling |

DOWNLOAD DATA

| Documents and certificates | Document name |
|---|------------------------|
|  User instruction / safety instructions | DL IP44 FRAME DN WT |
|  User instruction / safety instructions | DL IP44 FRAME DN BK/WT |


| Documents and certificates | | Document name |
|--|---------------------------------|---|
|  | Legal information | DL IP44 DN 115 8W 830 WT |
|  | Legal information | DL IP44 DN WT |
|  | Legal information | Informationstext 18 Abs 4 ElektroG |
|  | Declarations of conformity | DL IP44 FRAME DN |
|  | Declarations of conformity UKCA | UKCA Declaration of Conformity DOWNLIGHT IP44 DN WT |
| Tender texts | | Document name |
|  | Tender documents | DOWNLIGHT IP44 FRAME DN 190 WT-EN |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075709942 | Folding box 1 | 195 mm x 53 mm x 199 mm | 226.00 g | 2.06 dm ³ |
| 4058075709959 | Shipping box 10 | 400 mm x 279 mm x 215 mm | 2676.00 g | 23.99 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION



| Model | a [mm] | b [mm] | c [mm] | d [mm] | e [mm] | f [mm] | g [mm] | h [mm] |
|---------------|--------|--------|--------|--------|--------|--------|--------|--------|
| DL IP44 DN115 | 115 | 53 | 90 | 3-25 | 65 | 42 | 102 | 110 |
| DL IP44 DN116 | 116 | 53 | 111 | 3-25 | 65 | 42 | 102 | 110 |
| DL IP44 DN116 | 116 | 53 | 111 | 3-25 | 65 | 42 | 102 | 110 |
| DL IP44 DN116 | 114 | 53 | 100 | 3-25 | 65 | 42 | 102 | 110 |
| DL IP44 DN116 | 200 | 154 | 215 | 9-25 | 68 | 42 | 160 | 170 |

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.