

# PRODUCT DATASHEET

## TRUSYS FLEX P RAIL 1500 8P WT

TruSys® FLEX ENERGY RAIL 8-POLE | 8-pole mounting rail

---

### Areas of application

- Industry halls, high rack warehouse, hardware stores



PERFOR-  
MANCE  
CLASS

---

### Product benefits

- Simple installation
- High flexibility thanks to three available lengths (1500 mm, 3000 mm, 4500 mm and 1500 mm end rail)
- Version of 600 mm rail to be used with TRUSYS FLEX SENSOR TRACK

---

### Product features

- Through wired with 8 core cable
- Different lengths available
- Electrical connection internal at the first luminaire, no external connection unit required
- Steel-sheet housing
- End-Rail without electrical and mechanical connectors




---

## TECHNICAL DATA

### Dimensions & Weight

|                |           |
|----------------|-----------|
| Length         | 1650 mm   |
| Width          | 70.2 mm   |
| Height         | 38.8 mm   |
| Product weight | 1750.00 g |



TRUSYS FLEX RAIL

### Materials & Colors

|               |       |
|---------------|-------|
| Product color | White |
| Body material | Steel |

### Application & Mounting

|                   |         |
|-------------------|---------|
| Mounting location | Ceiling |
| With light source | No      |

### Certificates & Standards

|           |                             |
|-----------|-----------------------------|
| Standards | CE / CB / UKCA / ENEC / EAC |
|-----------|-----------------------------|





---



## EQUIPMENT / ACCESSORIES


– Various accessories available

---

## DOWNLOAD DATA

| Documents and certificates   |  | Document name                              |
|--|--|--|
|  | User instruction / safety instructions | TRUSYS FLEX P RAIL                         |
|  | Legal information                      | Informationstext 18 Abs 4 ElektroG         |
|  | Declarations of conformity             | CE Declaration of Conformity TRUSYS FLEX   |
|  | Declarations of conformity UKCA        | UKCA Declaration of Conformity TRUSYS FLEX |

| CAD/BIM files  |              | Document name       |
|--|--------------|---------------------|
|  | BIM Revit 3D | TRUSYS FLEX         |
|  | CAD STEP 3D  | TruSys FLEX ER 1500 |

| Tender texts  |                  | Document name                                |
|---|------------------|--|
|  | Tender documents | TruSys FLEX ENERGY RAIL 8-POLE 1500 8P WT-EN |

**LOGISTICAL DATA**

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4058075781696 | Sleeve<br>1                  | 43 mm x 52 mm x 1,680 mm             | 1762.00 g    | 3.76 dm <sup>3</sup>  |
| 4058075781702 | Shipping box<br>4            | 1,720 mm x 191 mm x 141 mm           | 8118.00 g    | 46.16 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.