

PRODUCT DATASHEET

Decor Wood Nest Table 1xG9 Brown

Decor Wood Nest | Decorative luminaires made of wood with G9 socket



Areas of application

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Bedrooms

Product benefits

- High-quality look and feel
- Different types of luminaires with the same design language maintain a consistent style at home
- High flexibility in the choice of the light source
- Sustainable solution thanks to exchangeable light sources
- Easy mounting

Product features

- Housing material: metal, glass and rubber wood
- Textile cable




TECHNICAL DATA

Electrical data

Nominal voltage	220...240 V
Mains frequency	50...60 Hz
Inrush current	0.1 A
Max. number of luminaires per miniature circuit breaker B16	387
Max. number of luminaires per miniature circuit breaker C10	242
Max. number of luminaires per miniature circuit breaker C16	387
Protection class	I
Operating mode	Mains voltage

Dimensions & Weight

Length	200.00 mm
Width	135.00 mm
Height	260.00 mm
Product weight	620.00 g



DECOR PLASTER NEST WALL
1XG9 WT

Materials & Colors

Product color	Wood decor
Housing color	Wood decor
Body material	Rubberwood
Cover material	Glass

Application & Mounting

Ambient temperature range	-20...+40 °C
Temperature range at storage	-20...+80 °C

Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20
Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Surface
Mounting location	Wall
Application environment	Indoor
With light source	No
Replaceable light source	No
Holder designation	G9

Certificates & Standards

Standards	CE / UKCA
-----------	-----------


Additional product data

Product remark	Maximum bulb wattage: 5 W LED / Available from July 2025
Number of illuminants	1

Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

DOWNLOAD DATA

Documents and certificates	Document name
 User instruction / safety instructions	DECOR ACACIA/WOOD NEST CEILING + WALL G9

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075848221	Folding box 1	182 mm x 242 mm x 313 mm	886.00 g	13.79 dm ³
4058075848238	Shipping box 4	378 mm x 326 mm x 505 mm	4461.00 g	62.23 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.