

PRODUCT DATASHEET HEAT LAMP 375 W/2,450 K E27

HEAT LAMP | Robust infrared heat lamps for efficient, focused warmth delivery



Areas of application

- Bathroom heating for residential and commercial use
- Animal care facilities, including veterinary clinics and farms
- Food warming stations in catering and hospitality settings
- Rehabilitation and physiotherapy rooms
- Retail displays requiring product warming

Product benefits

- Instant infrared heat for quick and efficient warmth
- Durable hard glass construction for enhanced safety
- High heat output ideal for bathrooms and animal care
- Long 5,000-hour lifespan reduces maintenance needs

Product features

- R40 reflector shape for focused heat distribution
- Clear hard glass construction for durability and safety
- Infrared technology for efficient radiant heating
- Available in 275W and 375W power options
- Operates on 220-240V mains voltage
- Standard E27 screw base for easy installation



TECHNICAL DATA

Electrical data

| Nominal wattage | 375 W |
|----------------------|----------|
| Construction wattage | 375.00 W |
| Nominal voltage | 220240 V |
| Nominal current | 1.56 A |

Photometrical data

| Luminous flux | 1700 lm |
|-------------------|---------|
| Luminous efficacy | 4 lm/W |
| Color temperature | 2,450 K |
| Light color | 2, |

Dimensions & Weight

| Overall length | 183.00 mm |
|----------------|-----------|
| Diameter | 125.00 mm |
| Product weight | 100.00 g |

Temperatures & operating conditions

Lifespan

| Number of switching cycles | 5000 |
|----------------------------|------|

Additional product data

| Base (standard designation) | E27 |
|-----------------------------|--------|
| Mercury content | 0.0 mg |
| Mercury-free | Yes |
| Design / version | Bulb |

Capabilities

Country-specific categorizations

| Order reference | IR R40 CL 375W |
|-----------------|----------------|
|-----------------|----------------|

LOGISTICAL DATA

| Temperature range at storage | -20+80 °C |
|------------------------------|-----------|
| | |

Energy labelling regulation data acc EU 2019/2015

| Light source cap-type (or other electric interface) | E27 |
|---|-----------|
| Length | 183.00 mm |
| Height | 125.00 mm |
| Width | 125.00 mm |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4099854355950 | Folding box 1 | 120 mm x 120 mm x 178 mm | 180.00 g | 2.56 dm ³ |
| 4099854355967 | Shipping box 24 | 500 mm x 380 mm x 380 mm | 4941.00 g | 72.20 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.