

PRODUCT DATASHEET

LISOEV 1074x29 49 40W 940 S90U19 BK

LINEAR INDIVILED LIGHT SOURCES DIRECT | Upgrade or replacement light source unit for symmetric light distribution



Areas of application

- Direct replacement for luminaires with fluorescent lamps
- Offices, education, public buildings

Product benefits

- Easy upgradeability of light source and driver (EVERLOOP design)
- Easy installation, no tools required for connection
- Homogenous light distribution and reduced glare ($UGR \leq 19$) thanks to IndiviLED® optics
- High performance with CRI90

Product features

- Symmetric light distribution
- Lifetime (L80/B10): 70,000 h (at 25 °C)
- Beam angle: 90°


TECHNICAL DATA

Electrical data


Nominal wattage	40.00 W
Nominal voltage	45 V
Nominal current	800.000 mA

Photometrical data

Luminous flux	4900 lm
Luminous efficacy	123 lm/W
Color temperature	4000 K
Light color (designation)	Cool White
Color rendering index Ra	≥90
Standard deviation of color matching	3 sdcm
Flickering metric (Pst LM)	≤1
Stroboscope effect metric (SVM)	≤0.4
Photobiological safety group acc. to EN62778	RG1
Beam angle	90 °
UGR	19



LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA



LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA

Dimensions & Weight

Length	1074.00 mm
--------	------------

Width	29.00 mm
Height	19.00 mm
Product weight	363.00 g



1 2m DIRECT LED MODULE

Materials & Colors

Product color	Black
Housing color	Black

Application & Mounting

Ambient temperature range	-20...+50 °C
Temperature range at storage	-20...+80 °C
Type of connection	Push-in clamp
Type of protection	IP20
Dimmable	No

Lifespan

Lifespan L70/B50 at 25 °C	100000 h
Lifespan L80/B10 at 25 °C	70000 h
Lifespan L80/B50 at 25 °C	70000 h
Lifespan L90/B10 at 25 °C	35000 h
Number of switching cycles	25000

Certificates & Standards

Standards	CE / CB / ENEC / TÜV SÜD / UKCA / EAC
-----------	---------------------------------------

Additional product data

Product remark	Available from September 2025
----------------	-------------------------------

Safety advice

– All electrical connections must be made by a qualified person.

DOWNLOAD DATA

Documents and certificates		Document name
	User instruction / safety instructions	User instruction G11244437
	Legal information	Informationstext 18 Abs 4 ElektroG
	Legal information	Safety Insert G11218810
	Legal information	Legal Insert G11244392
	Legal information	LSI insert G11244301
Photometric and lighting design files		Document name
	IES file (IES)	LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA
	LDT file (Eulumdat)	LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA
	UGR file (UGR table)	LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA
	Light distribution curve type cone	LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA
	Light distribution curve type polar	LISOEV 1074X29 49 40W 940 S90U19 BK LEDV 800mA
CAD/BIM files		Document name
	CAD STEP 3D	LN INDV DIRECT G2 LISOEV 1200

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854652080	Folding box 1	36 mm x 1,082 mm x 26 mm	449.00 g	1.01 dm ³
4099854652097	Shipping box 10	1,094 mm x 184 mm x 67 mm	5044.00 g	13.49 dm ³
4099854652103	Shipping box 20	1,114 mm x 204 mm x 158 mm	11196.00 g	35.91 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

ADDITIONAL CATALOG INFORMATION

DIRECT		INDIRECT			
EAN	LICREV	EAN	LICREV	EAN	LINEAR INDI.LICREV
				4000004067070	1200K P-ENK 100 PS IG
				4000004067263	1200K P-ENK 100 PS IG
				4000004068048	1200K P-ENK 100 PS IG
				4000004068058	1200K P-ENK 100 PS IG
				4000004068068	1200K P-ENK 100 PS IG
				4000004068078	1200K P-ENK 100 PS IG
				4000004068088	1200K P-ENK 100 PS IG
				4000004068098	1200K P-ENK 100 PS IG
				4000004068108	1200K P-ENK 100 PS IG
				4000004068118	1200K P-ENK 100 PS IG
				4000004068128	1200K P-ENK 100 PS IG
				4000004068138	1200K P-ENK 100 PS IG
				4000004068148	1200K P-ENK 100 PS IG
				4000004068158	1200K P-ENK 100 PS IG
				4000004068168	1200K P-ENK 100 PS IG
				4000004068178	1200K P-ENK 100 PS IG
				4000004068188	1200K P-ENK 100 PS IG
				4000004068198	1200K P-ENK 100 PS IG
				4000004068208	1200K P-ENK 100 PS IG
				4000004068218	1200K P-ENK 100 PS IG
				4000004068228	1200K P-ENK 100 PS IG
				4000004068238	1200K P-ENK 100 PS IG
				4000004068248	1200K P-ENK 100 PS IG
				4000004068258	1200K P-ENK 100 PS IG
				4000004068268	1200K P-ENK 100 PS IG
				4000004068278	1200K P-ENK 100 PS IG
				4000004068288	1200K P-ENK 100 PS IG
				4000004068298	1200K P-ENK 100 PS IG
				4000004068308	1200K P-ENK 100 PS IG
				4000004068318	1200K P-ENK 100 PS IG
				4000004068328	1200K P-ENK 100 PS IG
				4000004068338	1200K P-ENK 100 PS IG
				4000004068348	1200K P-ENK 100 PS IG
				4000004068358	1200K P-ENK 100 PS IG
				4000004068368	1200K P-ENK 100 PS IG
				4000004068378	1200K P-ENK 100 PS IG
				4000004068388	1200K P-ENK 100 PS IG
				4000004068398	1200K P-ENK 100 PS IG
				4000004068408	1200K P-ENK 100 PS IG
				4000004068418	1200K P-ENK 100 PS IG
				4000004068428	1200K P-ENK 100 PS IG
				4000004068438	1200K P-ENK 100 PS IG
				4000004068448	1200K P-ENK 100 PS IG
				4000004068458	1200K P-ENK 100 PS IG
				4000004068468	1200K P-ENK 100 PS IG
				4000004068478	1200K P-ENK 100 PS IG
				4000004068488	1200K P-ENK 100 PS IG
				4000004068498	1200K P-ENK 100 PS IG
				4000004068508	1200K P-ENK 100 PS IG
				4000004068518	1200K P-ENK 100 PS IG
				4000004068528	1200K P-ENK 100 PS IG
				4000004068538	1200K P-ENK 100 PS IG
				4000004068548	1200K P-ENK 100 PS IG
				4000004068558	1200K P-ENK 100 PS IG
				4000004068568	1200K P-ENK 100 PS IG
				4000004068578	1200K P-ENK 100 PS IG
				4000004068588	1200K P-ENK 100 PS IG
				4000004068598	1200K P-ENK 100 PS IG
				4000004068608	1200K P-ENK 100 PS IG
				4000004068618	1200K P-ENK 100 PS IG
				4000004068628	1200K P-ENK 100 PS IG
				4000004068638	1200K P-ENK 100 PS IG
				4000004068648	1200K P-ENK 100 PS IG
				4000004068658	1200K P-ENK 100 PS IG
				4000004068668	1200K P-ENK 100 PS IG
				4000004068678	1200K P-ENK 100 PS IG
				4000004068688	1200K P-ENK 100 PS IG
				4000004068698	1200K P-ENK 100 PS IG
				4000004068708	1200K P-ENK 100 PS IG
				4000004068718	1200K P-ENK 100 PS IG
				4000004068728	1200K P-ENK 100 PS IG
				4000004068738	1200K P-ENK 100 PS IG
				4000004068748	1200K P-ENK 100 PS IG
				4000004068758	1200K P-ENK 100 PS IG
				4000004068768	1200K P-ENK 100 PS IG
				4000004068778	1200K P-ENK 100 PS IG
				4000004068788	1200K P-ENK 100 PS IG
				4000004068798	1200K P-ENK 100 PS IG
				4000004068808	1200K P-ENK 100 PS IG
				4000004068818	1200K P-ENK 100 PS IG
				4000004068828	1200K P-ENK 100 PS IG
				4000004068838	1200K P-ENK 100 PS IG
				4000004068848	1200K P-ENK 100 PS IG
				4000004068858	1200K P-ENK 100 PS IG
				4000004068868	1200K P-ENK 100 PS IG
				4000004068878	1200K P-ENK 100 PS IG
				4000004068888	1200K P-ENK 100 PS IG
				4000004068898	1200K P-ENK 100 PS IG
				4000004068908	1200K P-ENK 100 PS IG
				4000004068918	1200K P-ENK 100 PS IG
				4000004068928	1200K P-ENK 100 PS IG
				4000004068938	1200K P-ENK 100 PS IG
				4000004068948	1200K P-ENK 100 PS IG
				4000004068958	1200K P-ENK 100 PS IG
				4000004068968	1200K P-ENK 100 PS IG
				4000004068978	1200K P-ENK 100 PS IG
				4000004068988	1200K P-ENK 100 PS IG
				4000004068998	1200K P-ENK 100 PS IG
				4000004069008	1200K P-ENK 100 PS IG
				4000004069018	1200K P-ENK 100 PS IG
				4000004069028	1200K P-ENK 100 PS IG
				4000004069038	1200K P-ENK 100 PS IG
				4000004069048	1200K P-ENK 100 PS IG
				4000004069058	1200K P-ENK 100 PS IG
				4000004069068	1200K P-ENK 100 PS IG
				4000004069078	1200K P-ENK 100 PS IG
				4000004069088	1200K P-ENK 100 PS IG
				4000004069098	1200K P-ENK 100 PS IG
				4000004069108	1200K P-ENK 100 PS IG
				4000004069118	1200K P-ENK 100 PS IG
				4000004069128	1200K P-ENK 100 PS IG
				4000004069138	1200K P-ENK 100 PS IG
				4000004069148	1200K P-ENK 100 PS IG
				4000004069158	1200K P-ENK 100 PS IG
				4000004069168	1200K P-ENK 100 PS IG
				4000004069178	1200K P-ENK 100 PS IG
				4000004069188	1200K P-ENK 100 PS IG
				4000004069198	1200K P-ENK 100 PS IG
				4000004069208	1200K P-ENK 100 PS IG
				4000004069218	1200K P-ENK 100 PS IG
				4000004069228	1200K P-ENK 100 PS IG
				4000004069238	1200K P-ENK 100 PS IG
				4000004069248	1200K P-ENK 100 PS IG
				4000004069258	1200K P-ENK 100 PS IG
				4000004069268	1200K P-ENK 100 PS IG
				4000004069278	1200K P-ENK 100 PS IG
				4000004069288	1200K P-ENK 100 PS IG
				4000004069298	1200K P-ENK 100 PS IG
				4000004069308	1200K P-ENK 100 PS IG
				4000004069318	1200K P-ENK 100 PS IG
				4000004069328	1200K P-ENK 100 PS IG
				4000004069338	1200K P-ENK 100 PS IG
				4000004069348	1200K P-ENK 100 PS IG
				4000004069358	1200K P-ENK 100 PS IG
				4000004069368	1200K P-ENK 100 PS IG
				4000004069378	1200K P-ENK 100 PS IG
				4000004069388	1200K P-ENK 100 PS IG
				4000004069398	1200K P-ENK 100 PS IG
				4000004069408	1200K P-ENK 100 PS IG
				4000004069418	1200K P-ENK 100 PS IG
				4000004069428	1200K P-ENK 100 PS IG
				4000004069438	1200K P-ENK 100 PS IG
				4000004069448	1200K P-ENK 100 PS IG
				4000004069458	1200K P-ENK 100 PS IG
				4000004069468	1200K P-ENK 100 PS IG
				4000004069478	1200K P-ENK 100 PS IG
				4000004069488	1200K P-ENK 100 PS IG
				4000004069498	1200K P-ENK 100 PS IG
				4000004069508	1200K P-ENK 100 PS IG
				4000004069518	1200K P-ENK 100 PS IG
				4000004069528	1200K P-ENK 100 PS IG
				4000004069538	1200K P-ENK 100 PS IG
				4000004069548	1200K P-ENK 100 PS IG
				4000004069558	1200K P-ENK 100 PS IG
				4000004069568	1200K P-ENK 100 PS IG
				4000004069578	1200K P-ENK 100 PS IG
				4000004069588	1200K P-ENK 100 PS IG
				4000004069598	1200K P-ENK 100 PS IG
				4000004069608	1200K P-ENK 100 PS IG
				4000004069618	1200K P-ENK 100 PS IG
				4000004069628	1200K P-ENK 100 PS IG
				4000004069638	1200K P-ENK 100 PS IG
				4000004069648	1200K P-ENK 100 PS IG
				4000004069658	1200K P-ENK 100 PS IG
				4000004069668	1200K P-ENK 100 PS IG
				4000004069678	1200K P-ENK 100 PS IG
				4000004069688	1200K P-ENK 100 PS IG
				4000004069698	1200K P-ENK 100 PS IG
				4000004069708	1200K P-ENK 100 PS IG
				4000004069718	1200K P-ENK 100 PS IG
				4000004069728	1200K P-ENK 100 PS IG
				4000004069738	1200K P-ENK 100 PS IG
				4000004069748	1200K P-ENK 100 PS IG
				4000004069758	1200K P-ENK 100 PS IG
				4000004069768	1200K P-ENK 100 PS IG
				4000004069778	1200K P-ENK 100 PS IG
				4000004069788	1200K P-ENK 100 PS IG
				4000004069798	1200K P-ENK 100 PS IG
				4000004069808	1200K P-ENK 100 PS IG
				4000004069818	1200K P-ENK 100 PS IG
				4000004069828	1200K P-ENK 100 PS IG
				4000004069838	1200K P-ENK 100 PS IG
				4000004069848	1200K P-ENK 100 PS IG
				4000004069858	1200K P-ENK 100 PS IG
				4000004069868	1200K P-ENK 100 PS IG
				4000004069878	1200K P-ENK 100 PS IG
				4000004069888	1200K P-ENK 100 PS IG
				4000004069898	1200K P-ENK 100 PS IG
				4000004069908	1200K P-ENK 100 PS IG
				4000004069918	1200K P-ENK 100 PS IG
				4000004069928	1200K P-ENK 100 PS IG
				4000004069938	1200K P-ENK 100 PS IG
				4000004069948	1200K P-ENK 100 PS IG
				4000004069958	1200K P-ENK 100 PS IG
				4000004069968	1200K P-ENK 100 PS IG
				4000004069978	1200K P-ENK 100 PS IG
				4000004069988	1200K P-ENK 100 PS IG
				4000004069998	1200K P-ENK 100 PS IG
				4000004070008	1200K P-ENK 100 PS IG
				4000004070018	1200K P-ENK 100 PS IG
				4000004070028	1200K P-ENK 100 PS IG
				4000004070038	1200K P-ENK 100 PS IG
				4000004070048	1200K P-ENK 100 PS IG
				4000004070058	1200K P-ENK 100 PS IG
				4000004070068	1200K P-ENK 100 PS IG
				4000004070078	1200K P-ENK 100 PS IG
				4000004070088	1200K P-ENK 100 PS IG
				4000004070098	1200K P-ENK 100 PS IG
				4000004070108	1200K P-ENK 100 PS IG
				4000004070118	1200K P-ENK 100 PS IG
				4000004070128	1200K P-ENK 100 PS IG
				4000004070138	1200K P-ENK 100 PS IG
	</				

– For Guarantee see www.ledvance.com/guarantee

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.