

PRODUCT DATASHEET MI POWER ARC METAL HALIDES 250 W/U E40 CLEAR

MI POWER ARC METAL HALIDES | Metal halide lamps with quartz technology



Areas of application

- Flood light applications
- Industry
- Commercial lighting
- Retail
- Lobbies
- Parking
- Shopping malls

Product features

- Available in 250 and 400 watts, in both clear and phosphor coated outer jackets
- High Lumen Output
- E40 screw base for simple lamp handling

TECHNICAL DATA

Electrical data

Nominal wattage	250 W
Construction wattage	250.00 W
Nominal voltage	133 V
Nominal current	2.1 A

Photometrical data

Luminous flux	20000 lm
Luminous efficacy	80 lm/W
Color temperature	4200 K
Color rendering index Ra	65
Light color	642

Dimensions & Weight

Overall length	212.00 mm
Diameter	90.00 mm
Product weight	158.09 g

Additional product data

Base (standard designation)	E40
Mercury content	32.0 mg

Country-specific categorizations

Order reference	MI 250W/U ED28
Gradi foldronoc	WII ZOOVW C LDZO

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E40
Length	212.00 mm
Height	90.00 mm
Width	90.00 mm

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075471689	Sleeve 1	96 mm x 96 mm x 215 mm	198.09 g	1.98 dm ³
4058075471696	Shipping box 6	335 mm x 236 mm x 265 mm	1663.00 g	20.95 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products.

When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.