

## PRODUCT DATASHEET DALIECO Remote PC KIT

DALieco Remote PC KIT | User interfaces for light management systems



### Areas of application

- Offices
- Industry

### Product benefits


- Clearly structured and labeled control elements

### Product features

- Remote control for configuration and startup of DALieco light control system
- Digital IR transmission
- LED indicator for operation and programming mode and signal transmission
- Interface for PC connection
- Supply via two included button cells type CR2032

TECHNICAL DATA

Dimensions & Weight



|                |          |
|----------------|----------|
| Length         | 230 mm   |
| Width          | 45 mm    |
| Height         | 13 mm    |
| Product weight | 150.00 g |

Colors & materials

|               |       |
|---------------|-------|
| Product color | Black |
|---------------|-------|

Capabilities

|                   |      |
|-------------------|------|
| Transmitter range | 10 m |
|-------------------|------|

Certificates & Standards

|                           |    |
|---------------------------|----|
| Approval marks – approval | CE |
|---------------------------|----|

DOWNLOAD DATA

| Documents and certificates             | Document name                                    |
|--|--|
| User instruction / safety instructions | 341217_Master Remote                             |
| User instruction / safety instructions | 538726_Software manual DALI Eco Remote PC KIT DE |
| Declarations of conformity             | 505227_CE Declaration DALIeco system             |

LOGISTICAL DATA

| Product code  | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 4052899195967 | Folding box<br>1             | 287 mm x 103 mm x 27 mm              | 221.00 g     | 0.80 dm <sup>3</sup>  |
| 4052899195974 | Shipping box<br>10           | 293 mm x 113 mm x 302 mm             | 2225.00 g    | 10.00 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

## DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.