


# PRODUCT DATASHEET SF BLKH RING 250 WT

SURFACE BULKHEAD RING | Attachable cover ring (IK10)



## **Product features**


- Cover ring for Surface Bulkhead
- Available for 250 mm and 300 mm Bulkhead version
- Available in black and white color
- Impact resistance: IK10



#### **TECHNICAL DATA**

# Dimensions & Weight

Diameter	258 mm
Height	57.0 mm
Product weight	210.00 g



## Materials & Colors

Product color White
---------------------

# **Application & Mounting**

Mounting location	Luminaire
Replaceable light source	No

# Certificates & Standards

Luminaire with limited surface temperature, "D sign"	No
------------------------------------------------------	----

### **EQUIPMENT / ACCESSORIES**

- Anti-theft screw included

## DOWNLOAD DATA

	Documents and certificates	Document name		
POF	User instruction / safety instructions	SURFACE BULKHEAD		
	Photometric and lighting design files	Document name		
	IES file (IES)	SF BLKH RING 250 WT 3000K		
	IES file (IES)	SF BLKH RING 250 WT 4000K		
	Tender texts	Document name		
	Tender documents	SURFACE BULKHEAD RING 250 WT-EN		

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075399334	Folding box 1	272 mm x 262 mm x 66 mm	315.00 g	4.70 dm <sup>3</sup>
4058075399341	Shipping box 8	550 mm x 285 mm x 285 mm	3241.00 g	44.67 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## References / Links

- For Guarantee see www.ledvance.com/guarantee

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.