

PRODUCT DATASHEET

EML V THR WH R SD

EMERGENCY LIGHTS SELF DIAGNOSTIC | LEDVANCE LED Emergency Lights with self diagnostic and remote capable options



Product features

- Slim profile, lightweight, easy to install emergency light that replaces traditional incandescent and fluorescent emergency lights
- Bright, energy-efficient LEDs provide energy savings up to 97%
- Offered in watts up to 2W
- Surface mounting
- 6500K color temperature
- CRI > 80
- Optional self-diagnostic and remote capable

TECHNICAL DATA

Electrical data

Nominal wattage	1.80 W
Nominal voltage	120...277 V

Photometrical data

Luminous flux	160 lm
Luminous efficacy	89 lm/W
Color temperature	6500 K
Color rendering index Ra	80

Dimensions & Weight

Length	280.00 mm
Width	67.00 mm
Height	110.00 mm
Product weight	500.00 g

Materials & Colors

Product color	White
Housing color	White
Mercury content	0.0 mg

Application & Mounting

Dimmable	No
Mounting type	Surface
Replaceable light source	No


Certificates & Standards


Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

Additional product data

NAED	66075
------	-------

DOWNLOAD DATA

Test		Document name	
	Extended installation guide	EXIT & EMERGENCY LIGHT	

Photometric and lighting design files		Document name
	IES file (IES)	VALUE CLASS EXIT AND EMERGENCY

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135660757	Folding box 1	288 mm x 121 mm x 80 mm	605.00 g	2.79 dm³
4099854335082	Shipping box 6	305 mm x 245 mm x 260 mm	3949.00 g	19.43 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.