

PRODUCT DATASHEET

REMOTE LED 2I WH

EMERGENCY LIGHTS SELF DIAGNOSTIC | LEDVANCE LED Emergency Lights with self diagnostic and remote capable options



VALUE
CLASS

Product features

- Slim profile, lightweight, easy to install emergency light that replaces traditional incandescent and fluorescent emergency lights
- Bright, energy-efficient LEDs provide energy savings up to 97%
- Offered in watts up to 2W
- Surface mounting
- 6500K color temperature
- CRI > 80
- Optional self-diagnostic and remote capable

TECHNICAL DATA

Electrical data

| | |
|-----------------|--------|
| Nominal wattage | 2.40 W |
| Nominal voltage | 3,6 V |

Photometrical data

| | |
|--------------------------|---------|
| Luminous flux | 200 lm |
| Luminous efficacy | 83 lm/W |
| Color temperature | 6500 K |
| Color rendering index Ra | 80 |

Dimensions & Weight

| | |
|----------------|-----------|
| Length | 214.00 mm |
| Width | 108.00 mm |
| Height | 75.70 mm |
| Product weight | 350.00 g |

Materials & Colors

| | |
|-----------------|--------|
| Product color | White |
| Housing color | White |
| Mercury content | 0.0 mg |

Application & Mounting

| | |
|--------------------------|---------|
| Dimmable | No |
| Mounting type | Surface |
| Replaceable light source | No |


Certificates & Standards

| | |
|----------------------------------|-----------------|
| Replaceable light source (EPREL) | Not replaceable |
|----------------------------------|-----------------|

Additional product data

| | |
|------|-------|
| NAED | 66077 |
|------|-------|

DOWNLOAD DATA

| Photometric and lighting design files | | Document name |
|---|----------------|--------------------------------|
|  | IES file (IES) | VALUE CLASS EXIT AND EMERGENCY |

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|---------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 0046135660771 | Folding box 1 | 116 mm x 86 mm x 232 mm | 448.00 g | 2.31 dm ³ |
| 4099854335105 | Shipping box 12 | 480 mm x 275 mm x 245 mm | 5645.00 g | 32.34 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.