

PRODUCT DATASHEET

REMOTE LED 10 GR

EMERGENCY LIGHTS SELF DIAGNOSTIC | LEDVANCE LED Emergency Lights with self diagnostic and remote capable options



Product features

- Slim profile, lightweight, easy to install emergency light that replaces traditional incandescent and fluorescent emergency lights
- Bright, energy-efficient LEDs provide energy savings up to 97%
- Offered in watts up to 2W
- Surface mounting
- 6500K color temperature
- CRI > 80
- Optional self-diagnostic and remote capable

TECHNICAL DATA

Electrical data

Nominal wattage	1.20 W
Nominal voltage	3,6 V

Photometrical data

Luminous flux	100 lm
Luminous efficacy	83 lm/W
Color temperature	6500 K
Color rendering index Ra	80

Dimensions & Weight

Diameter	115.00 mm
Height	161.50 mm
Product weight	250.00 g

Materials & Colors

Product color	Gray
Housing color	Gray
Mercury content	0.0 mg

Application & Mounting

Dimmable	No
Mounting type	Surface
Application environment	Outdoor
Replaceable light source	No


Certificates & Standards

Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

Additional product data

NAED	66078
------	-------

DOWNLOAD DATA

Photometric and lighting design files		Document name
	IES file (IES)	VALUE CLASS EXIT AND EMERGENCY

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135660788	Folding box 1	121 mm x 121 mm x 172 mm	334.00 g	2.52 dm ³
4099854335112	Shipping box 12	375 mm x 252 mm x 360 mm	4206.00 g	34.02 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.