

PRODUCT DATASHEET EM LIGHT 1B 3 DV TH R S WH

EMERGENCY LIGHTS STANDARD | SYLVANIA LED Emergency Lights with standard options



Areas of application

- Emergency illumination of escape routes
- Antipanic lighting
- Offices, education, public buildings

Product features

- Slim profile, lightweight, easy to install exit sign that replaces traditional incandescent and fluorescent exit signs
- Bright, energy-efficient LEDs provide energy savings up to 91%
- Surface mounting
- 6500K color temperature
- CRI > 80
- Offered in 2.2 watts

TECHNICAL DATA

Electrical data

Nominal wattage	2.40 W
Nominal voltage	120277 V

Photometrical data

Luminous flux	220 lm
Luminous efficacy	92 lm/W
Color temperature	6500 K
Color rendering index Ra	80

Dimensions & Weight

Length	280.00 mm
Width	67.50 mm
Height	110.00 mm
Product weight	504.00 g

Materials & Colors

Product color	White	
Housing color	White	
Body material	Acrylonitrile butadiene styrene (ABS)	
Mercury content	0.0 mg	

Application & Mounting

Dimmable	No
Mounting type	Surface
Application environment	Indoor
Replaceable light source	No

BATTERY

Battery size [GMS]	Others

Certificates & Standards

Replaceable light source (EPREL)	Not replaceable

Additional product data

NAED 60764

DOWNLOAD DATA

	Test	Document name	
PDF	Extended installation guide	Installation Guide Emergency Lights	
	Photometric and lighting design files	Document name	
	IES files (IES, additional)	ValueLED Emergency and Exit Signs	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135607646	Folding box	121 mm x 288 mm x 78 mm	617.00 g	2.73 dm ³
4058118120468	Shipping box 6	300 mm x 250 mm x 250 mm	4222.00 g	18.75 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.