

# PRODUCT DATASHEET

## RETROFIT STRIP 4 ft 30W 3500K

SYLVANIA STRIP RETROFIT | SYLVANIA Strip Retrofit kit for replacing existing fluorescent strips without removing the original body



---

### Areas of application

- Offices
- Retail
- Manufacturing
- Education
- Warehouses

---

### Product features

- Can be used on fluorescent luminaire bodies 4.25" to 5.25" wide
- Available in 3500K, 4000K, or 5000K color temperature
- Offered in 25, 30, 46, and 54 watts
- 0-10V dimmable down to 10 %
- Emergency battery back-up versions available

TECHNICAL DATA

Electrical data

|                 |             |
|-----------------|-------------|
| Nominal wattage | 30.00 W     |
| Nominal voltage | 120...277 V |

Photometrical data

|                          |          |
|--------------------------|----------|
| Luminous flux            | 3960 lm  |
| Luminous efficacy        | 132 lm/W |
| Color temperature        | 3500 K   |
| Color rendering index Ra | 80       |

Dimensions & Weight

|                |            |
|----------------|------------|
| Length         | 1220.00 mm |
| Width          | 148.00 mm  |
| Height         | 61.50 mm   |
| Product weight | 2440.00 g  |

Materials & Colors

|               |       |
|---------------|-------|
| Product color | White |
| Housing color | White |
| Body material | Metal |

Application & Mounting

|                          |         |
|--------------------------|---------|
| Dimmable                 | Yes     |
| Type of dimming          | 0-10V   |
| Mounting type            | Surface |
| Application environment  | Indoor  |
| Replaceable light source | No      |

Certificates & Standards

|                                  |                 |
|----------------------------------|-----------------|
| Replaceable light source (EPREL) | Not replaceable |
|----------------------------------|-----------------|

Additional product data

|      |       |
|------|-------|
| NAED | 61474 |
|------|-------|

EQUIPMENT / ACCESSORIES

- All mounting hardware
- Can only be used for retrofitting existing 4' and 8' fluorescent strip luminaires

### Safety advice

- 120-277 Vac
- Can only be used for retrofitting existing 4' and 8' fluorescent strip luminaires
- cULus

---

### DOWNLOAD DATA

---

### LOGISTICAL DATA

| Product code   | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume                |
|----------------|------------------------------|--------------------------------------|--------------|-----------------------|
| 10046135614740 | Shipping box<br>1            | 1,270 mm x 174 mm x 116 mm           | 3343.00 g    | 25.57 dm <sup>3</sup> |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.