

PRODUCT DATASHEET SLIM DNL 7" 5CCT 850LM

SYLVANIA RETROFIT DOWNLIGHT SLIM CCT SELECTABLE | Retrofit downlight slim withmultiple mounting options and selectable 5 CCT



Areas of application

- Residential
- Hospitality
- Retail

Product features

- Hybrid install with screw base and torsion springs for existing recessed cans
- Included optional mounting plate for flush hardwired mounting
- Selectable CCTs: 2700/3000/3500/4000/5000K
- Up to 71 LPW
- Energy savings up to 86 %
- $-\,$ Flicker-free dimming, phase-cut down to 10 %
- Available in 120VAC
- Optional dusk to dawn and PIR sensor for further energy savings

TECHNICAL DATA

Electrical data

Nominal wattage	17.00 W
Nominal voltage	120 V

Photometrical data

Luminous flux	1200 lm
Luminous efficacy	71 lm/W
Color temperature	2700 5000 K
Color rendering index Ra	90

Dimensions & Weight

Diameter	225.00 mm
Height	17.78 mm
Product weight	660.00 g

Materials & Colors

Product color	White
Housing color	White
Body material	Polycarbonate (PC)

Application & Mounting

Dimmable	Yes
Type of dimming	PHASE CUT
Mounting type	Surface/Recessed
Replaceable light source	No

Certificates & Standards

Replaceable light source (EPREL) Not replaceable

Additional product data

NAED 62035

EQUIPMENT / ACCESSORIES

- E26 Socket and torsion springs included for recessed can
- Hardwire mounting plate

Safety advice

- Suitable for wet locations.

- Torsion springs not recommended for 5" or 12" versions.

DOWNLOAD DATA

Photometric and lighting design files		Document name	
	IES files (IES, additional)	Downlight Photometric Data	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135620355	Folding box 1	42 mm x 256 mm x 258 mm	752.00 g	2.77 dm ³
4058118199471	Shipping box 4	265 mm x 185 mm x 272 mm	3219.00 g	13.34 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

December 22, 2025, 06:21:09 SLIM DNL 7" 5CCT 850LM