

PRODUCT DATASHEET

SLIM DNL 5" 5CCT 650LM

SYLVANIA RETROFIT DOWNLIGHT SLIM CCT SELECTABLE | Retrofit downlight slim with multiple mounting options and selectable 5 CCT



Areas of application

- Residential
- Hospitality
- Retail

Product features

- Hybrid install with screw base and torsion springs for existing recessed cans
- Included optional mounting plate for flush hardwired mounting
- Selectable CCTs: 2700/3000/3500/4000/5000K
- Up to 71 LPW
- Energy savings up to 86 %
- Flicker-free dimming, phase-cut down to 10 %
- Available in 120VAC
- Optional dusk to dawn and PIR sensor for further energy savings

TECHNICAL DATA

Electrical data

Nominal wattage	9.00 W
Nominal voltage	120 V

Photometrical data

Luminous flux	650 lm
Luminous efficacy	72 lm/W
Color temperature	2700 ... 5000 K
Color rendering index Ra	90

Dimensions & Weight

Diameter	140.00 mm
Height	17.78 mm
Product weight	380.00 g

Materials & Colors

Product color	White
Housing color	White
Body material	Polycarbonate (PC)

Application & Mounting

Dimmable	Yes
Type of dimming	PHASE CUT
Mounting type	Surface/Recessed
Replaceable light source	No

Certificates & Standards

Replaceable light source (EPREL)	Not replaceable
----------------------------------	-----------------

Additional product data

NAED	62033
------	-------

EQUIPMENT / ACCESSORIES


- E26 Socket and torsion springs included for recessed can
- Hardwire mounting plate

Safety advice

- Suitable for wet locations.
-

– Torsion springs not recommended for 5" or 12" versions.

DOWNLOAD DATA

Photometric and lighting design files		Document name
	IES files (IES, additional)	Downlight Photometric Data

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135620331	Folding box 1	42 mm x 168 mm x 170 mm	426.00 g	1.20 dm ³
4058118199457	Shipping box 4	185 mm x 178 mm x 185 mm	1835.00 g	6.09 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.