

PRODUCT DATASHEET Contractor Series 10YR A19 8.5W FR 2700K GU24 1PK

SYLVANIA Contractor Series A19 Lamps | SYLVANIA Contractor Series are rated for up to 11,000 hours



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Suitable for rough service

Product features

- Reduces energy consumption up to 86 %
- 11,000 hours lifetime (L70)
- No warm-up time, instant-on with full light output and stable color

TECHNICAL DATA

Electrical data

| Nominal wattage | 8.5 W |
|--|--------|
| Construction wattage | 8.50 W |
| Nominal voltage | 120 V |
| Claimed equiv. conventional lamp power | 60 W |

Photometrical data

| Luminous flux | 800 lm |
|--------------------------|---------|
| Luminous efficacy | 94 lm/W |
| Color temperature | 2700 K |
| Color rendering index Ra | 80 |
| Light color | 827 |

Dimensions & Weight

| Overall length | 110.01 mm |
|----------------|-----------|
| Diameter | 59.99 mm |
| Product weight | 50.00 g |

Additional product data

| Mercury content | 0.0 mg |
|-----------------|--------|
| | |

Capabilities

| Dimmable | No |
|----------|----|
|----------|----|

Country-specific categorizations

| Order reference 8,5W/827 120V G | | Order reference | 8,5W/827 120V G |
|---------------------------------|--|-----------------|-----------------|
|---------------------------------|--|-----------------|-----------------|

Energy labelling regulation data acc EU 2019/2015

| Length | 110.01 mm |
|--------|-----------|
| Height | 59.99 mm |
| Width | 59.99 mm |

Safety advice

- Suitable for damp locations.
- Non-dimmable.
- $-4^{\circ}F$ and $+104^{\circ}F$ (-20°C and $+40^{\circ}C$)
- Approved for use in totally enclosed fixtures.

LOGISTICAL DATA

| Product code | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Gross weight | Volume |
|----------------|------------------------------|--------------------------------------|--------------|----------------------|
| 0046135743221 | Folding box 1 | 60 mm x 60 mm x 114 mm | 77.00 g | 0.42 dm ³ |
| 10046135781060 | Shipping box 6 | 206 mm x 137 mm x 124 mm | 581.00 g | 3.49 dm ³ |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.