

PRODUCT DATASHEET

ECO LED A19 9W FR 3000K 8PK

SYLVANIA ECO LED A19 Lamps | SYLVANIA ECO LED A19 offers quality LED lighting at an affordable price



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Lasts up to 11 times longer than incandescent lamps
- No warm-up time, instant-on with full light output and stable color
- CRI 80
- 7,700 hours (L70)



TECHNICAL DATA

Electrical data

Nominal wattage	9 W
Construction wattage	9.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	60 W
Operating frequency	50...60 Hz
Mains frequency	50...60 Hz

Photometrical data

Luminous flux	750 lm
Luminous efficacy	83 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

Dimensions & Weight

Overall length	110.01 mm
Diameter	60.00 mm
Product weight	50.00 g

Temperatures & operating conditions

Ambient temperature range	-20...+40 °C
---------------------------	--------------

Additional product data

Base (standard designation)	E26
Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

Capabilities

Dimmable	No
----------	----

Country-specific categorizations

Order reference	9W/830 120V 3X8
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	110.01 mm
Height	60.00 mm
Width	60.00 mm

Safety advice

- Approved for use in totally enclosed fixtures.
- Suitable for damp locations.
- Non-dimmable.
- -4°F and + 113°F (-20°C and +45°C)

DOWNLOAD DATA

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135410994	Folding box 8	113 mm x 205 mm x 117 mm	482.00 g	2.71 dm ³
10046135410991	Shipping box 24	356 mm x 214 mm x 125 mm	1777.00 g	9.54 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.