

PRODUCT DATASHEET

TruWave® 5CCT Selectable A19 15W 2PK

SYLVANIA TruWave® 5CCT Selectable A19 Lamps | TruWave A19 lamps with natural light, 5CCT selectable , and 90+ CRI

Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Exceptional color quality without the loss of efficacy typical of most 90+ CRI solutions
- Properly saturates red to make building spaces and flesh tones accurate and vibrant
- 25,000 hours lifetime (L70)
- CRI 90+ for exceptional color quality

TECHNICAL DATA

Electrical data

Nominal wattage	15 W
Construction wattage	15.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	100 W

Photometrical data

Luminous flux	1600 lm
Luminous efficacy	106 lm/W
Color temperature	2700 K
Color rendering index Ra	90
Light color	927

Dimensions & Weight

Overall length	116.00 mm
Diameter	60.00 mm
Product weight	45.00 g

Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Certificates & Standards

Standards	RoHS / CSA / FTC / cETLus / FCC
-----------	---------------------------------

Country-specific categorizations

Order reference	RSVD LED15A19DI
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	116.00 mm
Height	60.00 mm
Width	60.00 mm

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118326938	Folding box 2			
4058118325108	Shipping box 8	271 mm x 120 mm x 130 mm	607.00 g	4.23 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.