

PRODUCT DATASHEET TruWave 5CCT Selectable R20 9W DIM 5CCT 1PK

SYLVANIA TruWave® 5CCT Selectable Reflectors | Reflectors with exceptional quality lighting with high CRI and reduced blue wavelengths and 5 CCT selectable options



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- Selectable CCTs: 2700/3000/3500/4000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- 90+ CRI without compromising efficacy
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 15,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Dimmable down to 10 %
- Low Flicker percentage

TECHNICAL DATA

Electrical data

Nominal wattage	9 W
Construction wattage	9.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	75 W

Photometrical data

Luminous flux	800 lm
Luminous efficacy	88 lm/W
Color temperature	2700 K
Color rendering index Ra	90
Light color	927

Dimensions & Weight

Overall length	97.00 mm
Diameter	63.00 mm
Product weight	40.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	3X1 EN/FR
-----------------	-----------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	97.00 mm
Height	63.00 mm
Width	63.00 mm

Safety advice

- Suitable for use in dry and damp locations.
- -4°F to +104°F (-20°C to +40°C)

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135425899	Folding box	64 mm x 64 mm x 100 mm	62.00 g	0.41 dm ³
10046135425896	Shipping box	213 mm x 81 mm x 110 mm	262.00 g	1.90 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.