

PRODUCT DATASHEET

TruWave Reflector BR30 7W DIM 5000K 6PK

SYLVANIA TruWave® Reflectors | Reflectors with exceptional quality lighting with high CRI and reduced blue wavelengths



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- 90+ CRI without compromising efficacy
- Controls blue wavelengths for lower glare and reduced eye strain to improve readability
- 15,000 hours lifetime (L70)
- Supports an improved sleep-wake cycle
- Clean light color rendering for seeing realistic, vivid colors
- Dimmable down to 10 %
- Low Flicker percentage

TECHNICAL DATA

Electrical data

Nominal wattage	7 W
Construction wattage	7.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	65 W

Photometrical data

Luminous flux	650 lm
Luminous efficacy	92 lm/W
Color temperature	5000 K
Color rendering index Ra	90
Light color	950

Dimensions & Weight

Overall length	127.00 mm
Diameter	95.00 mm
Product weight	185.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	7,5W/950 120V 4
-----------------	-----------------


Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	127.00 mm
Height	95.00 mm
Width	95.00 mm

Safety advice

- Suitable for use in dry and damp locations.
- Not for use with emergency light fixtures or exit lights.
- Not for use in enclosed fixtures.
- -4°F to +104°F (-20°C to +40°C)
- California Title 20 Certified.

DOWNLOAD DATA

Photometric and lighting design files		Document name
	IES files (IES, additional)	LED7.5BR30DIM927TLRP

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135413292	Folding box 6	167 mm x 240 mm x 144 mm	1273.00 g	5.77 dm ³
10046135413299	Shipping box 24	690 mm x 254 mm x 152 mm	5614.00 g	26.64 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.