

PRODUCT DATASHEET

High Output Reflector BR40 13W DIM HO 2700K 1PK

SYLVANIA High Output Reflectors | High Lumen Package LED Reflectors



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- General lighting, recessed downlights, track lighting, wall washers
- Art galleries, museums, offices, restaurants

Product features

- Long life up to 25,000 hours (L70)
- CRI of 80 ensures good color definition
- UV and IR free
- RoHS compliant, mercury and lead free
- Energy savings up to 90 %
- Dimmable down to 10 %

TECHNICAL DATA

Electrical data

Nominal wattage	13 W
Construction wattage	13.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	85 W

Photometrical data

Luminous flux	1100 lm
Luminous efficacy	84 lm/W
Color temperature	2700 K
Color rendering index Ra	80
Light color	827

Dimensions & Weight

Overall length	162.00 mm
Diameter	124.00 mm
Product weight	500.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	13W/827 120V 6X
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	162.00 mm
Height	124.00 mm
Width	124.00 mm

Safety advice

- Suitable for damp locations – not for use where directly exposed to water.
- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135404580	Folding box 1	127 mm x 140 mm x 197 mm	650.00 g	3.49 dm ³
10046135404587	Shipping box 6	406 mm x 308 mm x 206 mm	4311.00 g	25.83 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.