

PRODUCT DATASHEET High Output Reflector BR30 9W DIM HO 5000K 1PK

SYLVANIA High Ouput Reflectors | High Lumen Package LED Reflectors



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- General lighting, recessed downlights, track lighting, wall washers
- Art galleries, museums, offices, restaurants

Product features

- $-\,$ Long life up to 25,000 hours (L70)
- CRI of 80 ensures good color definition
- UV and IR free
- RoHS compliant, mercury and lead free
- Energy savings up to 90 %
- Dimmable down to 10 %

TECHNICAL DATA

Electrical data

Nominal wattage	9 W
Construction wattage	9.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	65 W

Photometrical data

Luminous flux	800 lm
Luminous efficacy	88 lm/W
Color temperature	5000 K
Color rendering index Ra	80
Light color	850

Dimensions & Weight

Overall length	126.01 mm
Diameter	95.00 mm
Product weight	185.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	9W/850 120V 6X1
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	126.01 mm
Height	95.00 mm
Width	95.00 mm

Safety advice

- Suitable for damp locations not for use where directly exposed to water.
- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135404610	Folding box 1	102 mm x 114 mm x 171 mm	289.00 g	1.99 dm ³
10046135404617	Shipping box	330 mm x 257 mm x 181 mm	2035.00 g	15.37 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.