

# PRODUCT DATASHEET 3CCT Selectable Reflectors BR30 8W DIM 3CCT 1PK

SYLVANIA 3CCT Selectable Reflectors | Energy efficient solution with 3 CCT selectable options



### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

#### Product features

- Selectable CCT: 2700/3000/5000K
- Toggle switch located on the lamp to change between CCTs in the field
- CRI of 80 ensures good color definition
- 15,000 hours lifetime (L70)
- 3-year limited warranty
- Dimmable down to 10 %

### **TECHNICAL DATA**

### Electrical data

Nominal wattage	8 W
Construction wattage	8.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	65 W

# Photometrical data

Luminous flux	650 lm
Luminous efficacy	81 lm/W
Color temperature	2700 K
Color rendering index Ra	80
Light color	827

## Dimensions & Weight

Overall length	130.00 mm
Diameter	95.00 mm
Product weight	67.00 g

## Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

## Capabilities

Dimmable	Yes
----------	-----

## Country-specific categorizations

Order reference	8W 120V 6X1 EN/
-----------------	-----------------

# Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Correlated colour temperature type	SINGLE_VALUE
Length	130.00 mm
Height	95.00 mm
Width	95.00 mm

## Safety advice

- $-4^{\circ}F \text{ to } +104^{\circ}F \text{ (-20°C to } +40^{\circ}C\text{)}$
- Suitable for damp locations.
- Not for use in totally enclosed fixtures.

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135413827	Folding box 1	102 mm x 114 mm x 145 mm	171.00 g	1.68 dm <sup>3</sup>
4058118229376	Shipping box	330 mm x 257 mm x 161 mm	1327.00 g	13.67 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

#### **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.