

## PRODUCT DATASHEET

### Contractor Series Reflectors BR40 12W DIM 10YR 5000K 2PK

SYLVANIA Contractor Series Reflectors | Entry Level LED Reflectors



#### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

#### Product features

- 11,000 hours lifetime (L70)
- CRI of 80 ensures good color definition
- No warm-up time, instant-on with full light output and stable color
- Dimmable down to 10 %



## TECHNICAL DATA

### Electrical data

Nominal wattage	12 W
Construction wattage	12.00 W
Nominal voltage	120 V
Operating frequency	50...60 Hz
Mains frequency	50...60 Hz

### Photometrical data

Luminous flux	1050 lm
Luminous efficacy	87 lm/W
Color temperature	5000 K
Color rendering index Ra	80
Light color	850

### Dimensions & Weight

Overall length	122.00 mm
Diameter	123.95 mm
Product weight	169.00 g

### Additional product data

Base (standard designation)	E26
Mercury-free	Yes
Product remark	All technical parameters apply to the entire lamp / Due to the complex production process for light-emitting diodes, the typical values shown for the technical LED parameters are purely statistical values that do not necessarily match the actual technical parameters of each individual product, which can vary from the typical value

### Country-specific categorizations

Order reference	12W/827 120V 6X
-----------------	-----------------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	122.00 mm
Height	123.95 mm
Width	123.95 mm

### Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

---

### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135796241	Folding box 2	127 mm x 210 mm x 165 mm	456.00 g	4.39 dm <sup>3</sup>
10046135796248	Shipping box 12	441 mm x 403 mm x 175 mm	3257.00 g	31.08 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.