

PRODUCT DATASHEET

Contractor Series Reflectors BR40 12W DIM 10YR 3000K 2PK

SYLVANIA Contractor Series Reflectors | Entry Level LED Reflectors



Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail

Product features

- 11,000 hours lifetime (L70)
- CRI of 80 ensures good color definition
- No warm-up time, instant-on with full light output and stable color
- Dimmable down to 10 %

TECHNICAL DATA

Electrical data

Nominal wattage	12 W
Construction wattage	12.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	85 W

Photometrical data

Luminous flux	900 lm
Luminous efficacy	75 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

Dimensions & Weight

Overall length	122.00 mm
Diameter	151.31 mm
Product weight	169.00 g

Additional product data

Base (standard designation)	E26
Mercury content	0.0 mg

Capabilities

Dimmable	Yes
----------	-----

Country-specific categorizations

Order reference	12W/830 120V 6X
-----------------	-----------------

Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	E26
Length	122.00 mm
Height	151.31 mm
Width	151.31 mm

Safety advice

- -4°F to +104°F (-20°C to +40°C)
- Not for use with emergency light fixtures or exit lights.
- Not for use in totally enclosed fixtures.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
0046135403385	Folding box 2	127 mm x 210 mm x 165 mm	456.00 g	4.39 dm³
10046135403382	Shipping box 12	438 mm x 402 mm x 184 mm	3339.00 g	32.40 dm³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.