

## PRODUCT DATASHEET

### SPECIALTY LED LAMPS T6 2W G9 3000K 1PK

SYLVANIA Specialty LED Lamps | SYLVANIA LED Specialty lamps are a direct replacement for halogen lamps



#### Areas of application

- Downlights, pendant fixtures, table lamps, wall sconces
- Healthcare, hospitality, residential, retail
- Residential and commercial

#### Product features

- Available in a variety of shapes, sizes, and base configurations
- Available in 3000K CCT
- RoHS compliant, mercury and lead free
- UV and IR free

## TECHNICAL DATA

### Electrical data

Nominal wattage	2 W
Construction wattage	2.00 W
Nominal voltage	120 V
Claimed equiv. conventional lamp power	20 W

### Photometrical data

Luminous flux	160 lm
Luminous efficacy	80 lm/W
Color temperature	3000 K
Color rendering index Ra	80
Light color	830

### Dimensions & Weight

Overall length	50.04 mm
Diameter	13.21 mm
Product weight	5.4 g

### Additional product data

Base (standard designation)	G9
Mercury content	0.0 mg

### Capabilities

Dimmable	No
----------	----

### Country-specific categorizations

Order reference	CL 2W/830 120V
-----------------	----------------

### Energy labelling regulation data acc EU 2019/2015

Light source cap-type (or other electric interface)	G9
Length	50.04 mm
Height	13.21 mm
Width	13.21 mm

### Safety advice

- Suitable for damp locations.
- Non-dimmable.
- -4°F to +113°F (-20°C to +45°C)
- Not for use with emergency light fixtures or exit lights.

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058118265688	Blister 1	25 mm x 98 mm x 149 mm	15.00 g	0.37 dm <sup>3</sup>
4058118250653	Shipping box 6	164 mm x 116 mm x 164 mm	131.00 g	3.10 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.