

PRODUCTINFORMATIEBLAD

DALI magic

DALI magic | USB naar DALI programmeer-interface



Toepassingsgebieden

- Configuration of DALI ECG functions
- Monitoring of DALI installations

Productvoordelen

DALI wizard software features (included)

- Intuitive configuration of up to 64 DALI electronic control gears
- Offline / Online configuration of DALI installations
- “DALI-Spy”-functionality for recording DALI line data flow

Tuner4TRONIC software features

- Programming of OSRAM ECG
- Suitable for the shop floor environments
- Performs fast manual and automatic programming
- Easily enables the use of the pre-parameterization service

Productkenmerken

- USB DALI converter for Tuner4TRONIC and DALI wizard software for Windows PC
- Pushbutton to test DALI dimming without need of connection to computer
- Powered by USB or by included universal power supply
- Integrated automatic DALI supply of up to 64 devices (up to 4 if powered by USB)

TECHNISCHE GEGEVENS

ELEKTRISCHE GEGEVENS

Nominale vermogen	7,00 W
Nominale spanning	220...240 V
Netfrequentie	50/60 Hz

AFMETINGEN & GEWICHT

Lengte	120,0 mm
Breedte	120,00 mm
Breedte (incl. ronde armaturen)	120.00 mm
Hoogte	28,00 mm
Hoogte (incl. cylin. armaturen)	28.00 mm
Product gewicht	370,00 g

KLEUREN & MATERIALEN

Kleur van het product	Wit
-----------------------	-----

TEMPERATUREN & BEDRIJFSOMSTANDIGHEDEN

Omgevingstemperatuur bereik	+15...+50 °C
-----------------------------	--------------

MOGELIJKHEDEN

Dimbaar	Ja
Dimmer interface	DALI

CERTIFICATEN & NORMEN

Veiligheidsklasse	I
Type bescherming	IP20

Technische uitrusting

- Universal power supply (100...240 V_{AC}, 5.9 V_{DC}, 1.15 A, EU plug)
- USB cable (male A to male B), 180 cm
- Bipolar plug for DALI connection

DOWNLOADS

Documenten en certificaten		Naam document
	Conformiteitsverklaringen	334886_Declaration of conformity – DALI magic
	EU Data Act	Connected Products and Related Software and Services

LOGISTIEKE GEGEVENS

Productcode	Verpakkingseenheid (stuks per verpakking)	Afmetingen (lengte x breedte x hoogte)	Brutogewicht	Volume
4052899039551	Verzenddoos 1	148 mm x 98 mm x 135 mm	376.00 g	1.96 dm ³

De genoemde productcodes beschrijven de kleinste hoeveelheid die besteld kan worden. Eén verzendeenheid kan bestaan uit één of meer afzonderlijke producten. Bij het plaatsen van een order enkele of veelvouden van de verpakkingseenheid invoeren.

Referenties / Links

– Compatibele software beschikbaar via www.ledvance.nl/tools

DISCLAIMER

Onder voorbehoud van verandering zonder kennisgeving. Fouten en drukfouten voorbehouden. Zorg ervoor dat u de meest recente versie gebruikt.